Report No. CG-D-24-94

Coast Guard Vessel Preliminary Hazard Analysis

William A. Wheeler Rhonda A. Kinghorn John D. Lee Mireille Raby Alvah C. Bittner, Jr.

Human Factors Transportation Center Battelle Seattle Research Center Seattle, WA 98105-5428

and

William H. Jones

U.S. Coast Guard Research and Development Center 1082 Shennecossett Road Groton, CT 06340-6096



Final Report December 1994

This document is available to the U.S. public through the National Technical Information Service, Springfield, Virginia 22161

Prepared for:

U.S. Department of Transportation United States Coast Guard Office of Engineering, Logistics, and Development Washington, DC 20593-0001

19950123 029

NOTICE

This document is disseminated under the sponsorship of the Department of Transportation in the interest of information exchange. The United States Government assumes no liability for its contents or use thereof.

The United States Government does not endorse products or manufacturers. Trade or manufacturers' names appear herein solely because they are considered essential to the object of this report.

The contents of this report reflect the views of the Coast Guard Research & Development Center. This report does not constitute a standard, specification, or regulation.

Technical Director, Acting **United States Coast Guard**

Research & Development Center

1082 Shennecossett Road Groton, CT 06340-6096

ii

Technical	Report	Documentation	Page
-----------	--------	---------------	------

1. Report No. CG-D-24-94	2. Government Acces	sion No.	3. Recipient's Catalog	No.	
Title and Subtitle Coast Guard Vessel Preliminary Ha	zard Analysis		5. Report Date December 1994		
7. Author(s)			6. Performing Organize MFRSB Report N		
William A. Wheeler, Rhonda A. Kin Mireille Raby, Alvah C. Bittner, Jr. a	ghorn, John D. Lee, and William H. Jones		8. Performing Organiza R&DC 31/94		
9. Performing Organization Name and Ad	dress		10. Work Unit No. (TR	AIS)	
Human Factors Transportation Center Battelle Seattle Research Center Seattle, WA 98105-5428	U.S. Coast Guard Research and Develo Marine Fire and Safet 1082 Shennecossett I Groton, CT 06340-609	y Research Branch Road	11. Contract or Grant I		
12. Sponsoring Agency Name and Addre Department of Transportation U.S. Coast Guard Office of Engineering, Logistics, and D	SS		13. Type of Report and Final Report December 1994	d Period Covered	
Washington, DC 20593-0001	, and the second		14. Sponsoring Agenc	y Code	
The Coast Guard technical contact 16. Abstract A non-traditional Preliminary Hazard presented. The PHA characterizes at traditional approach to conducting a and review mishap histories. In an advantage of the Coast Guard's exterior information contained in the Loss Exproject database is an enhanced ve The LERAM Project database serve	d Analysis (PHA) tech and presents hazards attention on critical iss PHA is to review ves attempt to condense to ensive historical mish aposure and Risk Anarsion of the Coast Gu	nnique, based soles in a tabular formations necessary to sel designs, conditional the background invapinformation, thinlysis Method (LEF ard's Mishap Rep	ely on historical mishap at for easy viewing and lower the vessel risk le uct crew interviews, inst vestigation aspect of the s PHA was conducted RAM) Project Database orting System (MISRE	d understanding. evel. The spect the vessel, ne PHA and take solely using the e. The LERAM	
		emaka ayan yarka interneti Analish sakara na ayar ahii ka	n kaluu omaa &		
17. Key Words 18. Distribution Statement					
Preliminary Hazard Analysis (PH vessel hazards vessel hazard groups	A)		is available to the U.S chnical Information Se 22161.		
19. Security Classif. (of this report)	20. SECURITY CLAS	SIF. (of this page)	21. No. of Pages	22. Price	
UNCLASSIFIED		SSIFIED	•		

METRIC CONVERSION FACTORS

Api	Approximate Conversions to Metric Measu	rsions to !	Wetric Mea	sures —	SS S3	Appro	Approximate Conversions from Metric Measures	ions from	Metric Me	asures
Symbo	Symbol When You Know	Multiply By	To Find	Symbol 8		Symbol	When You Know	Multiply By	To Find	Symbol
		LENGTH			9 S		LENGTH	ΤH		
ء.	inches	* 2.5	centimeters	7 E		E	millimeters	0.04	inches	<u>.</u> ⊑
=	feet	30	centimeters	Eo	81	E	centimeters	0.4	inches	.드 :
yd	yards	6.0	meters	E	· .	E	meters	ლ -	teet	≠ 5
Ē	miles	1.6	kilometers	ka 	۷ ۱ 	Ē	kilometers	9.0	miles	Ž Ē
	-	AREA		6	' ' 91		AREA	A		
in ²	square inches	6.5	square centimeters		S	cm ²	square centimeters	0.16	square inches	in ²
ft ²		0.09	square meters	m ²		3	square meters		square yards	yd^2
yd ²	square yards	0.8	square meters		≯ ↓	km ²	square kilometers		square miles	mi²
mi ²		2.6	square kilometers		3 	ha	hectares(10,000 m²)	2.5	acres	
	acres	9.4	hectares	ha				(WEIGHT)		✓
		MASS (WEIGHT)	٦		15 	c	grams	0.035	onuces	20
	onuces	28	grams			y X g	kilograms	2.2	spunod	<u>Q</u>
<u>o</u> iv			kilograms	4 5 8		-	tonnes (1000 kg)	1.1	short tons	
	short tons (2000 lb)	6.0	tonnes	+						
		VOLUME			6		VOLUME	ME		
tsp	teaspoons	2	milliliters	3	 	Έ	milliliters	0.03	fluid ounces	fl oz
tbsp	tablespoons	15	milliliters	Ē	8 	_	liters	0.125	cnbs	o
fl oz	fluid ounces	30	milliliters	Ē	2 	_	liters	2.1	pints	pţ
O	cnbs	0.24	liters	-		_	liters	1.06	quarts	ŭ
ŧ.	pints	0.47	liters	2	9 	- "	liters	0.26	gallons	gc,
ಕ 1	quarts	0.95	liters	<u>,</u>	9 	E	cubic meters	35	cubic feet	S# .
gal ft 3	gallons cubic feet	8. C	mers cubic meters	- E	 	E	cubic meters	<u>.</u>	cubic yards	λđ
, reg		0.03	cubic meters	E	† 					
2	spin dono	2		1	E		TEMPERATURE	RE (EXACT)		
	TEN	TEMPERATURE (EXACT)	EXACT)		: 	ပ	Celsius	9/5 (then	Fahrenheit	₽°
H _o	Fahrenheit	5/9 (after	Celsius	ပ	5 		temperature	add 32)	temperature	
	temperature	subtracting 32)	temperature	inch	: 		32		212°F	1
* E	= 2.54 (exactly).				cu	1	7	\Box	4	
						•	-40°C -20 0 20	, 0,9 , 0,4°, 8	80 100°C	

TABLE OF CONTENTS

		Page
1.0	INTRODUCTION	1
2.0	HAZARD GROUPS	2
3.0	HAZARD LIST	5
4.0	VESSEL HAZARD HIERARCHY4.1 Background4.2 Development of the System Hazard Hierarchy	6
5.0	PRELIMINARY HAZARD ANALYSES	7
6.0	VESSEL HAZARD MATRIX	9
7.0	RECOMMENDATIONS	.10
8.0	REFERENCES	.12
APPE	ENDICES	
A B C D E	COAST GUARD VESSEL SYSTEM HAZARD GROUPS	B-1 C-1 D-1
	LIST OF TABLES	Page
1.	Comparison of Hazard Taxonomies and Existing Mishap Reporting Structures	
2.	Coast Guard System Definitions	

1.0 INTRODUCTION

1.1 Background

The Coast Guard is developing a Loss Exposure and Risk Analysis Method (LERAM) to improve the management and control of loss exposures and risks aboard its vessels. Though the Coast Guard has extensive safety related programs, they generally focus on specific aspects of the system. When developed, LERAM will provide a method for the Coast Guard to characterize hazards and assess the risks associated with those hazards onboard its fleet of over 2200 cutters and boats. In addition, this method will integrate various safety management methods and programs to achieve a system wide vessel safety program. Such a system wide approach to vessel safety will cost-effectively reduce the risks to Coast Guard personnel, property, operations, and the environment.

To support the LERAM project, the Coast Guard Research and Development Center has captured, corrected, and enhanced the Mishap Reporting System (MISREPS) database for the years 1989 through 1992. This integrated database, called the LERAM project database, contains historical information on Coast Guard Vessel mishaps and operating experience. This database formed the basis of a historical analysis of vessel mishaps [1]. The present project, to characterize Coast Guard vessel hazards, is the next logical step in the process of developing LERAM. The method chosen for initially characterizing vessel hazards is a Preliminary Hazard Analysis (PHA). It should be noted that a PHA is usually developed from a detailed engineering analysis of vessel drawings and related specifications and thus is a prospective approach. The method prescribed in this project calls for the PHA to be developed on the basis of a retrospective analysis of Coast Guard vessel history, particularly as this history has included vessel mishaps. The one advantage is that the enhanced database was designed to support automated first level PHA listings.

A PHA provides a qualitative assessment of the hazardous conditions and potential accidents within a system [2]. Though the PHA is usually performed in the early phases of system development [3,4,5], it can also be the first step in a more rigorous safety analysis [6] of existing systems. The PHA is presented in a tabular/textual format that allows characterization of each hazard in a variety of ways. Hazards described in the PHA can also form the basis for other hierarchical hazard analysis techniques such as Failure Modes and Effects Analysis (FMEA) and Fault Tree Analysis (FTA).

The development of a generic PHA that will include the various hazards that might be found on Coast Guard vessels is an ambitious project. Coast Guard vessels represent complex arrangements of systems, sub-systems, and components. In addition to complexity, the wide variety of Coast Guard vessels present significant challenges to the development of a comprehensive listing of all main hazards that may need to be considered for a particular vessel.

The complexity and variety of Coast Guard vessels requires the careful development of a taxonomy of vessel hazards if a successful PHA is to be performed.

Distribution / Availability Codes

Avail and or

Special

Dist

1.2 Description of Project/Report

This report presents the culmination of five tasks that led to the development of the Preliminary Hazard Analyses. The PHA characterizes the majority of Coast Guard vessel hazards and organizes them into generic hazard groups. The tasks are as follows:

- 1. Identification of hazard groups.
- 2. Creation of a hazard list.
- 3. Development of a hazard hierarchy.
- 4. Performance of PHA on LERAM project database material.
- 5. Creation of a vessel hazard matrix.

All tasks of the project used an iterative process. Typically, team members would work on a separate part of each task. The team members then reviewed each others' work to maintain consistency throughout each task. In particular, the development of the hazard list and the PHA involved several iterations whereby new information that was gained during each task was incorporated into other tasks. The activities involved in each of these tasks and their results are described in the appendices.

2.0 HAZARD GROUPS

2.1 Background

The first step in developing the preliminary hazard analysis was the development of generic hazard groups that could be used to characterize Coast Guard vessel hazards. In addition to identifying and defining hazard groups, we also identified how each hazard group would relate to the Coast Guard Vessel Systems (i.e., Operating Systems, Engineering Systems, Management Systems, and the Environment).

While developing the vessel hazard groups, it was determined that it would not be possible to accurately link hazard groups with vessel systems without a detailed understanding of the incidents, hazards, and results that were associated with each reported mishap. During the technical interchange meetings held February 15-16, 1994, it was determined that this linkage would be best accomplished by developing a Vessel Hazard Matrix. The hazard matrix would identify hazard groups that had a primary or secondary effect on the four major vessel systems mentioned in the first paragraph of this section.

2.2 Development of Vessel Hazard Groups

Two approaches were used in the development of vessel hazard groups. The first technique involved researching and reviewing existing hazard group taxonomies developed for related environments such as marine and Department of Defense applications. The second method

involved reviewing the historical vessel mishaps recorded in the MISREPS database to identify and characterize hazard groupings associated with prior mishaps reported during the 1989-1992 time period. Additional details of these approaches are described below.

2.2.1 Review of Various Taxonomies

Safety and hazard analysis literature was researched to identify a common taxonomy for describing vessel related hazard groups and detailed hazards associated with the broader hazard groups. There are several advantages to using a commonly accepted hazard taxonomy. These include:

- The availability of commonly used terminology to define the hazard.
- A developed structure that provides unambiguous grouping of lower level hazards.
- The potential for using the results of safety analyses conducted on other systems as the basis for developing the PHA on the system of interest.

Though it was desirable to use a previously developed hazard group taxonomy as the starting point for the PHA, it was recognized that such a taxonomy must be compatible with the needs of the Coast Guard. In particular, the taxonomy should work within the existing vessel mishap reporting system so that hazard groups may be identified and assigned to vessel mishaps. To facilitate smooth integration into the vessel safety structure the taxonomy would be designed so safety professional assign the hazard groups, eliminating confusion for the reporting personnel and the need for changing the reporting forms. Integrating hazard groups into the MISREPS database is easily facilitated by adding a hazard group table to the existing structure rather than re-coding a new required data element.

Several taxonomies were considered as a possible basis for grouping Coast Guard Vessel Hazards. The existing Mishap Types developed as part of the MISREPS database enhancement project (Romberg, Ryley, & Wolverton of CompuCon, 1993), plus two published hazard group taxonomies (Hammer, 1972, 1989; and Cheaney and Coyle, 1977) are listed in Table 1 along with Battelle's proposed hazard group taxonomy. In table 1, we attempt to link the hazard groups defined in each taxonomy to illustrate how the proposed taxonomy provides the greatest coverage of vessel hazards and the closest linkage to the existing mishap reporting structure.

Table 1. Comparison of Hazard Taxonomies and Existing Mishap Reporting Structures.

BATTELLE'S	MISHAP TYPES (ROMBERG	HAMMER (1972,	CHEANEY &
APPROACH	ET AL., 1993)	1989)	COYLES (1977)
Armaments and Military	Firearm discharge		
Explosives Radiation	TT	D. U. d	
Radiation Burns	Hazardous exposure: Radiation	Radiation	
Burns	Radiation Rum	Infrared Electromagnetic	
	Buil	Ionizing	
		Ultraviolet	
Capsize	Capsizing	Oldaviolet	
Collision with vessel	Collision with another vessel	Impact and Shock	Collision, ramming,
Collision with object	Collision with an object	1	grounding
Grounding	Collision with a floating object		
	Grounding		
Contamination		Contamination	
Electrical	Electrical shock/electrocution	Electrical	
Environmental	Environmental-related injuries	Weather and	
conditions		environment	
Equipment Failure	Equipment failure	Structural	Structural failure
Structural Failure		damage/failure	
Ergonomic			
Explosion	Fire/Explosion	Fire/Explosion	Fire/Explosion
Fire			
Flooding/Sinking	Flooding		
	Sinking		
Impact and shock	Fall	Impact and shock	
Leakage		Leakage	Hazardous cargo spill
Loss of power/control	Fouled screw	Power source failure	
Mechanical	Equipment-related injury	Mechanical	
Overboard	Drowning		Occupational
	Overboard		accidents
Temperature contact	Hazardous exposure: cold	Heat and temperature	
	Hazardous exposure:	High temperature	
	heat	Low temperature	
	Burns	Temperature	
The section is a section of the sect	Equipment-related injury	variation	
Toxicity	Hazardous exposure: chemical	Toxicity	
Vibration and noise	Burns	37'1	
vioration and noise	Noise	Vibration and noise	

2.2.2 Database Review

The second approach was to review the contents of the LERAM project database for incidents reported during the 1989-1992 time period. This review concentrated on the type of mishap (vessel and personnel) described in the database. In addition to the type of mishap, a review was also conducted of mishap narratives to determine if these narratives might indicate additional hazards not identified by either the review of existing hazard taxonomies or the coded mishap types.

By mapping the contents of previously developed hazard taxonomies to the mishaps types found in the LERAM project database, it was possible to develop hazard groups that were sufficiently broad to incorporate the majority of vessel hazards. The hazard group definitions are presented in Appendix A.

3.0 HAZARD LIST

3.1 Background

Once the vessel hazard group taxonomy had been developed, the next task in the development of the preliminary hazard analysis was to identify the hazards associated with each mishap reported in the LERAM project database and correlate these with the hazard groups. The hazard listing, organized by the LERAM project database mishap number, identifies the primary hazard group associated with the mishap and up to two additional hazard groups, plus up to six hazards associated with the mishap and the identified hazard groups. The descriptions of the hazards are brief due in part to the size of the table used to present the information and secondly from the lack of detailed information available from the LERAM project database.

A preliminary evaluation of the data available in the LERAM project database indicated that identification of the system or subsystem affected by a particular hazard could not be generally determined. During the technical interchange meeting held on February 15-16, 1994, at Battelle, it was agreed that such information would not be included in the hazard list. During the technical interchange meeting held on April 5, 1994, at the Coast Guard Research and Development Center, it was agreed that an electronic copy of the resulting listing would be provided as part of this report in order to allow more detailed analysis of the information by the Coast Guard at a later date.

3.2 Development of the Vessel Hazard List

As part of the initial work in this project, the system safety and hazard analysis literature was researched to determine possible hazards associated with the hazard groups described in the previous section. This approach was not very useful for creating the Coast Guard Vessel Hazard List as hazards mentioned in the literature tended to be either very general or domain-specific. While this background information was useful in identifying hazards that are typically associated with mishaps, they did not contribute significantly to the development of the Vessel Hazard List. An analysis of the content of each mishap contained in the LERAM project database, including the descriptions of the event and its consequences, provided the basic information from which hazards could be identified and characterized.

A five-step interactive process was used to identify hazards for each of the mishaps contained in the LERAM project database. These steps were as follows:

1. A review of the entire LERAM project database was made to remove incomplete mishaps from consideration.

- 2. A separate database of mishaps was constructed to contain the following fields:
 - Mishap number
 - Generic Hazard Groups (three fields were available)
 - Specific Vessel Hazard (six fields were available)
 - Effect of the Hazard
 - Vessel Class
 - Hazard Level (i.e., Mishap Class)
 - Personnel Cost
 - Government Property Cost
 - Other Property Cost
 - Total Cost
- 3. This Hazard List database was completed during these iterations of the LERAM project database by the team of safety analysts. The first iteration was used to identify the vessel hazard group or groups associate with each mishap. The second iteration was used to identify the major effects in terms of injury and property damage that were associated with each mishap. The last iteration was used to identify the likely vessel hazards associated with each mishap.
- 4. Once the Hazard List database was completed, each of the new fields added (i.e., vessel hazard groups, vessel hazards, and hazard effects) were reviewed to insure use of common terminology throughout the list.
- 5. The resulting list of hazard groups, specific hazards, and effects are presented in Appendix B. The entire Hazard List database, in EXCEL 4.0 format, is provided as an enclosure to this report and is labeled HAZLIST.XLS.

4.0 VESSEL HAZARD HIERARCHY

4.1 Background

Once vessel hazards from the 1989 to 1992 LERAM project database were identified and characterized, they were ranked first according to the severity of the consequences, second by hazard group, and third by probability. The purpose of such a ranking was to provide the Coast Guard with a representation of historical experience concerning hazards and their consequences.

During the technical interchange meeting held on April 5, 1994, at the Coast Guard Research and Development Center, it was agreed that the hazard hierarchy would also include vessel classes.

4.2 Development of the System Hazard Hierarchy

The Vessel System Hazard Hierarchy was based on information contained in a database developed to contain the hazard list. This database consisted of a single record for each mishap contained in the LERAM project database that contained enough information about the mishap to identify hazards which contributed to the mishap. There were 1,242 such usable mishaps in the LERAM project database.

Each record of the Vessel System Hazard List database consisted of the following fields:

- Mishap Number
- Vessel Hazard Group (three fields possible)
- Vessel Hazard (6 fields possible)
- Effects of the hazard in terms of injury or damage
- Vessel Class
- Hazard Level (i.e., Mishap Class)
- Cost to personnel
- Cost to government property
- Cost to other property
- Total Cost

Of these fields, Hazard Group, Vessel Class, and Hazard Level were used to develop the hierarchy. The following steps were used in developing the System Hazard Hierarchy:

- 1. The database was reorganized to create a single record for each hazard group identified in the original database. This was necessary because many of the mishaps had been identified as having more than one hazard group and more than one hazard associated with them. The resulting listing then consisted of a separate record for each hazard group entry for an mishap. Thus if a mishap was identified with two or three hazard groups it would show up in the listing two or three times. The information on vessel class and hazard level would also be duplicated in these additional entries. When this process was completed, 1,814 entries were used for the development of the hazard hierarchy.
- 2. The hierarchy was sorted first by Hazard Level, then by Hazard Group within each Hazard Level, and finally by Vessel Class within each Hazard Group occurring in a particular hazard level.
- 3. To provide a representation of the relative importance of each element within the hierarchy, the probability of occurrence in each level of the hierarchy was determined by dividing the number of incidents representing a particular condition by the total number of incidents represented in the database (1,814).
- 4. The resulting hierarchy and associated probabilities for each element within the hierarchy are presented in Appendix C.

5.0 PRELIMINARY HAZARD ANALYSES

5.1 Background

A Preliminary Hazard Analysis (PHA) was conducted on all Coast Guard vessels based solely on the information contained in the LERAM project database mishap reports from 1989 through 1992. This analysis was conducted to determine what information could be extracted from a historical mishap database, what information would be useful to capture in such a database, and where such an analysis fell short in delivering useful information to facility managers of Coast Guard floating units.

During the technical interchange meetings held on February 15-16, 1994, at Battelle, a proposed format for the preliminary hazard analysis was developed. This PHA report format was subsequently reviewed and modified during the technical interchange meeting held on April 5, 1994, at the Coast Guard Research and Development Center. As a result of these meetings, it was agreed that a separate PHA would be constructed for each Vessel Hazard Group and that

each would include the following information:

- A description of the major hazards associated with the hazard group.
- A description of the major effects associated with each hazard.
- The Hazard Level, as determined from the mishap class severity, associated with each hazard.
- The probability of occurrence associated with each hazard.
- The minimum, maximum, and average cost associated with mishaps involving each hazard.
- Comments concerning each hazard as appropriate.

An additional field in the PHA was included to allow for the addition of baseline exposure information when an appropriate source for such information becomes available. At this time, exposure information is not accurately captured in the reporting of mishaps.

5.2 Development of the Preliminary Hazard Analyses

The following procedure was used to develop each PHA:

- 1. The mishaps associated with each hazard group were identified using the hazard list database.
- 2. A review was conducted of the LERAM project database for each mishap identified as part of a particular PHA. This review included a review of the narrative descriptions associated with the mishap.
- 3. On the basis of this review, a synthesis was made of the hazards that were common to the group. This synthesis was made to elevate the specificity of the individual hazards identified with each incident to a more usable level of analysis. Each synthesis was then entered into the PHA as a hazard. For example, hazards related to slippery decks might have included hazards such as ice, snow, water, fuel, and soap.
- 4. Based on the results of mishaps associated with each PHA hazard, a short statement was developed to describe the results of not controlling the hazard. This statement also included the analysts' best estimates of possible results not presently represented in the mishap experience of the Coast Guard.
- 5. The LERAM information on Accident Severity Level for each mishap associated with a PHA hazard was entered into the Hazard Level column of the PHA as an indication of the relative and gross severity of each PHA hazard.

- 6. The number of mishaps associated with the PHA hazard was then used to determine the likelihood of occurrence. This likelihood was determined by dividing the number of mishaps associated with each PHA hazard by the total number of mishaps in the Coast Guard Vessel Systems Hazard List (1814).
- 7. The minimum, maximum, and average costs associated with each hazard were determined from information provided by the LERAM project database on each mishap.
- 8. Since many mishaps involved more than one hazard group, they may appear on more than one PHA. To provide a record of the interactions between PHAs, a separate listing of the associated hazard groups and corresponding mishap numbers was developed. This listing appears at the beginning of Appendix D.
- 9. After each PHA was completed, it was reviewed by at least one other analyst to insure continuity in the synthesis.
- 10. The resulting PHAs for each hazard group are presented in Appendix D.

6.0 VESSEL HAZARD MATRIX

6.1 Background

A Vessel Hazard Matrix was developed to illustrate the correlation between hazards and risks to operating systems, engineering systems, management systems, and the environment.

During the technical interchange meeting held on April 5, 1994, at the Coast Guard Research and Development Center, it was determined that a matrix that would include all hazards identified during the course of the project would be excessively cumbersome and of little practical value. It was also determined that there would be little in the way of empirical data upon which to base a correlation between hazards and the systems involved. As a result, it was agreed that the hazard matrix would include only the analysts' best judgment of whether or not a particular hazard group was a risk to the operating systems, engineering systems, management systems, or the environment.

6.2 Development of the Vessel Hazard Matrix

All hazards discovered during the PHA and previous analyses were considered. The likely interactions between Coast Guard systems and the hazard groups were determined, based on the analysis of the LERAM project database and the previous tasks of this project. Table 2 gives a simplified definition of these systems.

Table 2. Coast Guard System Definitions.

SYSTEMS	DEFINITION
CG Operations Systems	Systems necessary for mission accomplishment
CG Engineering Systems	Vessel's mechanical systems (also includes electrical, hydraulic, pneumatic, etc.)
CG Management Systems	Anything directly involving personnel or personnel issues
Environment	External, natural environment (primarily water and air)

To develop the Vessel Hazard Matrix, a group of three analysts, each of whom was significantly involved in the development of the Vessel Hazard List and Preliminary Hazard Analyses, reviewed each hazard group in relation to its known or expected impact on the three Coast Guard systems and the environment. Based on their detailed knowledge of the mishaps representing each hazard group and the consequences of the mishaps, the analysts used the following criteria to identify relationships in the matrix:

- If mishaps representing a hazard group would typically result in degradation of one of the above types of systems, it was considered a primary hazard.
- If mishaps representing a hazard group might indirectly result in the degradation of one of the above types of systems, it was considered a secondary hazard.
- If mishaps representing a hazard group were to have little influence on the performance of one of the above types of systems, it was considered to be an inconsequential risk.

The Vessel Hazard Matrix is presented in Appendix E.

7.0 RECOMMENDATIONS

7.1 Background

The primary purpose of this project was to use a mishap database approach to evaluate how effective a preliminary hazard analysis would be. Although in the preliminary stages, the characterization of hazards from reported mishaps might assist facility managers identify risk control strategies to increase safety on Coast Guard vessels. The results indicate that examining historical information gathered in a mishap database, it is possible to identify and coarsely characterize hazards that relate to operational, engineering, managerial, and environmental systems. Facility managers, armed with a coarse characterization of the hazards associated with their vessels, can more easily generate a set of strategies and recommendations which would reduce risk to an acceptable level while minimizing costs to the Coast Guard.

7.2 Advantages and Disadvantages of the Database Approach

Although most hazard analysis projects tend to use a more traditional safety analysis, in some instances, the database approach to hazard identification might be a viable alternative. A traditional engineering system analysis requires extensive resources which includes both personnel and time to thoroughly familiarize oneself with the system, observe the various phases of operations, and identify the potential sources of hazards based on the procedures used, operations to be performed, and existing systems and technologies available to the personnel.

On the other hand, a database analysis could be much faster and much less expensive than the traditional engineering approach as it involves mainly looking at a database and interpreting/analyzing the information contained in it, provided the accident database is sufficiently detailed to support such analysis. Even in support of detailed traditional analysis, the database approach can substantially reduce the background investigative work. The main disadvantage associated with using an accident database approach is that the information contained in a mishap database deals with the consequences of an event rather than the causes (hazards) that contributed or generated that particular event. Except in the case of major accidents, which are usually so few in number as to be meaningless in the development of such an analysis, the mishap process seldom provides detailed information on the chain of events that led up to a mishap. It is even more difficult to identify these root hazards when the information contained in the database is several steps removed from the actual occurrence. In fact, the information contained in the database does not necessarily represent the entire set of facts, it is a subset taken from the actual pool of data collected during the investigation, which has been further reduced from the information contained in the occurrence report. As a consequence, the information contained in the database might not include information that is required or would be useful in determining what the hazards were. The result is that an analyst eventually has to review the data generated from the database PHA listing and present recommendations to the decision maker.

A database analysis will identify and summarize safety concerns that were associated with previous mishaps. However, these safety concerns might not be an accurate representation of the existing conditions at the time of the analysis, or in the future. The database, due to the fact that it is a collection of past events, may not reflect recent changes in equipment, training, procedures, or operational characteristics. These concerns are often not reflected in the information contained in the database.

7.3 Conclusion

The effort involved in this project approximately represents the effort that would have been required to perform an engineering based preliminary hazard analysis on perhaps four or five Coast Guard vessels similar in size and complexity to the patrol boat class of vessels. Such an effort would have resulted in the identification of specific hazards and ways to reduce the risks associated with each hazard. Thus, the database PHA approach it has demonstrated an efficiency advantage.

The results of this effort have been the identification and characterization of general hazards across the entire Coast Guard fleet of vessels. The hazards have been rank ordered in terms of severity and cost, permitting facility managers to prioritize their risk reduction efforts. The resulting PHA's and hazard lists effectively define and characterize vessel hazards. This presentation may be ordered by vessel class, cost, severity, or some other parameter deemed important by management. The important result is that the database approach PHA provides the foundation and background necessary for an analyst to quickly analyze a particular hazard and recommend effective controls, thus saving the Coast Guard time and money.

8.0 REFERENCES

- 1. Romberg, B.H., Ryley, L.C., and Wolverton, C.D. (1993). An Analysis of Coast Guard Vessel Mishaps (FY1984-FY1992). Technical Report. CompuCon. Haddam, CT.
- 2. Lambert, H.E. (1973). Systems Safety Analysis and Fault Tree Analysis. Lawrence Livermore Laboratory Technical Report No. UCID-16238, University of California, Livermore, California.
- 3. Malaski, S.W. (1982). <u>System Safety: Technology and Application</u>. Garland STPM Press, New York.
- 4. Hammer, W. (1972). Handbook of System and Product Safety. Prentice-Hall, New York.
- 5. Hammer, W. (1989). Occupational Safety Management and Engineering (4th ed.). Prentice Hall, NJ.
- Horodniceanu, M., Cantilli, E.J., Shooman, M., and Pignataro, L.J. (1976).
 Transportation System Safety Methodology. Polytechnic Institute of New York Technical Report No. TR-76-505, Brooklyn, NY.
- 7. Cheaney, E.S, and Coyle, A.J. (1977). <u>System Safety Analysis of a Commercial Vessel</u>. Battelle Columbus Laboratories Technical Report No. CG-D-39-77. Columbus, Ohio.
- 8. Transportation Safety Board of Canada (1991). <u>Accident Investigation Manual: Human Performance Chapter</u>. Transportation Safety Board of Canada, Montreal, Quebec.

APPENDIX A

Coast Guard Vessel Hazard Definition:

Coast Guard Vessel System Hazard Groups

This appendix contains the descriptions of the Hazard Groups proposed for use by the Coast Guard's vessel safety organization. Hazard Groups are meant to provide a convenient way to coarsely organize vessel hazards. Grouping improves safety analysis of similar items and broadens the application of controls to multiple hazards with similar characteristics. The hazard groupings proposed represent a combination of existing hazard group taxonomies as well as hazards identified in the Coast Guard's mishap database.

The name of the hazard group is given followed by a description of hazards that should be included under the given title. These names are not unique and the user of these groupings should feel at liberty to modify the group names, descriptions, and even the number of groups to meet the safety needs of the Coast Guard. One suggestion is that safety professionals assign hazards identified in mishap reports to the hazard groups provided. This will eliminate confusion over the definition of hazard groups and reduce the reporting burden of units involved in mishaps.

UNITED STATES COAST GUARD VESSEL HAZARD GROUPS

GROUP	DEFINITION
Armaments and Military Explosives	This hazard group includes all military armaments such as firearms, cannon, flare pistols, and explosives such as grenades, TNT and plastic explosives. These devices are intended, by their design, to inflict damage or injury. They are therefore always considered a hazard. The hazards in this group may result in either damage to equipment or injury to individuals.
Burns	Burns represent a type of injury to personnel resulting from exposure to a heat source. The result of this type of hazard is damage to the skin, internal organs or eyes as a result of the heat alone.
Capsize	This hazard is unique to vessels and involves the permanent or temporary change in the vessel's attitude in the water from design parameters. For purposes of this hazard group the capsize need not be complete so long as the final resting aptitude of the vessel exceeds it's design conditions to the point where the mission can not be carried out. A capsize hazard is also considered if the vessel proceeds through the point of inverse stability and returns to an upright position, i.e., performs a complete roll, if the change in attitude could be expected to either cause damage or injury or exceeds the design of the vessel.
Collision with Object	This hazard includes all unintentional contact by the vessel with floating or fixed objects other than other vessels (see Collision with vessel) or the sea or riverbed (see Grounding).
Collision with Vessel	This hazard includes all unintentional contact by the vessel with another vessel. Since Coast Guard vessels are involved on a daily basis with boarding and other evolutions that involve intentional contact between vessels the basis of the hazard in these cases is reflected in the amount of control exercised or available during the evolution.
Contamination	This hazard includes all instances where incompatible substances are mixed, and the result of the mixing could cause system degradation or failure. Contamination is primarily a system hazard as personnel injuries are usually more appropriately considered as toxic hazards.

UNITED STATES COAST GUARD VESSEL HAZARD GROUPS (Continued)

GROUP	DEFINITION
Electrical	This hazard is the result of unintended contact with sources of artificial or natural electricity. The electrical hazard is a result on the contact with a live circuit that could result in either damage to equipment, disruption of normal equipment function, or injury to individuals. An electrical hazard is determined by the relationship between the amount and type of current present and the equipment or individual that might be damaged. Thus for example a very low voltage source might not be a hazard to an individual but would be to sensitive electronic equipment.
Environmental Conditions	Environmental conditions which could cause damage to equipment or injury to individuals are considered a hazard. For purposes of discrimination environmental conditions are those generally surrounding the equipment or individual. The normal modes of environmental hazards are heat and cold, excessive or insufficient humidity, ice (if generalized such as icing of the topsides of a vessel as opposed to a limited area of ice on the deck), sea state, and wind.
Equipment Failure	Hazards resulting from failure of equipment to perform it's intended function properly (for mechanical failures of components see Structural Failure).
Ergonomic	Ergonomic hazards are associated with injuries to personnel sustained as a result of inappropriate body motion or actions. The primary cause of the injury is parts of the body working against itself and exceeding the skeletal, or muscular system limits of the body.
Explosion	Explosive hazards are those resulting from a rapid release of energy other than mechanical energy (see Mechanical). Hazards in this group would include both rapid combustion of materials and sudden release of pressurized equipment.
Fire	Fire hazards are those resulting from the combustion of flammable materials. Damage of injury resulting from fire hazards is usually associated with the heat generated in the process of combustion.

UNITED STATES COAST GUARD VESSEL HAZARD GROUPS (Continued)

GROUP	DEFINITION
Flooding/Sinking	Flooding and sinking hazards are unique to vessels. They include all hazards that would result enough water entering the vessel to prevent the vessel from performing it's assigned mission or in the extreme case may result in the vessel becoming completely submerged.
Grounding	Grounding are a unique hazard group to vessels and involve all hazards that result in the vessel colliding with or resting on the bottom, where such grounding is unintentional and prevents the vessel from performing it's assigned mission.
Impact and Shock	This hazard group involves all hazards in which damage or injury could be cause by the transfer of energy from on object to another. The source of the energy may be propulsive or it may be the result of gravity.
Leakage	This hazard group includes all hazards that would allow a fluid breach barrier designed to contain the fluid. This would include barriers designed to keep fluids in, e.g., tanks, and those designed to keep fluids out, e.g., hull plating.
Loss of Power or Control	This hazard group is unique to vessels includes all hazards which reduce or eliminate vessel maneuvering. The most notable hazards in this group are those related to the loss of propulsion and the loss of steering control.
Mechanical	This hazard group includes hazards which could result in damage or injury as a result of unintentional contact with properly operating, mechanical components. The damage or injury results from the unintended transfer of energy from the mechanical device to an individual or piece of equipment.
Overboard	This hazard is unique to vessels and other structures operating in the water. The hazards associated primarily result in personnel injury that may include injuries to the body as a result of the fall from the vessel, environmental injury as a result of exposure to cold water, or even death as a result of drowning.

UNITED STATES COAST GUARD VESSEL HAZARD GROUPS (Continued)

GROUP	DEFINITION
Radiation	This hazard group includes all non-thermal hazards (see Burns, and Temperature Contact) which could result in damage or injury caused by the unintentional transfer of electromagnetic, ionizing, or light (Ultraviolet and Laser) from a source to an individual or piece of equipment.
Structural Failure	This hazard group involves all failures of physical structures and assemblies such that the structure no longer performs its function. Structural failure may result in either damage or injury.
Temperature Contact	This hazard group includes hazards which could result in damage or injury as a result of direct contact with extremely hot or cold components or structures. (For non-contact hazards see Burns, Environmental, or Radiation).
Toxicity	This hazard group is primarily concerned with personnel injury and consists of hazards resulting from exposure to relatively small amounts of a substance which will result in physiological damage or loss of function. Included in toxicity is the lack of oxygen as is found in voids.
Vibration and Noise	This hazard group includes hazards which could result in damage or injury as a result of excessive reciprocal or alternating accelerations, i.e., vibration, or excessive sound pressure, i.e., noise.

APPENDIX B

Coast Guard Vessel Hazard Definition:

Coast Guard Vessel System Hazard Listing

This appendix contains a rather lengthy listing of vessel hazards, organized by mishap number. The mishap number corresponds to mishaps contained in the LERAM Project database. The LERAM Project database is an enhanced version of the Coast Guard's Mishap Reporting System (MISREPS) database for the time period FY1989 through and including FY1992.

For each mishap number, up to three hazard groups are cited that correspond to hazards identified by safety professional in the analysis of that mishap. In addition, up to six hazards associated with the mishap, and fitting one of the three hazard groups, are briefly described. For more detailed descriptions of the hazards, one is encouraged to examine the Preliminary Hazard Analysis (PHA) listing provided in Appendix D. Where possible, an effect of the hazards is presented in the final column.

This hazard listing serves as the foundation for the Preliminary Hazard Analysis and crudely illustrates the multidimensional aspect of mishaps. As mishap reports are designed to provide a description of the mishap, one must expend considerable effort to analyze these reports to identify the root causes and hazards associated with the mishap. This "extra effort" is paramount to a preventative safety program, for without knowledge of vessel hazards, one can do little to prevent those hazards from manifesting into mishaps.

This hazard listing presented in this appendix is also available in EXCEL 4.0 for DOS computers.

Coast Guard Vessel System Hazard Listing.

	EFFECT	Damage (engine room blower)	Injury (knee)	Injury (electrocution)	Injury (head)	injury (leg)	Injury (hand)	Unknown	Unknown	Damage (turbocharger)
	HAZARD 6			-			·			
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD 4			live electrical circuit						loss of power
IDENTIFIEC	HAZARD 3			electrical panel		carrying object				
	HAZARD 2	electrical short		improper maintenance	improper maintenance	ladder	improper maintenance			fire
	HAZARD 1	fire	improper body motion	electrical shock	insufficient atmosphere	lall	pinch hazard	improper boarding	submerged object	smoke
26	GROUP 3	Equipment Failure								Equipment Failure smoke
GENERIC HAZARD GROUPS	GROUP 2	Electrical				Impact/Shock				Fire
GENER	GROUP 1	9.F.	Ergonomic	Electrical	Toxicity	Ergonomic	impact/Shock	Impact/Shock	Collision w/Object	Toxicity
MISHAP	NUMBER	<u>-</u>	2	ю Ш	4	г П	ω	7	ω 	ത

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (head)	Injury (hand)	injury (face)	Injury (eye)	Injury (back)	Injury (hand)	Injury (leg)	Unknown	Injury (hand)
	HAZARD 6	<u></u>	<u>-</u>	<u></u>	<u>.</u>	<u> </u>	<u>.</u>	<u>E</u>		<u> </u>
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4							misjudged step		sharp edge
IDENTIFIEC	HAZARD 3						carrying object		getting out of seat	ladder
	HAZARD 2		buoy maintenance	improper handling	flying substance		ladder	carrying object	<u> </u> 0	fall
	HAZARO 1	overhead object	crushing	spring loaded device	toxic substance flying substance iodine	improper lifting	fall	fall	fall	wave action
S	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2				Impact/Shock				Impact/Shock	Impact/Shock
GENER	GROUP 1	Impact/Shock	Impact/Shock	cal		Ergonomic	Impact/Shock	*		Environment
MISHAP	E					4 4	15			Б

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (ankle)	Injury (hand)	Unknown	Damage (hull, topsides)	Injury (hand)	injury (hand)	Injury (hand)	Injury (hand)	Injury (shoulder)
	HAZARD 6									
	HAZARD S				:					
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIED	HAZARD 3		grinder	sparks from grinder		latch failure	deck obstruction	improper maintenance		
	HAZARD 2			loth	improper operations	(ascending)	buoy handling	puncture	out	
	HAZARD 1	obstruction on deck	abrasion	fire	wave action	falling object (hatch)	pinch hazard	sharp object (screw driver)	knife	protruding object- access panel
S	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2		Impact/Shock	Mechanical	Environment			Impact/Shock	Impact/Shock	
GENERI	GROUP 1	Impact/Shock	Mechanical	Fire	Collision w/Vessel	Impact/Shock	Impact/Shock	Mechanical	Mechanical	impact/Shock
MISHAP	NUMBER	19	20	21	22	ឌ	24	25	5 6	27

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (knee)	injury (back)	Injury (unknown)	Demage (sponson)	Unknown	Injury (arm)	Injury (leg)	Injury (eye)	Injury (hand)
	HAZARD 6	<u>-</u>	<u>L</u>			5	<u>E</u>	<u></u>	5	<u> </u>
	HAZARD S									
DENTIFIED HAZARDS	HAZARD4								inadequate protective equipment	
IDENTIFIE	HAZARD 3	sharp object (hatch rim)		open deck plates	improper control maneuver			improper boarding		wave action
	HAZARD 2	fall		improper maintenance	training	flying object	power drill	trip hazard	working overhead failing object (slag)	improper boarding wave action
	HAZARD 1	ladder (descending)	lifting—improper technique	fall	sharp object-tear training hazard on pier	improper maintenance used pipe for crowbar	puncture	submerged object-rock	welding slag	crushing
PS	GROUP 3									Impact/Shock
GENERIC HAZARD GROUPS	GROUP 2					Mechanical		Ergonomic	Toxicity	Mechanical
GENER	GROUP 1	Impact/Shock	Ergonomic	Impact/Shock	Collision w/Object	Impact/Shock	Impact/Shock		Impact/Shock	Environment
MISHAP	E.	739	œ		32		-		37 In	38 8£

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (knee)	Injury (foot)	Injury (hand)	Damage (prop)	Unknown	Injury (foot)	Injury (arm)	Injury (head)	Damage (electrical panel)
	HAZARD 6									
	HAZARD \$									
IDENTIFIED HAZARDS	HAZARD 4			pinch hazard					·	
IDENTIFIED	HAZARD 3			strike		firing				improper maintenance
	HAZARD 2	improper handling				clearing operation firing	loose sand on deck	Slippery deck	pery deck	fire
	HAZARD 1	carrying heavy object	improper motion	hoisting operation improper operations	B ol	pistol	fall	fall	fall	electrical short
S.	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2		Impact/Shock							Fire
GENER	GROUP 1	Impact/Shock		Impact/Shock	Collision w/Object	Amaments	Impact/Shock	Impact/Shock	Impact/Shock	Electrical
MISHAP	NUMBER	<u>ස</u>	6	1 1	24	£4 A	44 n	45	46 II	47 E

Coast Guard Vessel System Hazard Listing. (Continued)

IDENTIFIED HAZARDS	TD 3 HAZARD 4 HAZARD 5 HAZARD 6 EFFECT	(prop)	None	ng injury (unknown)	Injury (hand)	Injury (hand)	(hand)	okout Injury (eye)	Damage (deck, frames)	Damage (hull)
DEN	HAZARD 2 HAZARD 3	D.	noke	towing operation line handling	inproper maintenance	poor footing		nd exposed lookout		emergency rocks
	HAZARD 1	submerged object log	hot object-molten smoke slag	wave action to	pinch hazard im	pinch hazard po	edge-refrigerator door lip	waves	mooring operations	mooring
JPS	GROUP 3		Temperature							Grounding
GENERIC HAZARD GROUPS	GROUP 2		Toxicity	Environment				Impact/Shock		Loss of Power/
GENEF	GROUP 1	Collision w/Object		Impact/Shock	Impact/Shock	Impact/Shock	¥	Erwironment	Collision w/Vessel	Collision w/Vessel
MISHAP	NUMBER	48	49	99	51	52	જ	ያያ	જ	æ

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Damage (prop, engine mount)	Injury (hand)	Damage (unknown)	Injury (ankle)	Injury (hand)	Injury (wrist)	None	injury (eye)	Damage (unknown)
	HAZARD 6						4.7			
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD4			self-launching liferaft						
IDENTIFIE	HAZARD 3	improper procedure					improper procedure		battery hydrometer	
	HAZARD 2	boat trailer	small boat lowering/lifting operation	improper stowage storage locker door	improper temporary storage	wrench slipped	sharp edge	improper boarding	battery acid	
	HAZARD 1	small boat launching operations	wave action	wave action	wave action	sharp edge	cutting metal	wave action	chemical burn	improper lookout
95	GROUP 3			Structural Failure						
GENERIC HAZARD GROUPS	GROUP 2		Impact/Shock	Impact/Shock	Impact/Shock	Mechanical	Mechanical	Overboard	Bums	Impact/Shock
GENER	GROUP 1	impact/Shock	Environment	Environment	Environment	Impact/Shock	Impact/Shock	Environment	Toxicity	Collision w/Vessel
MISHAP	NUMBER	57	86	g.	8	19	62	ន	2	39

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (groin)	Injury (foot)	Injury (hand)	Unknown	Damage (Smoke, water, burning)	Injury (chin)	Damage (antenna)	8	İnjury (eye)
	HAZARD 6	ilui	<u>iú</u>		5	E TA	1/4	<u>ā</u>	None	<u>ਵ</u>
	HAZARD S									
HAZARDS	HAZARD 4								fired round	
IDENTIFIED HAZARDS	HAZARD 3			worn cable	overboard				40	flying object descaler
	HAZARD 2	boat davit wench		improper maintenance					clearing operation improper procedun	toxic substance-descaler
	HAZARD 1	hoisting operation boat davit wench	falling object- hatch cover grate	hoisting operation improper maintenance	engine shutdown wave action	smoke	protruding object	overhead object-basket lifted in helicopter operation	pistol	llo.
Sd	GROUP 3				Environment					
GENERIC HAZARD GROUPS	GROUP 2			Impact/Shock		Toxicity				Toxicity
GENER	GROUP 1	Ergonomic	Impact/Shock	Equipment Failure	s of Power/ Control		Impact/Shock	Impact/Shock	i	Impact/Shock
MISHAP	NUMBER	99 99	67 Imp	89		70 Fire	71 Imp			74 Imp

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (hand)	Injury (hand)	injury (eye)	discharged weapon	Unknown	Injury (knee)	Injury (leg.)	Injury (back)	Injury (hand)
	HAZARD 8	line handling								
	HAZARDS	mooring operations								
IDENTIFIED HAZARDS	HAZARD4	wind								
IDENTIFIE	HAZARD 3	broken chain	improper procedure	improper procedure	unsecured weaponleft in cabin		General Quarters operations			improper procedure
	HAZARD 2	dock sections	line spool	rust	unauthorized use unsecured weapon-le cabin	suspended object-buoy	improper motion	profruding object- cabin	3 21	lifting gear
	HAZARD 1	pinch hazard	cut	hammering on metal	improper proceduredidn't remove clip	fall	la la	wave action	fall	pinch hazard
Se	GROUP 3	Environment								
GENERIC HAZARD GROUPS	GROUP 2	Structural Failure						Impact/Shock	Environment	
GENERI		Impact/Shock	Impact/Shock	Contamination	Armaments	Impact/Shock	Impact/Shock	Environment	Ergonomic	Impact/Shock
MISHAP	NUMBER	75	76	77	78	62	8	₩	82	8

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (hand)	Unknown	Injury (burns)	Unknown	Injury (hand)	Unknown	Damage (engine lagging)	Injury (hand, face)	Injury (eye)
	HAZARD 6	-		<u> </u>		<u>-</u>) 	Δ	5	5
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIE	HAZARD 3	fall	wave action	lack of protective equipment		improper tool	loss of power			
	HAZARD 2	ladder	short circuit-grill wave action controls	reflective surfaces lack of protective equipment	poor footing	knife	flammable material	oil soaked lagging	welding/flame cutting operation	petcock design location
	HAZARD 1	wave action	conductive material-water	radiation-arc from welding	loading operations	cut	gasket blew	fire	fire	toxic material- antifreeze
PS	GROUP 3		Fire							
GENERIC HAZARD GROUPS	GROUP 2	Impact/Shock	Environment			Impact/Shock	Impact/Shock		Burns	
GENER	GROUP 1	Environment	Electrical	Radiation	Impact/Shock	Structural Failure	Structural Failure	Fire	Fire	Contamination
MISHAP	NUMBER	28	85	88	11	88 88	88	8	91	26

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (head)	Injury (hand)	Injury (hand)	Injury (knee)	injury (arm)	Injury (hand)	Injury (hand)	Damage (fouled prop)	Injury (unknown)
	HAZARD 6	-								
	HAZARD 5		-		·					
HAZARDS	HAZARD 4									
IDENTIFIED HAZARDS	HAZARD 3	flying object (chain)		pinch	grapnel	human error	,	gasket removal		
	HAZARD 2	material handling winch operations flying object (chain)	knife		line handling	training drill	abrasion	pocket knife		fall
	HAZARD 1	material handling	cut	mooring operations	SAR operations	exposed turning shaft	grinding operation abrasion	hand slipped	submerged object	ladder
S	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Impact/Shock	٠			Impact/Shock	Impact/Shock	Loss of Power/ Control	
GENER	GROUP 1	Impact/Shock	Mechanical	Impact/Shock	Impact/Shock	Mechanical	Mechanical	Mechanical	Collision w/Object	Impact/Shock
MISHAP	NUMBER	94 T	8	<u>=</u> &	26	8	8	8	101	102

Coast Guard Vessel System Hazard Listing. (Continued)

GROUP 2 GROUP 3 HAZARD 1
overnead object
fire in motor room smoke–inhalation
knife
wave action
wave action
crossbar slid back
sharp edge
razor knife
unsecured object pivoted-boat shoe

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (head)	Injury (hand)	Damage (prop, shaft)	Injury (hand)	None	Injury (hand)	Injury (hand)	Injury (heat exhaustion)	Unknown
	HAZARD 8									
	HAZARD 5									
HAZARDS	HAZARD4									
DENTIFIED HAZARDS	HAZARD 3					lack of attention (to helo's position)				
	HAZARD 2	improper maintenance	scrapingblade slipped		towing operation		failure to use guard	other vessel rolled	heat	improper position
	HAZARD 1	wet deck	sharp edge-razor s blade	submerged object	pinch hazard	helicopter too close	power saw	line slipped	Engine Room	blocked vision
Sc	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2		Impact/Shock							
GENER	GROUP 1	Impact/Shock	Mechanical	Collision w/Object	Impact/Shock	Collision w/Object	Mechanical	impact/Shock	Environment	Impact/Shock
MISHAP	NUMBER	113	116	117	118	119	120	122	123	124

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (eye)	Injury (head)	Injury (hand)	Injury (hand)	Injury (unknown)	Injury (hand)	Injury (head)	Injury (head)	Injury (head)
	HAZARD 8									
	HAZARD \$									
IDENTIFIED HAZARDS	HAZARD 4			handle broke		glass & gas particles				
IDENTIFIED	HAZARD 3			ladder						
	HAZARD 2	lack of protective hitting hard object equipment with axe			sharp object- lifting bail	falling object—light exploding object tube		carrying object	sharp edge	sharp edge
	HAZARD 1	lack of protective equipment	overhead object	material handling falling object	slippery surface	overhead object	sharp edge	fall	hatch	radar mast in lowered position
Š	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2			Impact/Shock		Explosion				
GENER	GROUP 1	Mechanical	Impact/Shock	Structural Failure	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock
MISHAP	NUMBER	126	127	128	129	130	131			134

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (knee)	Injury (groin)	Injury (back)	Injury (ankle)	Injury (back)	Damage (antenna)	Injury (foot)	Injury (hand)	Injury (foot)
	HAZARD 6									
	HAZARDS									
HAZARDS	HAZARD 4									
IDENTIFIED HAZARDS	HAZARD 3	fall	improper body motion	Improper training procedure	poor footing	improper body motion				
	HAZARD 2		£ 2		working in confined space	vessel motion	boarding		unsecured object	içe
	HAZARD 1	improper boarding line handling	wake created by other vessels	flammable reignition & material-gasoline reflash	fall	wave action	SAR operations	ladder (descending)	falling object	slippery deck
Sd	GROUP 3		Environment							
GENERIC HAZARD GROUPS	GROUP 2		Loss of Power/ Control	Burns	Impact/Shock	Ergonomic				Overboard
GENER	GROUP 1	Overboard	Impact/Shock	Fire	Ergonomic	Environment	Collision w/Vessel	Impact/Shock	Impact/Shock	Environment
MISHAP	NUMBER	135	136	137	138	139	140	141	142	143

Coast Guard Vessel System Hazard Listing. (Continued)

ABO(18 4	601.000	. 417040							1.00
0.880	GROUP 2	GROUP 3	fall	HAZARD 2 improper maintenance	HAZARD 3	HAZARD 4	HAZARD 5	HAZARD 8	EFFECT Injury (shoulder)
1			fail		poor equipment stowage				Damage (handheld radio)
	Impact/Shock		pinch hazard						Injury (hand)
1	Mechanical		hand slipped	sharp edge					Injury (hand)
			navigation in restricted waters						Unknown
			improper boarding loading operatio	loading operations					Injury (knee)
			sharp edge						Injury (head)
	Environment		wave action	high speed operations	vessel motion				Injury (ankle)
			other vessel turned sharply	near other vessels					Damage (near bow?)

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (back)	injury (knee)	Injury (hand)	Damage (oar & pump)	Injury (ankle)	Damage (pump seals)	Damage (hull)	Damage (fouled prop)	Unknown
	HAZARD 8									
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIED	HAZARD 3		wave action	deck obstruction	wave action			wind		
	HAZARD 2		Improper stowage wave action of gear	buoy handling	improper position- wave action -bow not into sea	falling object	error prone design	wide tow		open deck hatch
	HAZARD 1	ladder	pinch hazard	pinch hazard	lack of power	unsecured object- failing object -hook failed	improper operation	towing operations wide tow	improper line handling	fall
8	GROUP 3				Environment					
GENERIC HAZARD GROUPS	GROUP 2		Environment		equipment Failure	Impact/Shock		Environment		
GENERK	GROUP 1	Impact/Shock		Impact/Shock	Loss of Power/ Control Equipment Failure Environment	Structural Failure	Temperature	Collision w/Vessel	Collision w/Object	Impact/Shock
MISHAP		-153 -1	45 =	155	156 L	157	88	159	161	162

	5							(g)		
	EFFECT	Injury (head)	Injury (bum)	Injury (hand)	Unknown	Injury (hand)	Injury (ankle)	Damage (lagging)	Injury (head)	Damage (hull)
	HAZARD 6									
	HAZARD S									
HAZARDS	HAZARD 4				improper maintenance			mproper naintenance		
IDENTIFIED HAZARDS	HAZARD 3			deck obstruction	loss of power			increased speed—improper increased maintenance exhaust temp.		
	HAZARD 2	improper motion— jumped	gasoline	buoy handling	ō	unsecured object- latch slipped		oil feak	improper procedure	wave action
	HAZARD 1	overhead object	lire	pinch hazard	smoke	falling object- window	improper motion	failed seal	overhead object	other vessel close wave action
So	GROUP 3				Toxicity			Fire		
GENERIC HAZARD GROUPS	GROUP 2		Contamination		Equipment Failure Toxicity	Impact/Shock		Leakage		
GENER	GROUP 1	Impact/Shock		Impact/Shock		e n	Impact/Shock	ure	Impact/Shock	Collision w/Vessel
MISHAP	%	කි <u>m</u>	164 Fire			167 St			170 Im	171

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (head)	Damage (unknown)	Unknown	Injury (hand)	Injury (knee)	Injury (hand)	Injury (hand)	Injury (eye)	Injury (hand).
	HAZARD 6									
	HAZARD 5									
HAZARDS	HAZARD 4								:	
IDENTIFIED HAZARDS	HAZARD 3						improper operation	deck obstruction	melted aluminum	
	HAZARD 2		high temperature		(descending)		moving object- trailer winch	buoy handling	overhead work	(descending)
	HAZARD 1		flames near engine	boom retracted all the way	fall	grinding operation	small boat launching operations	pinch hazard	welding/flame cutting operation	fall
S	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2					Impact/Shock				
GENER	GROUP 1	Impact/Shock	Fire	Impact/Shock	Impact/Shock	Mechanical	impact/Shock	Impact/Shock	Contamination	Impact/Shock
MISHAP	NUMBER	173	174 F	175 11	176	177 N	178	179	84	181

Coast Guard Vessel System Hazard Listing. (Continued)

	HAZARD 6 EFFECT	Injury (respiratory)	Injury (eye)	injury (back)	Injury (wrist)	Injury (ankle)	Damage (hanger door)	Damage (prop & shaft)	Injury (leg)	Injury (leg. knee)
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD4									
IDENTIFI	HAZARD 3		fuel						E.	
	HAZARD 2		high pressure cylinder			Improper motion			crush	lo D
	HAZARD 1	toxic fumes—oil spill	open fuel oil coalescer	sharp object metal bar	object on deck- tripping hazard	athletics	open hanger door	submerged object-buoy & anchor system	buoy maintenance	water filler leaking roll
Sdr	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2								Overboard	Environment
GENER	GROUP 1	Toxicity	Toxicity	Impact/Shock	Impact/Shock	Ergonomic	Structural Failure	Collision w/Object	Collision w/Object	Impact/Shock
MISHAP	NUMBER	182								190

	EFFECT	Injury (rib)	Damage (deck appendages); other vessel damage to transom & nets	Injury (eye)	injury (leg)	Unknown	Injury (electrocution)	Injury (hand)	Injury (wrist)	Injury (head)
	HAZARD 8									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD4					passing through locks				
IDENTIFIE	HAZARD 3			inadequate protective equipment		object in/near water-bridge	improper maintenance		exposed electrical lead	
	HAZARD 2	"pinch point"- towline & taffrail	mooring operation	airbome material	flying object-chain stopper recoiled	wave action	t t		retal	improper maintenance-no safety tape
	HAZARD 1	vessel motion	wind	grinding metal	buoy maintenance	propeller wash from another vessel	object fell	skedge pounding holding plug	working in confined space	overhead object- improper hatch cover maintenar safety tap
.5	GROUP 3						Electrical			
GENERIC HAZARD GROUPS	GROUP 2		Erwironment	Mechanical		Environment	Impact/Shock		Leakage	
GENER	GROUP 1	Impact/Shock	Collision w/Vessel	Impact/Shock	Impact/Shock	Grounding	Structural Fallure	Impact/Shock	Electrical	Impact/Shock
MISHAP	NUMBER	191	192	193 II	194	<u>&</u>	197	98 7	8	201

	EFFECT	Injury (electrocution)	Damage (hull); Injury (unknown)	Injury (eye)	Unknown	Damage (engine)	Injury (head)	Injury (back)	Unknown	None
	HAZARD 8									_
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4					beach				
IDENTIFIE	HAZARD 3			improper procedure-lack of protective equipment	improper body motion	surf zone			vessel motion	
	HAZARD 2	120 vac electrical electrical short to iffeline		working overhead flying substance improper dust procedure protective protective equipmen	improper procedure- leaving personal tems on deck	fuel starvation		sharp edge	wave action	lifeline failure
	HAZARD 1	120 vac electrical power	near other vessel	working overhead	obstacle on deck improper procedure leaving por Items on the procedure proce	engine shutdown fuel starvation	vessel mation	protruding object sharp edge	towing operations wave action	wave action
PS	GROUP 3					Grounding				Structural Failure
GENERIC HAZARD GROUPS	GROUP 2					Capsize			Environment	Impact/Shock
GENER	GROUP 1	Electrical	Collision w/Vessel	Contamination	Impact/Shock	Loss of Power/ Control	Impact/Shock	Impact/Shock		Overboard
MISHAP	<u>ec</u>	202	203		205	206				210

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Damage (line)	Injury (arm)	Injury (hand)	Injury (hand)	Injury (hand)	Damage (engine)	None	Injury (face)	Unknown
	HAZARD 6									
	HAZARD \$									
HAZARDS	HAZARD4									
IDENTIFIED HAZARDS	HAZARD 3			vessel motion						carrying object
	HAZARD 2	towing operation		unsecured object vessel motion	"pinch" area	slip hazard				improper boarding carrying object
	HAZARD 1	line parted	pinch point spring coils	edgedoor	suspended object "pinch" area moved	boarding	improper loading of vessel	moving parts turning coupling	spring-loaded part	fall
8	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2			Environment			Overboard		Impact/Shock	
GENER	GROUP 1	Structural Failure	Mechanical	Impact/Shock	Impact/Shock	Impact/Shock	Capsize		Mechanical	Impact/Shock
MISHAP	NUMBER		212	213	215	216	217	218	219	220

	EFFECT	Injury (arm)	injury (krnee)	Injury (leg)	Injury (hand)	Injury (acid bum)	injury (head)	Injury (hand)	Injury (eyes)	Injury (hand)
	HAZARD 6									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4									cut
IDENTIFIE	HAZARD 3	obstruction						flywheel	airborne material-	knife
	HAZARD 2	lall	fall	protruding object		battery acid		operating engine flywheel	improper loading obstacle on deck airborne material-	improper tool
	HAZARD 1	wave over bow	deteriorated dock fall	object on deck- trip hazard	sharp edge-knife	battery maintenance	edge-door sill	engine maintenance	improper loading	maintenance operations
Sd	GROUP 3				Ī				Toxicity	
GENERIC HAZARD GROUPS	GROUP 2	Impact/Shock	Impact/Shock			Toxicity			ure	Impact/Shock
GENE	GROUP 1	Ervironment	Structural Failure	Impact/Shock	Impact/Shock	Explosion	Impact/Shock	Mechanical	Impact/Shock	Mechanical
MISHAP	£.									231 N

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	injury (hand)	Damage (antenna)	Injury (hand)	Injury (eye)	Damage (prop)	Injury (hand)	Dama g e (prop)	Unknown	Damage (antenna)
	HAZARD 8									
	HAZARDS									
IDENTIFIED HAZARDS	HAZARD 4					loss of control				
IDENTIFIE	HAZARD 3					mooring operation equipment failure loss of control				entanglement
	HAZARD 2	hatch improperly secured	object in water- bridge support	wave action	gasoline transfer	mooring operation	hatch improperly secured		·	hoist operations
	HAZARD 1	wind	tidal surge	SAR operations	improper maintenance	rocks	edgeof hatch	rocks	الو	helicopter operations
Se	GROUP 3									·
GENERIC HAZARD GROUPS	GROUP 2	Impact/Shock	Impact/Shock	Impact/Shock		Loss of Power/ Control				
GENER	GROUP 1	Environment	Environment	Environment	Toxicity	Grounding	Impact/Shock	Grounding	Fire	Impact/Shock
MISHAP	NUMBER	232	233	234	235	236	237	238	238	240

MISHAP		GENERIC HAZARD GROUPS	Sd			IDENTIFIED HAZARDS	HAZARDS			
NUMBER	GROUP 1	GROUP 2	GROUP 3	HAZARD 1	HAZARD 2	HAZARD 3	HAZARD 4	HAZARD 5	HAZARD 8	EFFECT
241	Impact/Shock	Contamination		maintenance operations	corrosion					Injury (eye)
242	Structural Failure	Temperature	Toxicity	improper maintenance	unsecured object- hot turbocharger -wires		smoke	loss of power		Damage (battery, wiring)
243	Impact/Shock			obstruction on deck	120 120 120 120 120 120 120 120 120 120					Injury (ankle)
244	Toxicity	Impact/Shock		toxic material-battery liquid	airborne material					Injury (eye)
245	Radiation			maintenance operations	welding/flame cutting operation					İnjury (eye)
246	Impact/Shock			edge & pinch point	moving object- hatch	improper procedure				Injury (hand)
247	Impact/Shock			fall	(descending)	improper personal equipment				Injury (unknown)
248	Equipment Failure	Mechanical		helicopter operations	hoist operations	entanglement				Unknown
249	Impact/Shock			object on bulkhead						Injury (groin)

	EFFECT	Damage (unknown)	injury (eye)	Injury (hand)	Damage (engine)	Injury (face); Damage (loss of power)	Injury (eye)	Injury (eye)	Injury (face)	Injury (head)
	HAZARD 8									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4					emergency engine shutdown				
IDENTIFIED	HAZARD 3		lack of protective equipment			oil seal blew out	airborne debris		flying object	
	HAZARD 2	emergency engine shutdown	moving air	improper stowage	emergency engine shutdown	airborne substanceoil	maintenance operation	airborne substance	stored energy in spring	
	HAZARD 1	lire	airborne material	sharp object	floating object	hot substance Overheated Iubricating oil	grinding operation maintenance operation	overhead airborne operation-brazing substance	improper maintenance	unsecured objects
S	GROUP 3					Loss of Power/ Control				
GENERIC HAZARD GROUPS	GROUP 2	Loss of Power/ Control				Structural Failure		Toxicity		
GENER	GROUP 1	Fire	Contamination	Impact/Shock	Collision w/Object	Burns	Contamination	Impact/Shock	Impact/Shock	Impact/Shock
MISHAP	NUMBER	250	251	252	253	255	256	258	259	260

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (hand)	Dama ge (engine)	Injury (leg)	Injury (shoulder)	Unknown	Injury (hand)	Injury (head)	Injury (back)	Injury (ħip)
	HAZARD 6	<u> </u>		<u> </u>	<u> </u>	5	<u> </u>	<u>E</u>	<u> </u>	<u> </u>
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD 4								carrying object in both arms	
IDENTIFIE	HAZARD 3			improper procedure		navigation error			improper ladder use	
	HAZARD 2	а бра		deck obstruction improper procedure	hard surface-deck	channel entry	line handling		sharp object safety chain padeye	improper boarding
	HAZARD 1	stuck valve	rough weather	buoy maintenance	lost balance	rocks	pinch hazard	wave action	ladder	slippery deck
Sc	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Mechanical								
GENER	¥	Impact/Shock	Environment	Impact/Shock	Impact/Shock	Grounding	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock
MISHAP	1 4	261	263							276

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Unknown	Unknown	Unknown	Injury (head)	Injury (hand)	Injury (head); Injury (face)	Injury (knee)	Injury (elbow)	Injury (hand)
	HAZARD 6								!	
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD4									
IDENTIFIED	HAZARD 3	fall	flammable material-Engine lagging			hatch improperly secured				
	HAZARD 2	improper boarding fall	smoke	hard object-concrete sea wall	lack of oxygen	ladder (descending)		improper motion		moving object
	HAZARD 1	wave action	emergency engine shutdown		training (OBA)	wave action	rocks	ships maneuvering	slippery surface	maintenance
5	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Overboard		Impact/Shock		Impact/Shock	Impact/Shock	Impact/Shock		Mechanical
GENERI	GROUP 1	Environment	Loss of Power/ Control	Overboard	Toxicity	Environment	Grounding	Ergonomic	Impact/Shock	Structural Failure
MISHAP	NUMBER	277	278	279	280	281	282	283	584	285

	EFFECT	Injury (head)	Injury (eye)	Damage (battery)	Damage (prop)	Injury (back)	Injury (unknown)	Damage (prop. shaft, keg)	Injury (eye)	Injury (hand)
	HAZARD 6	<u>-</u>	<u> </u>	0	٥	<u> </u>	<u>c</u>	10 %	<u> </u>	<u>e.</u>
	HAZARD S									
HAZARDS	HAZARD 4						working on scaffolding			rescue basket
IDENTIFIED HAZARDS	HAZARD 3	trailer loading operations	airborne material							falling object
	HAZARD 2	poor footing	wind	battery acid	navigation error		improper boarding fall		grinding dust	hoist operations
	HAZARD 1	fall	hot material- cigarette ash	battery gases	ground	improper lifting	worn line	submerged object	maintenance operations	Helicopter operations
w	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2		Environment	Toxicity			Structural Failure			
GENER	GROUP 1	Impact/Shock	Burns		Grounding		Impact/Shock	Collision w/Object	Contamination	Impact/Shock
MISHAP	ŭ.						293 lm			296 Im

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (face)	Injury (eye)	Injury (back)	Damage (outdrive)	Injury (hand)	Injury (hand)	Injury (face)	Injury (hand)	injury (leg.)
	HAZARO 6									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD4									
IDENTIFIE	HAZARD 3		fire drill				wearing ring			
	HAZARD 2	wrench slipped	improper procedureOBA use	sweeping up shavings	bar	pinch	improper maintenance	flying object— hawser straightened	flying object— parted line	object on deck
	HAZARD 1	maintenance operations	Chemical burn	1	bad navigation chart	stowing hose in rack	pinch hazard	improper flying object- maintenance- hawser rotten stop parted straightened	nelicopter operations	fall
S	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Impact/Shock						Impact/Shock	Impact/Shock	
GENER	GROUP1	Mechanical	Bums	Contamination	Grounding	Impact/Shock	Impact/Shock	Structural Failure	Structural Failure	Impact/Shock
MISHAP	NUMBER	297	298	88	301	302	303	304	305	306

	EFFECT	Injury (unknown)	Injury (hand)	Injury (hand)	injury (face)	injury (eye)	Injury (hand)	injury (hand)	Injury (eg)	0
	HAZARD 6	Inju	niu	nju	Injul	injur	וח ת	luiui	Inju	None
	HAZARD 5									
	HAZARD 4			loss of power						
	HAZARD 3		sharp fitting	unsecured object-loss of power- propeller shaft	securing hatch	material handling detergent/degrea improper stowage	exposed equipment			improper boarding
	HAZARD 2	improper lifting	ਜ	improper maintenance	strike	detergenVdegrea ser	fall	training drill	round exploded before being chambered	vessel motion
	HAZARD 1	heavy object	wave action	pinch hazard	moving object—doggins handle	material handling	oil on deck	pinch hazard	shrapnel	fall
	GROUP 3									
	GROUP 2		Impact/Shock	Equipment Failure					Equipment Failure	
	GROUP 1	Ergonomic	Environment	Mechanical	Impact/Shock	Toxicity	Impact/Shock	Impact/Shock	Amaments	Overboard
A PLOCIE										315

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (hand)	Injury (leg)	Unknown	Injury (leg)	Injury (leg)	Injury (head)	Damage (engine)	Injury (face)	Injury (back)
	HAZARD 8		·							
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD4									
IDENTIFIE	HAZARD 3			oil soaked lagging						
	HAZARD 2	cut	cut	loss of power	slip hazard	sharp object- metal edge of trash can			roll cage	60# anchor
	HAZARD 1	knife	machete	fire	sharp edge-knife slip hazard	slippery surface wet deck	improper material handling	submerged object	wave action	heavy lifting
Sc	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Impact/Shock			Impact/Shock			-	Impact/Shock	
GENER	GROUP 1	Mechanical	impact/Shock	Fie	Mechanical	Impact/Shock	Impact/Shock	Collision w/Object	Environment	Ergonomic
MISHAP	NUMBER	316	317	318	319	321	322	323	324	325

	EFFECT	Injury (hand)	Injury (foot)	Unknown	Injury (leg)	Injury (head)	Injury (ankle)	Unknown	Unknown	Injury (electrocution)
	HAZARD 6									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4								navigation in restricted waters	
IDENTIFIE	HAZARD 3		falling object						wave action	
	HAZARD 2		suspended object falling object	ıol		off wave	falling object		SAR operations wave action	improper maintenance
	HAZARD 1	sharp edge- metal tag nearby	line parted	unsecured ladder roll	loose metal fragments-from nozzle	overhead object	disconnected hose	law enforcement operations	engine failure	electrical shock
Ps	GROUP 3								Environment	
GENERIC HAZARD GROUPS	GROUP 2		Impact/Shock	Environment	Impact/Shock		Impact/Shock		Grounding	
GENER	GROUP 1	Impact/Shock	ure		Structural Failure	Impact/Shock	Structural Failure		ower/ Control	Electrical
MISHAP		326								336

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (ankle)	None	Injury (hand)	Injury (hand)	Unknown	Injury (leg)	Injury (ankle)	Unknown	Injury (back)
	HAZARD 8									
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD4									
IDENTIFIER	HAZARD 3			pinch			CO2 cylinder handling			
	HAZARD 2	poor footing	slide stopped short	wave action	cnt	air conditioner	valve damage)nubed 6	slippery deck	heavy object
	HAZARD 1	fall	round discharge over side	deck plate removal	cleaning knife	fire (electrical)	high pressure cylinder	improper landing	improper boarding slippery deck	improper lifting
S	GROUP 3						Impact/Shock			
GENERIC HAZARD GROUPS	GROUP 2			Environment	impact/Shock	Toxicity	Temperature		Overboard	
GENER	GROUP 1	Impact/Shock	Armaments	Impact/Shock	Mechanical	Fire	Structural Failure	Impact/Shock	Impact/Shock	Ergonomic
MISHAP		337	339	340	342	343	345	347	349	350

	EFFECT	Injury (head)	Damage (turbocharger)	Injury (foot)	injury (łeg.)	Injury (back)	Injury (eye)	injury (hand)	injury (leg.)	Injury (ankle)
	HAZARD 8									
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD 4	working in confined space							exposed cotter pin	
IDENTIFIE	HAZARD 3	overhead object- v			hatch entry					
	HAZARD 2	maintenance while underway	emergency engine shutdown		carrying object				improper boarding cut	Poor footing
	HAZARD 1	wave action	engine oil leak	pinch hazard	כת	improper motion	airborne hazardous material— antifreeze	hatch improperly secured open	trip hazard	fall
PS	GROUP 3						Toxicity			
GENERIC HAZARD GROUPS	GROUP 2	Mechanical	Loss of Power/ Control				Overboard			
GENE	GROUP 1	Impact/Shock	Leakage	Impact/Shock	Impact/Shock	Ergonomic	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock
MISHAP	NUMBER									329

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	injury (hand)	injury (arm)	injury (skin)	Unknown	None	Injury (hand)	injury (back)	Injury (hand)	Injury (rib)
	HAZARD 8									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD4									
IDENTIFIE	HAZARD 3	increased pressure- cracked valve body					improper		wrench	
	HAZARD 2	ıctioning	tried to bear weight on arm/shoulder		navigation in restricted waters		lifting gear	improper body position	improper operation to stop turning shaft	fail
	HAZARD 1	wheel blew out of pump valve maifur	weight slipped	chemical burn	wave action	navigation in restricted waters	pinch hazard	ladder (ascending)	turning shaft	open scuttle
So	GROUP 3	Equipment Failure			Overboard					
GENERIC HAZARD GROUPS	GROUP 2	Structural Failure	Impact/Shock		Collision wNessel				Impact/Shock	
GENERI	GROUP 1	Impact/Shock	Ergonomic	Burns	Environment	Grounding	Impact/Shock	Ergonomic	Mechanical	Impact/Shock
MISHAP		360	362	383	364	365	366	367	388	98 8

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (hand)	Injury (shoulder)	injury (thigh)	Injury (hand)	Injury (head)	Injury (head)	Injury (chest)	Injury (ankle)	Injury (arm)
	HAZARD 6									
	HAZARD S									
HAZARDS	HAZARD4									
IDENTIFIED HAZARDS	HAZARD 3		buoy chain					object on fall path		
	HAZARD 2	fail	Iffing operations		removing caulking from deck plate		(sharp object) bailing	(descending)	improper maintenance	5
	HAZARD 1	open scuttle	buoy maintenance	hot substance	knife slipped	hatch unexpectedly closing	wave action	fall	fall	grinding operation cut
S	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2				Impact/Shock		Environment			Impact/Shock
GENER	GROUP 1	Impact/Shock	Impact/Shock	e e	Mechanical			Impact/Shock	Impact/Shock	Mechanical
MISHAP										378 M

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (hand)	Injury (electrocution)	Injury (hand)	Injury (eye)	injury (leg)	Injury (heat exhaustion)	injury (leg)	Injury (hand)	Injury (back)
	HAZARD 6									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD4									
IDENTIFIED	HAZARD 3			pinch		improper boarding		open deck hatch		
	HAZARD 2		drive belt failure	wave action	grinding dust	ladder (ascending)		improper maintenance	•	slip hazard
	HAZARD 1	trip hazard	electrical shock	stowage operation	grinding operation grinding dust	wave action	hot engine room	fall	rack support slipped	stairs
Sc	GROUP 3				Contamination					
GENERIC HAZARD GROUPS	GROUP 2		Structural Failure		Mechanical	Impact/Shock			Impact/Shock	
GENER	OROUP 1	impact/Shock	Electrical	Impact/Shock	Impact/Shock	Environment	Environment	Impact/Shock	Structural Failure	Impact/Shock
MISHAP	NUMBER	379	380	381	382	383	384	382	98e	387

	EFFECT	Injury (neck)	Injury (hand)	Injury (neck)	Injury (hand)	Damage (bow, pler)	Unknown	Injury (knee)	Injury (hand)	Injury (knee)
	HAZARD 8	<u> </u>	=	-	=			<u>.</u>	<u> </u>	
	HAZARD 5									
HAZARDS	HAZARD 4						object on deck-			
IDENTIFIED HAZARDS	HAZARD 3						fall		fall	vessel motion
	HAZARD 2	flying object shrapnel		sharp object	mounting portable equipment	improper operating procedure	improper maintenance	trip hazard	wave action	slippery deck
	HAZARD 1	backfire	wave action	wave action	pinch hazard	mooring operations	tangled in hose	fall	sand bar	wave action
S.	GROUP 3								Impact/Shock	Impact/Shock
GENERIC HAZARD GROUPS	2 anoue		Impact/Shock	Impact/Shock						Structural Failure
GENER	GROUP 1	Amaments	Environment		Impact/Shock	Collision w/Object	Impact/Shock	Impact/Shock		Erwironment
MISHAP	*	886		300						3966

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Unknown	Damage (keg)	Injury (wrist)	Injury (ankle)	Injury (head)	Injury (thigh)	Unknown	Damage (unknown)	Injury (hand)
	HAZARD 6									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4								puin	
DENTIFIE	HAZARD 3		navigation in restricted waters				grinding operations		mooring operation wind	
	HAZARD 2		submerged object navigation in restricted wat	(descending)	improper maintenance		sharp object— piece of disk		wave action	workpiece jammed
	HAZARD 1	navigation in restricted waters	radar failed	fall	obstruction on deck	sharp edgeshelf	grinding disk broke	submerged object	engine failure	bench grinder
Se	GROUP 3		Collision w/Object			·			Environment	
GENERIC HAZARD GROUPS	GROUP 2		Grounding				Mechanical		Collision w/Object Environment	Impact/Shock
GENER	OROUP 1	Grounding	ure	Impact/Shock	Impact/Shock	Mechanical	Structural Failure	Collision w/Object	Loss of Power/ Control	Mechanical
MISHAP	NUMBER	397	398	388	004	401	403	404	405	406

	EFFECT	Unknown	Unknown	Injury (hand)	Injury (head)	injury (hand)	Injury (elbow)	Injury (back)	Injury (arm)	Injury (finger)
	HAZARD 8									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD4					pinch			standpipe	
IDENTIFIE	HAZARD 3					disassembly			fall	binding of rotary tool
	HAZARD 2	flammables in area	electrical fire	wave action		motor maintenance	protruding object- locker latch		vessel motion	grinding operation working overhead binding of rotary tool
	HAZARD 1	welding/flame cutting operation	equipment testing electrical fire	"pinch" point-between hoisting hook & boat attachment	sharp edge corner of tank	working in confined space	slippery surface	lifting	wave action	grinding operation
Sd	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2			Environment					Impact/Shock	
GENER	GROUP 1	Fire	Fire	Impact/Shock	Mechanical	Impact/Shock	Impact/Shock	Ergonomic	Environment	Impact/Shock
MISHAP	NUMBER	407	408	409	410 h	413	414	415	416	417

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Damage (screw, keel)	Injury (head)	Unknown	Injury (eye)	injury (head)	Damage (fouled prop)	Injury (hand)	injury (arm)	Damage (unknown)
	HAZARD 6		:							
	HAZARD 5			navigation in restricted waters						
IDENTIFIED HAZARDS	HAZARD 4			wave action			line in water			
IDENTIFIE	HAZARD 3			line in water	sealant		line handling	exposed flywheel	emergency response operation	
	HAZARD 2			line handling	no eye protection sealant	lack of protective equipment	pump transfer	operating engine with cowling off	line handling	small boat lowering/lifting operation
	HAZARD 1	submerged objectunknown	unsecured hatch	towing operations line handling	chemical bum	sharp edge combing	rescue drill	slippery deck	protruding object- line handling lifeline brass tumbuckle	winch brake failure
PS	GROUP3			Grounding						
GENERIC HAZARD GROUPS	GROUP 2			Loss of Power/ Control	Impact/Shock			Mechanical	Impact/Shock	Impact/Shock
GENER	GROUP 1	Collision w/Object		Impact/Shock	Toxicity	Impact/Shock	Impact/Shock	Impact/Shock	Overboard	Equipment Failure
MISHAP	NUMBER	418	419	420	421	422	423	425	426	427

	EFFECT	Injury (hand)	Unknown	Injury (head)	Injury (hand)	None	Injury (hand)	Unknown	Injury (elbow)	Injury (hand)
	HAZARD 6									
	HAZARD 5									
IDENTIFIED HAZAROS	HAZARD 4							mooring operation		
IDENTIFIED	HAZARD 3				obstruction			current		
	HAZARD 2	pinch point-door edge	equipment transfer	nut that holds handwheel	material handling obstruction	clearing weapons	suspended object	wind	trip hazard-lip of step	
	HAZARD 1	wave action	towing operations equipment transfer	scuttle secured	pinch hazard	weapon discharged	line handling	line handling	carrying object	edge-door jam
S	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Impact/Shock						Environment		
GENE	GROUP 1	Environment	Overboard	Mechanical	Impact/Shock	Amaments	Impact/Shock	Collision w/Object	Impact/Shock	Impact/Shock
MISHAP	ĸ	428								437

Coast Guard Vessel System Hazard Listing. (Continued)

		injury (ankle)	Injury (eye)	injury (hand)	Injury (hand)	Injury (eye)	Damage (shaft)	Unknown	Injury (knee)	Injury (mouth)
	HAZARD 6									<u> </u>
	HAZARDS	1,50 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -							www.	
HAZARDS	HAZARD 4									lost balance
IDENTIFIED HAZARDS	HAZARD 3					maintenance in confined space			towing operations	vessel motion
	HAZARD 2		improper procedure	door slammed	improper maintenance	gasoline	·	material handling	improper procedure	unsecured vent
	HAZARD 1	obstruction on deck	welding/flame cutting operation		wire reinforced gasket	fitting broke	submerged object	trip hazard	line handling	overhead object
.5	GROUP 3					Toxicity				
GENERIC HAZARD GROUPS	GROUP 2			Environment		Structural Failure		· . ·		Environment
GENER	GROUP 1	Impact/Shock	Radiation	impact/Shock	Impact/Shock	Impact/Shock	Collision w/Object	Impact/Shock	Overboard	Impact/Shock
MISHAP	NUMBER	438	044	14	442	443	4	445	446	447

	EFFECT	Injury (hand)	Injury (hand, neck)	injury (eye)	İnjury (ankle)	Oamage (vessel lost); injury (unknown)	Injury (face)	Injury (hand)	Injury (hand)	Dата р е (keg)
	HAZARD 8									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4							door closed		
IDENTIFIE	HAZARD 3			transfer of open container	buoy chain			tried to catch self door closed	knife	
	HAZARD 2			improper maintenance	strike		working in confined space	vessel motion	cutting	
	HAZARD 1	hatch improperly secured	holstering loaded pistol	paint thinner	buoy maintenance	navigation in restricted waters	pry bar used to align object	navigation in restricted waters	galley operation	submerged object-unknown
82	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2					Flooding/Sinking	Impact/Shock	Impact/Shock	Impact/Shock	
GENER	GROUP 1	Impact/Shock	Armaments	Toxicity)ck		_	Grounding	Mechanical	Collision w/Object
MISHAP	K	448							458 h	459

Coast Guard Vessel System Hazard Listing. (Continued)

and an	V0000000	1		i						
	EFFECT	Injury (ankle)	Injury (hand)	Injury (faœ)	Injury (head)	injury (knee)	Injury (back)	Injury (ankle)	Unknown	Unknown
	HAZARD 8									
	HAZARD 5							·		
IDENTIFIED HAZARDS	HAZARD4									
IDENTIFIE	HAZARD 3	fall			line transfer	!		ice on deck		
	HAZARD 2	vessel motion	welding/flame cutting operation		line handling	slippery Ladder	using foot to fend off other vessel	padeye		
	HAZARD 1	wave action		overhead object	lifting operation			obstruction on deck	fuel leak in boiler	protruding object- shore tie cable
Se	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Environment			Environment		Ergonomic	Environment		
GENERI	GROUP 1	Impact/Shock	Temperature	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock	Fire	Impact/Shock
MISHAP	NUMBER	460	461	462	ය	464	465	466	467	468

	HAZARD S HAZARD 8 EFFECT	Injury (elbow)	Injury (thumb)	injury (knee)	Damage (unknown)	Injury (hand); damage (shore tie)	Injury (face)	Damage (overflowed)	Injury (leg. head)	Injury (neck)
IDENTIFIED HAZARDS	HAZARD S HAZARD 4			hoisting operation			use of	t t		
<u>a</u>	HAZARD 2 HAZA	ladder (descending)	object slipped	enance	worn or defective winch cable	connecting shore short tie	d falling object improper use of hatch	fuel in bilge wrong valve alignment	wet deck fall	mooring lines
	GROUP 3 HAZARD 1	slippery ladder	soldering iron	swinging object buoy buoy maint	small boat kowering/lifting operation	loose electrical wires	safety latch failed falling object	improper procedure	open deck hatch wet deck	vessel motion
GENERIC HAZARD GROUPS	GROUP 2 GRO		Mechanical		Impact/Shock	Fire Electrical	Structural Failure			
GENE	GROUP 1	Impact/Shock	Impact/Shock	Impact/Shock	Structural Failure	Structural Failure	Impact/Shock	Leakage	Impact/Shock	Impact/Shock
MISHAP	NUMBER	469	471	472	473	474	475	476	477	478

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Unknown	Demage (hull, pier)	Injury (hand)	Damage (prop)	None	Injury (knee)	Injury (hand)	Damage (hull)	Injury (hand)
	HAZARD 6									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD4							improper maintenance		
IDENTIFIE	HAZARD 3			small boat lifting gear				open deck plates improper maintenance		
	HAZARD 2	navigation in restricted waters	mooring operation	tow line failure		improper boarding	object on deck	obstruction on deck	wave action	
	HAZARD 1	mooring operations	navigation in restricted waters	towing operations tow line failure	submerged object	wave action	wave action	Ē	vessels working close together	falling object- stern light assembly
9.	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2			Impact/Shock			Impact/Shock		Flooding/Sinking	
GENER	GROUP 1	Grounding	Collision w/Object	Structural Failure	Collision w/Object	Environment	Environment	Impact/Shock	Collision w/Vessel	Impact/Shock
MISHAP	NUMBER	479	480	481	483	484	485	487	488	489

Coast Guard Vessel System Hazard Listing. (Continued)

MISHAP		GENERIC HAZARD GROUPS	PS			IDENTIFIED HAZARDS	HAZARDS			
NUMBER	3333033	GROUP 2	GROUP 3	HAZARD 1	HAZARD 2	HAZARD 3	HAZARD 4	HAZARD \$	HAZARD 6	EFFECT
490	Impact/Shock			fall	open scuttle					Injury (unknown)
491	Fire	Leakage	Toxicity	flammable materialoil	oil leak on engine exhaust system					Damage (lagging); Injury (respiratory)
492	Impact/Shock			stepping over a buoy	trip hazard					injury (leg.)
493	Toxicity	Leakage		improper procedure	open fuel valve	splashing material				Injury (eyes)
495 5	Impact/Shock	Temperature		reaching overhead	hot exhaust pipe					Injury (hand)
964	Impact/Shock			sharp edge	carrying object fi	falling object				Injury (hand)
497	Impact/Shock	Environment		wave action	surf operations					Damage (antenna, superstructure, paint)
499	Impact/Shock			protruding object- slippery footing-bott	slippery footing					Injury (back)
501	Impact/Shock	Environment		wave action	vessel motion					Injury (arm)

Coast Guard Vessel System Hazard Listing. (Continued)

GENERIC	GENERIC HAZARD GROUPS	0.000			IDENTIFIED	IDENTIFIED HAZARDS			EFFECT
GROUP 2	~	GROUP 3	HAZARD 1	HAZARD 2	HAZARD 3	HAZARD 4	HAZARD 5	HAZARD 6	Errevi
Loss of Power/ Control	,,		fire	loss of propulsion				·	Unknown
Impact/Shock			wave action	surf operations					Damage (turtle)
			50 Cal. machine gun	delayed firing	partial extraction of round				Damage (machine gun)
Environment		Leakage	navigation in restricted waters	difficult navigation strong tidal currents an eddies	strong tidal currents and eddies				Damage (hull)
Toxicity			airbome materialspaint chips	chipping paint				:	lnjury (eyes)
	<u> </u>		draining hot radiator water	improper procedure performing task by himself	working in confined spaces	·			Injury (hands)
Impact/Shock		Environment	wave action	vessel motion	improperly secured deck load				Damage (engine housing and mounts; deck)
			mooring operations	varping າ	line handling				injury (wrist)
Environment			navigation in restricted waters	low tide	current	wind			None

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (head)	Injury (hand)	Injury (head, leg, wrist)	Injury (head)	Ünkrown	Injury (hand)	injury (leg)	Damage (none)	Unknown
	HAZARD 6									
	HAZARD \$									
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIE	HAZARD 3	wave action	line handling							
	HAZARD 2	sharp comer	mooring operation line handling	steering control failure	material handling		improper maintenance			ladder (descending)
	HAZARD 1	vessel motion	wave action	high speed operation	wave action	partiy submerged object	pinch hazard	wet deck	navigation in restricted waters	विश
Se	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Impact/Shock	Impact/Shock	Overboard	Environment			Impact/Shock		
GENER	GROUP 1	Environment	Environment	/ Control	Impact/Shock	Collision w/Object	Impact/Shock	Leakage	Grounding	Impact/Shock
MISHAP	NUMBER									520

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (hand)	Injury (elbow, hip)	Injury (head)	Irjury (knee)	Injury (ankle)	Injury (ankle)	Injury (neurological)	Injury (eye, face)	Injury (hand)
	HAZARD 6									
	HAZARD \$									
HAZARDS	HAZARO 4									
IDENTIFIED HAZARDS	HAZARD 3		General Quarters drill	General Quarters drill				improper maintenance		
	HAZARD 2			(descending)			(descending)	nadequate entilation	airbome material- -silicon	fire drill
	HAZARD 1	azard	ladder (ascending)	fall	material handling	trip hazard	fall	cleaning solvent	object under a pressure-tube of silicon	broken glass
S	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Mechanical							Impact/Shock	
GENER	GROUP 1	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock	Toxicity	Toxicity	Impact/Shock
MISHAP	NUMBER	521	522	523	524	525	526	527	528	529

in the latest and the	TO THE STATE OF TH	Injury (back)	Frieny (wrist)	Camage (unknown)	Trespiratory/circulatory)	Frjury (head)	20g	I njury (ankle)	Erjury (hand)	2
mil.	HAZARD 8									
	HAZARD 5									
DENTIFIED HAZAROS	HAZARD 4									
DENTIFIED	HAZARD 3		sharp object	navigation in restricted waters	lack of ventilation	responding to emergency				
	HAZARD 2	open deck hatch	slip hazard	loss of forward movement	Improper procedure- wearing mask incorrectly	sharp edge	weapons loading operation		improper maintenance	weapons loading operation
	HAZARD 1	Teg.	ladder	ice operations	toxic fumes-paint improper procedur wearing r incorrectl	overhead object	discharge of weapon	hard object-edge of boat	כתן	weapon discharged
Sc	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2			Environment		Equipment Failure				
GENERI	GROUP 1	Impact/Shock	Impact/Shock	w/vessel		×	Armaments	Impact/Shock	Impact/Shock	Armaments
MISHAP		531								539 A

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (eyes)	Injury (back, hip, knee, leg, ribs)	Injury (leg)	Injury (head)	Injury (hand)	Injury (thumb)	Injury (head)	Injury (face)	Injury (hand)
	HAZARD 6									
	HAZARD 5									
HAZARDS	HAZARD 4									
IDENTIFIED HAZARDS	HAZARD 3					restraining loose machinery				obstruction
	HAZARD 2	reservoir filling operation	improper procedure- walking backwards	opening boxes	open deck hatch	vessel motion		working in confined space	material handling	material handling obstruction
	HAZARD 1	corrosion inhibitor reservoir filling operation	_	razor knife	fall	wave action	material handling	overhead object	trip hazard	pinch hazard
Se	GROUP3	Leakage				Environment				
GENERIC HAZARD GROUPS	GROUP 2	Toxicity		Impact/Shock		Impact/Shock			Ervironment	
GENER	GROUP 1	Impact/Shock	Impact/Shock		Impact/Shock	Equipment Failure	Impact/Shock	Mechanical	Impact/Shock	Impact/Shock
MISHAP	NUMBER	143	542	543	544	545	546	547	248	549

	HTTECT	Trjury (anke)	Injury (head)	Injury (eye)	Injuy (face)	Irjury (ankle)	None	Injury (back)	I njury (thumb)	I njury (eye)
		ş								
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIED	HAZARD 3			improper procedure					thumb caught between assemblies	
	HAZARD 2		jumped off deck	welding/flame improper cutting operation procedure		wave action	high speed operations	improper maintenance	load shifted	improper boarding
	HAZARD 1	working in confined space	overhead object- j angled bar for doorstop	lack of eye protection	falling object - stokes litter	Improper procedure	vessel motion	fall	"pinch point"	material handling improper boarding
S.	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Impact/Shock			Impact/Shock	Environment	Overboard		Impact/Shock	
GENERA	GROUP 1	Ergonomic	Impact/Shock	Radiation	ure		Loss of Power/ Control O	¥		Impact/Shock
MICHAE	NUMBER	350								559 In

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (toes)	Damage (unknown)	Injury (hand)	Injury (hand)	Injury (head)	injury (head)	Unknown	Injury (shoulder)	Damage (equipment lost)
	HAZARD 6									
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD 4						line handling			
IDENTIFIED	HAZARD 3						unfamiliar procedure	engine shroud off		
	HAZARD 2	errordropped hook		buoy handling	edgedoor jam	air hose disconnect	towing operation	maintenance on operating engine		weapon missing from holster
	HAZARD 1	falling object hook	navigation in restricted waters	pinch hazard	wind swung door edge-door jam closed	pneumatic tool	wave action	slippery surface- maintenance on wet transom operating engine	athletics/norsepla y-slap boxing	vessel motion
8	GROUP 3						Impact/Shock			
GENERIC HAZARD GROUPS	GROUP 2				Impact/Shock	Structural Failure	Collision w/Vessel	Mechanical		Armament
GENER	GROUP 1	Impact/Shock	Grounding	impact/Shock	Environment	Impact/Shock	Environment	Impact/Shock	Impact/Shock	Overboard
MISHAP	NUMBER		561	262	984		288	287	89 85	570

	EFFECT	Dата де (prop)	Damage (unknown)	Injury (hand)	Injury (back)	Injury (heat exhaustion)	Injury (ankle)	Injury (knee)	Injury (internal)	Injury (hand)
	HAZARD 8					=		=		
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIE	HAZARD 3			pinch					-	
	HAZARD 2		submerged object	mooring operation pinch			improper stowage			(descending)
	HAZARD 1	navigation in restricted waters	buoy maintenance	line handling	improper movement while carrying object	hot scullery	obstruction on deck	working in confined space	working in confined space	fall
9	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Grounding								
GENE	GROUP 1	Collision w/Object	Collision w/Object	Impact/Shock	Ergonomic	Environment	Impact/Shock	Ergonomic	Ergonomic	Impact/Shock
MISHAP	NUMBER									580 In

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	None	Injury (hand)	Damage (unknown)	Injury (knee)	Injury (ankle)	Injury (leg)	Damage (unknown)	Injury (head)	Injury (hand)
	HAZARD 6									
	HAZARD 5								-	
HAZARDS	HAZARD 4									
IDENTIFIED HAZARDS	HAZARD 3					improper boarding				
	HAZARD 2	SAR operations	dishwasher door	navigation in restricted waters	General Quarters drill	loose materials on deck	material handling		material handling	
		navigation in restricted waters			slippery surface-	fall	door combing	high volume leak in vessel	overhead object	protruding object- locking wire
Se	GROUP 3					·				
GENERIC HAZARD GROUPS	GROUP 2				Environment					
GENER	GROUP 1	Grounding	Impact/Shock	Collision w/Vessel	Impact/Shock	Impact/Shock	Impact/Shock	Leakage	Mechanical	Impact/Shock
MISHAP	NUMBER	8 8	582	283	584	585	587	88	88	290

	EFFECT	Injury (eye)	Injury (hand)	Injury (electrocution)	None	Injury (nausea and headache)	Injury (hand)	injury (eye)	Injury (knee)	Injury (head)
	HAZARD 6									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIE	HAZARD 3		obstruction	water on electrical device					fail	
	HAZARD 2		line handling	improper maintenance	engine order telegraph	oil spill operation	buoy handling	grinding dust	grinding operation fall	protruding object- unsecured object- -scuttie
	HAZARD 1	welding/flame cutting operation	pinch hazard	electrical shock	mooring operations	toxic material-gasoline spill	buoy maintenance	grinding operation grinding dust	vessel motion	protruding object- latch
Ş	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Bums			Equipment Failure	Environment			Impact/Shock	
GENER	GROUP 1		Impact/Shock	Electrical	Power/ Control		Impact/Shock	*		Impact/Shock
MISHAP	K.									009

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	injury (hand)	injury (back)	injury (eye)	Injury (hand)	Injury (shoulder)	Damage (radar)	Unknown	Unknown	Injury (head)
	HAZARD 6									
	HAZARD 5							·		
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIED	HAZARD 3					,		improper maintenance		fall
	HAZARD 2	fall		grinding dust	falling object	poor design/placement	navigation in restricted waters	welding/flame cutting operation	fall	vessel motion
	HAZARD 1	ladder (descending)	Improper hold entry	grinding operation grinding dust	unsecured object falling object to prop hatch open	overhead object	overhead object- navigation in bridge restricted waters	acetylene	line handling	submerged object vessel motion
S	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2							Fire		Impact/Shock
GENER	GROUP 1	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock	Collision w/Object	Leakage	Overboard	Collision w/Object
MISHAP	NUMBER	601 In	602 In	<u>1</u>	11	JI 509	96 66	607	8	610

	EFFECT	Injury (head)	Injury (hand)	Unknown	Injury (eye)	Damage (shore tie receptacie)	Damage (bullons)	Сата де (ргор)	Injury (hand)	Injury (wrist)
	HAZARD 6	<u> </u>	<u>c</u>	5	<u>E</u>	<u> </u>	ă	8	<u> </u>	<u> </u>
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD4									
IDENTIFIE	HAZARD 3		strike	improper procedure	stirring operation	shore tie				
	HAZARD 2	ladder (ascending)	use of impact driver on throughboit	heavy object	epoxy primer	improper procedure			vessel motion	painting operations
	HAZARD 1	fall	improper maintenance procedure	falling object	painting operations	unmooring operation	boarding vessel while underway	submerged object-piling	edge-reefer door vessel motion	sharp edge-paint painting can operations
Sd	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2				Toxicity				Environment	
GENERI	GROUP 1	Impact/Shock	Mechanical	Impact/Shock	Impact/Shock	Impact/Shock	Collision w/Vessel	Collision w/Object	Impact/Shock	Impact/Shock
MISHAP	E .	611	612	613		615	616		618	619

	EFFECT	Damage (battery)	Injury (nose)	Injury (face)	None	Injury (eye)	Unknown	Injury (hand)	None	Injury (hand)
	HAZARD 6									
	HAZARD 5									
HAZARDS	HAZARD 4									
IDENTIFIED HAZARDS	HAZARD 3	battery charging			swamping of boat				combat drill	
	HAZARD 2	hydrogen gas from batteries	working in confined space	grinding operation	small boat lowering/lifting operation	grinding operation	fire-fighting operations	maintenance operation	failure of warning combat drill system	rack cover
	HAZARD 1	ial-acid	bolt failure	<u>8</u>	wave action	not wearing protective glasses	clutch cable	pinch point- breech	chaff dispenser	falling object
S	GROUP3		·		Environment		Collision w/Vessel	Armaments		
GENERIC HAZARD GROUPS	GROUP 2	Structural Failure	Impact/Shock		Overboard	Impact/Shock	Loss of Power/ Control		Equipment Failure	
GENER	GROUP 1	Explosion	Structural Failure	Impact/Shock	Flooding/Sinking	Mechanical	Structural Failure	Impact/Shock		Impact/Shock
MISHAP	NUMBER	621	622	623	624	625	929	627	628	629

	EFFECT	Injury (hand)	Damage (unknown)	Injury (hand)	Injury (eye)	Damage (unknown)	Injury (foot)	Damage (engine)	Injury (head)	Injury (back)
	HAZARO 6									
	HAZARD 5									
HAZARDS	HAZARD4									
IDENTIFIED HAZARDS	HAZARD 3		tidal current				carrying object	loes of propulsion		improper lifting
	HAZARD 2	improper maintenance	towing operation tidal current	pinch	cotter pin shattering	boarding vessel while underway	ladder (descending)	hot anti-freeze		restricted vision/movement (OBA)
	HAZARO 1	corroded fitting	wind	disassembling ladder	not wearing cotter pin protective glasses shattering	engine failure	fall	loss of engine cooling	equipment failure- latch didn't hold	fire drill
S	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2		Collision w/Vessel			Collision w/Vessel		Loss of Power/ Control		
GENER	GROUP 1	Impact/Shock	Environment	Impact/Shock	Structural Failure	/ Control	Impact/Shock	llure	Impact/Shock	Ergonomic
MISHAP	ŭ,	E30	<u>r</u>							640 Erg

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	None	Injury (hand)	Injury (head)	Injury (electrocution)	Injury (arm)	Injury (hand)	Injury (eyes)	Injury (foot)	Injury (hand)
	HAZARD 6									
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD4									
IDENTIFIED	HAZARD 3	emergency engine shutdown			working in confined spaces		running rigging			
	HAZARD 2	engine control failure				working in confined space	sail handling	splashing material	(descending)	
	HAZARD 1	mooring operations	sharpening machete	protruding object	electrical shock	untagged hidden AC cable	working aloft	toxic material toluene	fall	material handling
3	GROUPS									
GENERIC HAZARD GROUPS	GROUP 2	Collision w/Vessel					Impact/Shock			
GENERI	GROUP 1	Loss of Power/ Control O	Impact/Shock	Mechanical	Electrical	Electrical	Mechanical	Toxicity	Impact/Shock	Impact/Shock
MISHAP	NUMBER	641	942	943 S	644	645	646	28	88	649

	EFFECT	Injury (shoulder)	Injury (back)	Unknown	Injury (face)	Injury (hand)	Injury (unknown)	Injury (back)	Damage (deck)	Injury (arm)
	HAZARD 6									
	HAZARD S									
HAZARDS	HAZARD 4									
IDENTIFIED HAZARDS	HAZARD 3	fall						fail		
	HAZARD 2	vessel motion	improper lifting					wet deck	wind	binding
	HAZARD 1	boarding operations	material handling improper lifting	Cooking Grease	protruding object	"horseplay"	boarding operation	stepping down to forward turtle from superstructure	towing operations wind	grinding operation binding
8	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Environment							Environment	Impact/Shock
GENER	GROUP 1	Impact/Shock	Ergonomic	Fire	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock	Collision w/Vessel	Mechanical
MISHAP		059								N 859

	EFFECT	Injury (shoukder)	Unknown	Unknown	Injury (back)	Injury (hand)	Injury (head)	Injury (eye)	Injury (head)	Unknown
	HAZARD 6									
	HAZARD 5									loss of primary & emergency electrical power
IDENTIFIED HAZARDS	HAZARD 4								·	emergency shutdown of generator
IDENTIFIED	HAZARD 3			wake of other vessel		improper maintenance				loss of main engine
	HAZARD 2	line handling		pier fire	improper lifting	buoy handling		sanding dust	working in confined space	navigating in restricted waters
	HAZARD 1	working aloft	engine failure	fire fighting	buoy maintenance	pinch hazard	protruding object	sanding	protruding object working in confined st	fuel hose failure
2	GROUP 3								-	
GENERIC HAZARD GROUPS	GROUP 2			Environment				Toxicity	Temperature	Collision w/Vessel
GENER	GROUP 1	Impact/Shock	Loss of Power/ Control	Collision wivessel	Ergonomic	Impact/Shock	Impact/Shock	Impact/Shock	Mechanical	Structural Faiture
MISHAP	NUMBER	nl 659	099	98 2	962 E	11 12 13 13 13 13 13 13 13 13 13 13 13 13 13	984	299	999	S 299

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Unknown	None	Injury (hand)	None	Damage (unknown)	Injury (hand)	injury (knee)	Injury (eye)	Injury (rib)
	HAZARD 6									
	HAZARD 5									
HAZARDS	HAZARD 4									
IDENTIFIED HAZARDS	HAZARD 3	working on ladder							improper procedure-safety glasses removed	
	HAZARD 2	painting operation working on ladder		vessel motion	improper boarding	unmooring operation	personnel lowering operation	painting operation		brow improperly secured
	HAZARD 1	fall	slippery surface- fuel on deck	door not secured vessel motion	fall	navigation in restricted waters o	fouled safety line	protruding object- painting operation davit	grinding operation grinding dust	wind
S	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2		Impact/Shock							Environment
GENE	GROUP 1	Impact/Shock	Overboard	Impact/Shock	Overboard	Groundi ng	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock
MISHAP	æ	= 889					675 Ir			878 In

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (leg.)	Damage (unknown)	Injury (wrist)	Damage (cableway)	injury (elbow)	Injury (knee)	Damage (accommodation ladder, woodwork, welds)	Injury (ankle)	Injury (foot)
	HAZARD 6									
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIED	HAZARD 3							·		
	HAZARD 2	fall		buoy maintenance	improper maintenance	improper lifting		improper procedure	vessel motion	loose part
	HAZARD 1	open deck grate	submerged object	lifting object	welding/flame cutting operation	material handling improper lifting	improper motion	boarding vessel while underway	wave action	material handling loose part
PS	GROUP 3								Environment	
GENERIC HAZARD GROUPS	GROUP 2								Ergonomic	
OENER	GROUP 1	impact/Shock	Collision w/Object	Ergonomic	Fire	Ergonomic	Ergonomic	Collision w/Vessel	Impact/Shock	Impact/Shock
MISHAP	NUMBER	679	089	88	682	883	684	88	888	989

	S HAZARD 6 EFFECT	Injury (chest muscle)	Injury (back)	Damage (prop)	Injury (head)	Injury (wrist)	(hand) (hand)	Injury (ear)	Injury (knee)	injury (eyes)
IDENTIFIED HAZARDS	HAZARD 4 HAZARD 5									
IDENTIFIE	HAZARD 2 HAZARD 3	roper lifting	ladder slip (descending)	navigation in vessel drifting restricted waters	moving through confined spaces	improperly secured shoring	working in confined space		r footing	automatic or manual system failure
	HAZARD 1	material handling improper lifting	protruding object ladder (descer	SAR operations nav	overhead object mo	general imp emergency drill sec	sharp edge wor	washdown with fire hose	material handling poor footing	AFF fire automa extinguisher fluid manual failure
GENERIC HAZARD GROUPS	GROUP 2 GROUP 3									
GENERIC: HAZ	GROUP 1 GR	Ergonomic	Impact/Shock	Grounding	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock Toxicity
MISHAP	NUMBER	0 89	691	693	769	695	969	1 269	869	689

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (elbow)	Injury (hand)	Injury (hand)	Unknown	Injury (eyes)	Injury (back)	Damage (tow rail)	Injury (hand)	Injury (head)
	HAZARD 8								,	
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIED	HAZARD 3		line handling	packing crate failure	improper maintenance					
	HAZARD 2	underway drill	sharp object	dling	davit repair	painting operation		submerged object structural failure - motor mount	fall	
	HAZARD 1	trip hazard-metal plates stacked on deck	protruding object- sharp object	Slass	small boat lowering/lifting operation	toxic material- paint thinner	improper motion	submerged object	ladder	horseplay
Se	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2			Impact/Shock		Toxicity				
GENER	aROUP 1	Impact/Shock	Impact/Shock	Structural Failure	Overboard	Impact/Shock	Ergonomic	Collision w/Object	Impact/Shock	Impact/Shock
MISHAP	NUMBER	701	702	703	704	705	706	707	708	709

Coast Guard Vessel System Hazard Listing. (Continued)

MISHAP		GENERIC HAZARD GROUPS	Sc			IDENTIFIED HAZARDS	HAZARDS			
NUMBER	100.00	GROUP 2	GROUP 3	HAZARD 1	HAZARD 2	HAZARD 3	HAZARD 4	HAZARD 5	HAZARD 6	EFFECT
710	Impact/Shock			not wearing protective glasses	flying material	chipping hammer				Injury (eye)
711	Impact/Shock			ladder (ascending)	closed hatch					Injury (head)
712	Impact/Shock	Environment		wave action	buoy maintenance	pinch between vessel & buoy				Injury (hand)
713	Impact/Shock	Ergonomic		fall	profruding object- boarding vessel -bracket while underway	boarding vessel while underway				Injury (leg)
714	Toxicity	Bums		paint removal						Injury (hand)
715	Impact/Shock			profruding object- horseplay towing crucifix	horseplay					Injury (head)
716	Mechanical	Impact/Shock		sharp edge— banding material	banding operation					Injury (hand)
718	Impact/Shock			trip hazard	line handling					injury (head)
719	Impact/Shock			line handling						Injury (leg.)

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (head)	Injury (leg)	Unknown	(mast)	injury (burns, eye)	Injury (smoke); damage (electrical system)	Unknown	Unknown	injury (back)
	HAZARD 8									
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD 4									
DENTIFIED	HAZARD 3						smoke			
	HAZARD 2	hose rigging	fall	submerged objectcable	falling object	improper procedure	fire	holstering loaded weapon	breakwall	improper lifting
	HAZARD 1	hose nozzle	material handling fall	navigation in restricted waters	overhead object- t	welding/flame cutting operation	electrical short	unintentional discharge	wave action	working in confined space
5.	GROUP 3						Toxicity			
GENERIC HAZARD GROUPS	GROUP 2				Impact/Shock	S	Fire		Grounding	
GENERA	GROUP 1	Impact/Shock	Impact/Shock	Loss of Power/ Control	Collision w/Object	Electrical	Electrical	Amaments	Environment	Ergonomio
MISHAP	NUMBER	720	721	722	724	725	726	727	729	730

	ħ	oulder,			er, rub rail)	(1)	e, turbo g, blanket)			
	EFFECT	Injury (neck, shoulder, back)	Injury (ribs)	Injury (hand)	Damage (quarter, rub rail)	Injury (unknown)	Damage (oil line, turbo alternator, wing, blanket)	Injury (hand)	Damage (prop)	Damage (prop)
	HAZARD 6									
	HAZARD 5					i i				
HAZARDS	HAZARD4									
IDENTIFIED HAZAROS	HAZARD 3						hot surface- turbocharger			
	HAZARD 2		fall	working in confined space	engine control failure	deck load unsecured	engine oil		towing operation	
	HAZARD 1	improper lifting	boarding vessel while underway	falling object- intake manifold	unmooring operation	wave action	oil line ruptured	edgehydr. cabinet door	submerged object towing operation	submerged object
S	GROUP 3						Structural Failure			
GENERIC HAZARD GROUPS	GROUP 2				Equipment Failure	Impact/Shock	Fire			
GENERA	GROUP 1	Ergonomic	Impact/Shock	Impact/Shock	Collision w/Vessei	Overboard	Control	Impact/Shock	Collision w/Object	Collision w/Object
MISHAP	NUMBER	731 E	732	733	734	735 0			738	739

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (fall)	Injury (elbow)	Injury (hand)	Unknown	Injury (eye)	Injury (hand)	Injury (hand)	Injury (hand)	Injury (ear)
	HAZARD 8							,,,,		
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIE	HAZARD 3		material handling				preparing food			working overhead
	HAZARD 2	wet deck	ladder (descending)	hot objectair compressor	poor footing	debris - rust	sharp edge-meat galley operation slicer	fall	exposed starter gears	welding slag
	HAZARD 1	fall	fall	lost balance	(descending)	wire brushing	sharp edge-meat slicer	edge-door	working with motor casing off	welding/flame cutting operation
S	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2			Temperature			Impact/Shock		Mechanical	
GENERI	GROUP 1	Impact/Shock	Impact/Shock		Impact/Shock	Impact/Shock	Mechanical	Impact/Shock	Structural Failure	Impact/Shock
MISHAP	NUMBER	741	742	743	744	745	746	747	748	749

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (hand)	Injury (head)	Injury (leg. back)	Injury (hand)	Injury (face)	Injury (back)	Injury (hand)	Injury (respiratory)	Injury (back)
	HAZARD 8									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIE	HAZARD 3		wave action							
	HAZARD 2	material handling	weld failed	poor footing	improper maintenance	improper procedure	improper lifting		refrigerant	
	HAZARD 1	crushing	vessel motion	scuttle entry	pinch hazard	working aloft	handling buoy	buoy handling	brazing operation refrigerant	working in awkward position
PS	GROUP 3		Environment							
GENERIC HAZARD GROUPS	GROUP 2		Impact/Shock							
GENER	GROUP 1	Impact/Shock	Structural Failure	Impact/Shock	Impact/Shock	Impact/Shock	Ergonomic	Impact/Shock	Toxicity	Ergonomic
MISHAP	ĸ.									758

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Damage (engine)	injury (teeth)	Injury (thumb)	Unknown	Injury (foot)	Damage (generator)	Damage (fouled prop)	Damage (sponson)	Unknown
	HAZARD 8				:					
	HAZARD 5									
HAZARDS	HAZARD 4									
IDENTIFIED HAZARDS	HAZARD 3			moving part						
	HAZARD 2		working in confined space	mproper procedure		latch fell		line in water	SAR operations	(descending)
	HAZARD 1	open carburation system	material handling working in confined space	gine	wave action	hook slipped out latch fell of hatch handle	improper maintenance	improper procedure	engine control failure	fall
8	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2				Environment			Collision w/Object	Equipment Failure	
GENERIC	GROUP 1	Fire	Impact/Shock	Mechanical		Impact/Shock	Electrical	(mpact/Shock	se	Impact/Shock
MISHAP	NUMBER	759	760	761 N	762 (0	763	764	765		767

	EFFECT	Injury (eyes)	Injury (face)	Injury (neck)	Unknown	Unknown	Injury (leg)	Injury (hand)	None	Unknown
	HAZARD 8									
	HAZARD \$									
IDENTIFIED HAZARDS	HAZARD 4									-
IDENTIFIED	HAZARD 3			carrying object						
	HAZARD 2	grinding dust		(descending)	latch failure	navigation in restricted waters	fall	exposed cotter pin		boarding vessel while underway
	HAZARO 1	grinding operation grinding dust	latch slipped		rack latched up	wave action	open deck hatch	cut	navigation in restricted waters	wave action
5	GROUP3									Overboard
GENERIC HAZARD GROUPS	GROUP 2					Environment				Flooding/Sinking 0
GENERI	GROUP 1	Impact/Shock	Impact/Shock	Impact/Shock	χ		Impact/Shock	Impact/Shock		Erwironment
MISHAP	K.	768	769				· · · · · · · · · · · · · · · · · · ·			177

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Damage (prop. shaft)	Injury (ankle)	Damage (prop)	Damage (unknown)	Damage (starter)	Injury (head)	Injury (hand, arm)	Damage (cable support)	Injury (back)
	HAZARO 8									
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD 4				emergency breakage		,			
IDENTIFIED	HAZARD 3				line handling					
	HAZARD 2		(descending)		at sea replenishment operation	fire - electrical	vessel motion	ungrounded work light	mooring operation	hose connection
	HAZARD 1	igation in tricted waters	fall	submerged object	engine control failure	emergency engine shutdown	unsecured object vessel motion	flammable adhesive	unmooring operations	hot water
Sı	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Loss of Power/ Control			Equipment Failure	Loss of Power/ Control		Electrical		
GENER	GROUP 1		Impact/Shock	Collision w/Object	Loss of Power/ Control Equipment Failure		Impact/Shock		Impact/Shock	Вить
MISHAP	NUMBER	778	779	780	781	782	783	784	785	786

	B EFFECT	Injury (back)	Injury (face)	Injury (hand)	Injury (Eyes)	Injury (hand)	Damage (steering gear)	None	Injury (head, back)	Injury (knee)
	HAZARD 8									
	HAZARD 5									
IDEN I IFIED HAZARDS	HAZARD 4									
DENIITIEL	HAZARD 3		socket	poor footing				wave action		fall
	HAZARD 2		pneumatic wrench	welded	no eye protection	falling object- hatch	high pressure hydraulic system		wet deck	poor footing
	HAZARD 1	fell on deck	pneumatic tool	welding/flame recently cutting operation surface	welding/flame cutting operation	scuttle catch failed	seals failed	improper boarding boarding vessel while underway	vessel motion	buoy maintenance
	GROUP 3									
	GROUP 2		Mechanical	Impact/Shock		Structural Failure				
	GROUP-1	Impact/Shock	Impact/Shock	Temperature	Radiation	Impact/Shock	Structural Failure	Overboard	Impact/Shock	Impact/Shock
	K	187						-		195

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (face)	Injury (leg)	Injury (hand)	Unknown	Injury (hand)	Injury (head)	Injury (head)	Unknown	Injury (head)
	HAZARD 8									
	HAZARD 5					:				
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIE	HAZARD 3			buoy recovery operation		lifting operation				
	HAZARD 2	structural failure		diving	material handling	buoy maintenance	lifting operation	edge-tool	working with boathook	unsecured chair
	HAZARD 1	pneumatic tool	hatch not properly secured	wave action	oil on deck	wave action	buoy maintenance	lost balance	buoy maintenance	vessel motion
S	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2			Environment	Leakage	Impact/Shock				impact/Shock
GENERI	0ROUP 1	Structural Failure	Impact/Shock		Impact/Shock	Environment	Impact/Shock	Impact/Shock	Overboard	Environment
MISHAP	NUMBER	796	797	798	799	800	801	802	803	804

	EFFECT	Injury (face); damage (boathook)	Injury (arm)	Injury (hand)	Injury (head)	Injury (hand)	Injury (hand)	Damage (pier structure)	Damage (battery charger, weapons)	Injury (head)
	HAZARD 6									
	HAZARD S									
HAZARDS	HAZARD4									
IDENTIFIED HAZARDS	HAZARD 3	working with boathook		vessel motion				line handling		
	HAZARD 2	lifting operations	vessel motion	unstable footing		strobe bracket		mooring operation line handling	vessel motion	ladder (ascending)
	HAZARD 1	buoy maintenance	protruding object- vessel motion bracket	wave action	overhead object	overboard drill	flare	improper Ships Operations	wave action	closed hatch
S	GROUP 3								Structural Failure	
GENERIC HAZARD GROUPS	GROUP 2		Environment	Environment					Impact/Shock	
GENER	GROUP 1	Impact/Shock	Impact/Shock	impact/Shock	Impact/Shock	Impact/Shock	Amaments	Collision w/Object	+	Mechanical
MISHAP	NUMBER	902	908	807 in	908 III	810	811 Ar		-	814 M

	EFFECT	injury (back)	Unknown .	Unknown	Injury (head)	Unknown	Damage (RHIM)	Damage (prop & shaft)	Unknown	Injury (unknown)
	HAZARD 6							·		
	HAZARD 5					: :				
IDENTIFIED HAZARDS	HAZARD4									
IDENTIFIED	HAZARD 3				working on float alongside	,				
	HAZARD 2	working in confined space	discharge of weapon		unstable platform working on float alongside		navigation in restricted waters	navigation in restricted waters	material handling open deck hatch	
	HAZARD 1	steam valve handle	weapons clearing discharge of operation weapon	wet deck	wake created by other vessels	tem	<u>B</u>	gravel bar	material handling	open deck hatch
S	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Impact/Shock			Environment		Grounding			
GENERI	GROUP 1	Temperature	Amaments	Impact/Shock	Impact/Shock	Toxicity	Loss of Power/ Control	Grounding	Impact/Shock	Impact/Shock
MISHAP	NUMBER	815	816	817	818	819	820	821	822	823

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (back)	Injury (krnee, shoulder)	Injury (hand)	Injury (shoukder, leg)	Dama ge (pump. equipment lost)	Dama ge (radar antenna, spray s hield)	Injury (arm)	Injury (face)	injury (hand)
	HAZARD 8									
	HAZARD S									
HAZARDS	HAZARD 4					leakage-diesel fuel				
IDENTIFIED HAZARDS	HAZARD 3					surf operation			edge-chair	,
	HAZARD 2		towing operation	mast fell		vessel motion	surf operations	fall	slip hazard	hatch improperly secured
	HAZARD 1	poor footing	wave action	mast retainer broke	slippery surface	wave action	wave action	loose object on deck	wave action	टार
38	GROUP 3					Capsize				
GENERIC HAZARD GROUPS	GROUP 2		Environment	Impact/Shock		Impact/Shock				ang.
GENER	GROUP 1	Impact/Shock		ure	Impact/Shock		Environment	Impact/Shock	Environment	Impact/Shock
MISHAP	ĸ									832 lin

	EFFECT	Damage (line in prop)	Injury (head)	Injury (wrist)	Damage (pier)	Demage (unknown)	Injury (leg)	Injury (head)	Injury (knee)	Damage (prop. shaft)
	HAZARD 6				:					
	HAZARD 5							,		
HAZARDS	HAZARD 4									
IDENTIFIED HAZARDS	HAZARD 3					exceeding operating limits				
	HAZARD 2			carrying object		hoist operations	material handling		slippery surface- material handling icy deck	
	HAZARD 1	submerged line	exposed cotter pin	falling object- dogging lever	mooring operations	buoy handling	poor footing	vessel motion	slippery surface	submerged object-line
S	GROUP3									
GENERIC HAZARD GROUPS	GROUP 2			•			Structural Failure	Environment		
GENERA	GROUP 1	Collision w/Object	Impact/Shock	Impact/Shock	Collision w/Object	Impact/Shock	Impact/Shock S		Impact/Shock	Collision w/Object
MISHAP	NUMBER	833	834	835	838	837	833	840	141	842

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (fatality)	Damage (unknown)	Unknown	Unknown	Injury (hand)	Unknown	Injury (hand)	Unknown	Injury (unknown)
	HAZARO 6									
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD4									
IDENTIFIE	HAZARD 3									vessel motion
	HAZARD 2	flooded vessel being towed	vessels in close formation	surf operations	closed hatch	towing operation	slip hazard	vessel motion	fall	trip hazard
	HAZARD 1	towing operations flooded vessel	wave action	wave action	(ascending)	line handling	slippery surface—slip hazard wet pilings	latch failed	(descending)	high speed operation
Sc	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Overboard	Environment					Impact/Shock		
GENE	GROUP 1	Capsize	Collision w/Vessel	Environment	Impact/Shock	Impact/Shock	Impact/Shock	Structural Failure	Impact/Shock	Impact/Shock
MISHAP	NUMBER	843	844		846	847	848		058	851

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Unknown	Injury (hand)	Unknown	Unknown	Damage (hulf)	Injury (hand)	Damage (unknown)	Damage (RHIB)	Unknown
	HAZARD 6							-		
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD4						·		SAR operation	
IDENTIFIED	HAZARD 3								surf operation	
	Z GWZZYH	ladder (descending)	boarding vessel while underway	surf operations	surf operations	boarding vessel while underway	lowering mast		wind	ice operation
	HAZARD 1	fall	line handling	wave action	wave action	wave action	crushing	submerged object	wave action	stack fire
3	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2		Impact/Shock		Capsize				Environment	
GENER	GROUP 1	Impact/Shock	Equipment Failure	Environment	Environment	Collision w/Vessel	Impact/Shock	Collision w/Object	Capsize	Fire
MISHAP	NUMBER	852 Im	853 Eq	855	856 EI	857 X	B 28		88	798 FT

	EFFECT	Damage (unknown)	None	Injury (eye)	Injury (arm)	Injury (knee)	Unknown	Damage (fouled prop)	Unknown	Demage (marker & bridle)
	HAZARD 6									
	HAZARD S									
HAZARDS	HAZARD 4						protruding object			
IDENTIFIED HAZARDS	HAZARD 3			lifting chain	premature firing	carrying object	safety guard rail printsing			
	HAZARD 2	navigation in restricted waters	slippery deck	iffing operations	shell casing	(descending)	carrying object		O/L generator	ine handling
	HAZARD 1	night operation	fall	buoy maintenance	chain stopper	fall	ladder (descending)	line in water	fire	survey operation line handling
Ş	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2				Impact/Shock			Loss of Power/ Control		
GENERA	GROUP 1	Grounding	Overboard	Impact/Shock		Impact/Shock	Impact/Shock	Impact/Shock	Fire	Flooding/Sinking
MISHAP		862	964			867	- 888		970	871

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (shoulder)	Damage (small boat)	Injury (hand)	Injury (neck)	Damage (trim tab)	Damage (unknown)	Injury (hand)	Damage (lagging)	Injury (hand)
	HAZARD 6									
	HAZARD 5									
HAZARDS	HAZARD 4									
IDENTIFIED HAZARDS	HAZARD 3	surf operation	SAR operation						oil soaked lagging	
	HAZARD 2	vessel motion	boat swamped	elevator door	vessel motion	mooring operation	ATON maintenance	closing door	energency engine shutdown	flour bin door
	HAZARD 1	wave action	wave action	pinch hazard	wave action	ŧ	_	crushing	fire	vessel motion
S	GROUP3								-	
GENERIC HAZARD GROUPS	GROUP 2	Impact/Shock	Environment		Environment				Loss of Power/ Control	Environment
GENE	GROUP 1	Environment	Flooding/Sinking	Impact/Shock	Impact/Shock	Environment	Grounding	Impact/Shock	Fire	Impact/Shock
MISHAP	NUMBER	872 E	873 F	874	1 875	876	877	878	879	880

	EFFECT	Damage (screws)	Damage (deck cover)	Injury (head)	Unknown	Unknown	Injury (hand)	injury (eye)	Injury (knee)	None
	HAZARD 6	۵	6	<u> </u>	5	5	<u> </u>	<u>E</u>	<u> </u>	₹
	HAZARD S									
HAZARDS	HAZARD 4									
IDENTIFIED HAZARDS	HAZARD 3							battery maintenance		
	HAZARD 2		falling object- broken roll bar		closed hatch		use of crowbar	improper procedure-not wearing eye protection		improper clearing procedure
	HAZARD 1	submerged object-fishing line	wave action	sharp comer	ladder (ascending)	improper maintenance	ilfing strainer with use of crowbar crowbar	flying object particle from battery	vessel motion	magazine in rifle
Š	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2		Environment					Toxicity		
GENE	GROUP 1	Collision w/Object	Structural Failure	Impact/Shock	Impact/Shock	Flooding/Sinking	Impact/Shock	ςk	Grounding.	Amaments
MISHAP	NUMBER	882			988					894 A

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (hand)	Injury (hand)	Damage (electrical wiring)	Damage (engine)	None	Injury (shoulder)	Injury (unknown); damage (trim tab, transom, bulwark)	Damage (padeye)	Damage (shaft)
	HAZARD 6									
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIE	HAZARD 3	sharp edge- broken bowl								
		loaded drawer		fire		towing operation	surf operations	fouled safety line	improper chain layout	
	HAZARD 1	vessel motion	sharp edges steel tags	short circuit	emergency engine shutdown	prop wash- moved vessel	wave action	armaments training	mooring operations	surf operations
Sd	GROUP 3				Loss of Power/ Control		Ergonomic			
GENERIC HAZARD GROUPS	GROUP 2			Electrical	Equipment Failure		Impact/Shock		:	
GENER	GROUP 1	Impact/Shock	Impact/Shock	Fire	Fire	Grounding	Environment	Amaments	Structural Failure	Grounding
MISHAP		895	968	897	868	8	8	06	805	80

Coast Guard Vessel System Hazard Listing. (Continued)

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Damage (unknown)	Damage (huli)	Damage (unknown)	Injury (leg. hip)	Injury (hand)	Injury (hand)	Injury (hand)	Unknown	Injury (eyes)
	HAZARD 6									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4								overside recovery operation	
IDENTIFIEC	HAZARD 3			engine exhaust	fire drill	weighing anchor				diesel fuel
	HAZARD 2		navigation in restricted waters	emergency engine shutdown	imited visibility (OBA)	vessel motion	sharp edge	hatch closed	Jacobs ladder	fueling operation diesel fuel
	HAZARD 1	misplaced navigation buoy	towing operations inavigation in restricted waters	oil leak	open deck hatch limited visibility (OBA)	"pinch" point- under anchor line	cutting operation sharp edge	edge-scuttle	cold water	closed valve on pressurized line
Sa	GROUP 3			Toxicity						Toxicity
GENERIC HAZARD GROUPS	GROUP 2			Loss of Power/ Control		Environment			Ervironment	Impact/Shock
GENERI	GROUP 1	Grounding	Grounding	Leakage	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock	Overboard	Structural Failure
MISHAP	NUMBER	916	917	918	919	921	922	923	924	925

	EFFECT	Damage (engine lost)	None	Damage (lower unit of motor)	Injury (leg)	Unknown	Injury (head, elbow)	injury (back)	Damage (unknown)	Damage (prop)
-	HAZARD 6	Δ	ž	<u> </u>	<u> </u>	<u>ה</u>	<u>[</u>]	Ē	ద్	<u> </u>
	HAZARD \$									
IDENTIFIED HAZARDS	HAZARD 4							small boat recovery operation		
IDENTIFIE	HAZARD 3	towing operation	keyring on belt					"pinch" area		
	HAZARD 2	improperly secured outboard	working in confined space	navigation in restricted waters	knife-edge of scuttle/hatch		falling object	swinging object	mooring operation	hit pipe
	HAZARD 1	wave action	electrical short	submerged breakwater	ladder (descending)	buoy maintenance	towing mast broke	vessel motion	engine control failure	submerged objectdredge pipe
2	GROUP 3							Ergonomic		
GENERIC HAZARD GROUPS	GROUP 2	Environment	Electrical				Impact/Shock	Impact/Shock		
GENER	GROUP 1	Loss of Power/ Control	Burns	Groundin g	Impact/Shock	Impact/Shock	Structural Failure	Environment	Loss of Power/ Control	Collision w/Object
MISHAP	NUMBER	926	927	928	926	930	932	933 E	934	932

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (leg)	Injury (hand)	Injury (hand)	Damage (pier fftling)	Unknown	Injury (hand)	Unknown	Injury (knee)	injury (fattal)
	HAZARD 6									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIEC	HAZARD 3			strobe light bracket	unmooring operation	vessel motion			fall	
	HAZARD 2	fall	ce on angine		cleat gave way while trying to spring from pier	line handling	windlass operation			improper lookout
	HAZARD 1	slippery surface	moving part alternator pulley	sharp edge-light overboard bracket emergency	improper operation	wave action	anchor handling	wave action	carrying object- vision obstructed	navigation in restricted waters
Se	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2				Environment	Overboard		Environment		
GENER	aROUP1	Impact/Shock	Mechanical	Impact/Shock	Structural Failure	Environment	Impact/Shock	Capsize	Impact/Shock	Collision w/Vessel
MISHAP	NUMBER	937	938	626	940	942	943	944	945	947

	EFFECT	Damage (line around antenna shaft)	Unknown	Damage (pipe)	Damage (deck fitting)	Injury (hand)	Injury (face)	Injury (arm)	Injury (leg)	Damage (fouled prop)
	HAZARO 8									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4				fired into vessel				SAR operation	
IDENTIFIE	HAZARD 3				weapon limit stop fired into vessel failed		no safety chains		slippery deck	
	HAZARD 2	line handling	strong current		50 cal. Machine gun	material handling	fall	fall	vessel motion	unmooring operation
	HAZARD 1	rotating object- radar antenna	mooring operations	fire	weapons firing test	overboard lifting	improper open hatch	open deck hatch fall	wave action	line in water
ş	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2		Environment		Equipment Failure				Impact/Shock	Impact/Shock
GENE	GROUP 1	Impact/Shock	Collision w/Object	Fire	Amaments	Impact/Shock	Impact/Shock	Impact/Shock	Environment	Mechanical
MISHAP		948				952				≥ 996

	EFFECT	Unknown	Injury (hand)	Damage (storage box)	Damage (engine)	Damage (unknown)	None	Damage (unknown)	Damage (fouled prop)	Injury (hand)
	HAZARD 6									
	HAZARD S		block							
IDENTIFIED HAZARDS	HAZARD 4		pinch		exceeding operation limits					
IDENTIFIE	HAZARD 3		line handling	round fired	hoisting operation exceeding operation li			improper maintenance	doud painoj	
	HAZARD 2		small boat lowering/lifting operation	improper clearing round fired operation	buoy handling		flammabie material- insulation	equipment failure (pump cooling)	line in water	edge-knife-edge closed on fingers of scuttle
	HAZARD 1	wave action	hoisting operation small boat lowering/life operation	rifle	buoy maintenance	towing operations	hot object- overheated turbochargers	fire	unmooring operation	edge-knife-edge of scuttle
S	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2			Impact/Shock	Overboard	Collision wNessel	Fire		Impact/Shock	
GENER	GROUP	Capsize	Impact/Shock	Armaments	Capsize	Structural Failure	Temperature	Fire	Mechanical	Impact/Shock
MISHAP	NUMBER	957	656	096	8		8	8 8	98	996

	EFFECT	Damage (hull)	UWC	Damage (prop)	Damage (vessel lost)	Injury (hand)	Injury (knee)	Damage (prop)	Injury (internal)	Damage (pump)
-	HAZARD 8	Cama	Unknown	Оаша	Oa a	Injury	Injury	Damae	Injury	Овта
	HAZARD S	navigation in restricted water								
HAZARDS	HAZARD 4	tow line fowled prop			navigation in restricted waters	crush				electrical short
IDENTIFIED HAZARDS	HAZARD 3	towing operation	mooring operation			fending off vessels	protruding object			pumping operation
	HAZARD 2	wave action	pinch area- between boat & steel pipe structure	navigation in restricted waters	towing operation tow line failure	towing operation	wave action	navigation in restricted waters		flushing sewage phose
	HAZARD 1	buoy maintenance	wave action	SAR operations	wave action	wave action	ladder (descending)	submerged object navigation in restricted wat	high speed operation	maintenance operations
<u>PS</u>	GROUP 3	Impact/Shock			Grounding					
GENERIC HAZARD GROUPS	GROUP 2	Environment	Impact/Shock		Environment	Impact/Shock	Environment			Fire
GENE	GROUP 1	Collision w/Object	Environment	Grounding	Structural Failure	Environment	Impact/Shock	Collision w/Object	Impact/Shock	Electrical
MISHAP	œ.	<u>8</u>	996 E	970 Gr	971	972 En	973 Im	974 Co	975 Im	977 Ele

	EFFECT	Damage (iffe raft)	Injury (fatal)	Damage (light pole on dock)	Injury (head)	Injury (leg)	Damage (cleat)	Damage (engine's lower unit)	None	Damage (prop. shaft)
	HAZARD 6			,						
	HAZARD S									
HAZARDS	HAZARD4									
IDENTIFIED HAZARDS	HAZARD 3	liferaft						navigation in restricted waters		
	HAZARD 2	hydrostatic release device			vessel motion	slip hazard	removing slack in line	submerged object towing operation navigation in restricted wat		navigation in restricted waters
	HAZARD 1	wave action	refueling operation	mooring operations	wave action	(descending)	line handling	submerged object	navigation in restricted waters	submerged object navigation in restricted wat
S	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Equipment Failure			Impact/Shock					
GENER	GROUP 1	Environment	Overboard	Collision w/Object	Erwironment	Impact/Shock	Structural Failure	Collision w/Object	Grounding	Collision w/Object
MISHAP	NUMBER	978	979	086	981	982	888	7 86	986	286

	EFFECT	Injury (respiratory)	Damage (radar support mounts)	Injury (back)	Damage (sponson)	Unknown	Injury (head)	None	Injury (elbow)	Injury (arm)
	HAZARO 8									
	HAZARD S									
IDENTIFIED HAZAROS	HAZARD 4									
IDENTIFIED	HAZARD 3	fire fighting						vessel motion	oi on deck	
	HAZARD 2	wind	exceeding design limits		race vessel out of control	boarding vessel while underway	fall	high speed operations	(descending)	
	HAZARD 1	smoke	wave action	ladder missing	monitoring race activities	wave action	vessel motion	wave action	fall	open deck hatch
S	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Toxicity			Impact/Shock	Environment	Erwironment	Overboard		Structural Failure
GENER	.	Environment	Environment		Collision w/Vessel	ssel	×		Impact/Shock	Impact/Shock
MISHAP	œ	886	986		991					986 E

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Damage (engine room)	Injury (unknown)	Unknown	Damage (prop. shaft)	Unknown	Injury (hand)	injury (knee)	injury (nano)	Injury (unknown)
	HAZARD 8									
	HAZARD 5									
HAZAROS	HAZARD4							vessel motion		
IDENTIFIED HAZARDS	HAZARD 3	SAR operation			navigation in restricted waters			high speed operations		
	HAZARD 2	fire extinguisher failure					(descending)	SAR operations	material handling	navigation in restricted waters
	HAZARD 1		-	engine control failure	submerged object high speed operations	navigation in restricted waters	falling object- scuttle	wave action	failing object - dropped parts	vessel motion
	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Equipment Failure		Grounding				Environment		Impact/Shock
GENER	GROUP 1	Fire	Impact/Shock	Loss of Power/ Control	Collision w/Object	Grounding	Impact/Shock	Overboard	Impact/Shock	Grounding
MISHAP	NUMBER	F 766	866	666	1000	1001	1002	1004	1005	1006

	EFFECT	None	Injury (back)	Damage (unknown)	Demage (unknown)	Damage (engine, lagging)	Injury (back)	Damage (floodlight)	Injury (ankle)	Damage (electrical connector)
	HAZARD 6									
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD 4					oil contamination	high speed operation			
IDENTIFIE	HAZARD 3					emergency engine shutdown	vessel motion			
	HAZARD 2			ground-sand bar	engine stalled	oil spray on hot exhaust	vessel seat design		vessel motion	unmooring operation
	HAZARD 1	small boat lowering/lifting operation	trip hazard	navigation in restricted waters	mooring operations	lubricating oil leak oil spray on hot exhaust	wave action	flammable material in contact with light	wave action	shore tie connection
PS	GROUP 3					Loss of Power/ Control	Environment	·		
GENERIC HAZARD GROUPS	GROUP 2					Fire	Ergonomic		Impact/Shock	Structural Failure
GENER	GROUP 1	Capsize	Impact/Shock	Grounding	Collision w/Vessei		act/Shock	Fire	ŧ	Mechanical
MISHAP	ď	1007	1008							1015 N

	EFFECT	Injury (back)	Injury (knee)	Unknown	Injury (hand)	Damage (unknown)	Damage (prop)	Damage (huli)	Damage (hoist)	Injury (leg.)
	HAZARD B									
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIE	HAZARD 3	wave action				boarding vessel while underway		engine failure	broken cable	
	HAZARD 2	SAR operations	poor footing	material handling	increasing propeller RPM	submerged objectsnets	buoy chain	unmooring operation	hoist failure	ladder (ascending)
	HAZARD 1	vessel motion	working in confined space	slippery surface- wet deck	steering gear response	wave action	towing operations buoy chain	wind	hoisting operation hoist failure	sharp edge-krifte- ladder edge of ladder (ascen
S	GROUP 3	Environment				,	-	Equipment Failure wind		
GENERIC HAZARD GROUPS	GROUP 2	Ergonomic				Environment		Collision w/Object		
GENERI	GROUP 1	impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock	Collision w/Object	Environment	Structural Failure	Impact/Shock
MISHAP	NUMBER	1016	1017	1018	1019	1020	1021	1022	1023	1024

	EFFECT	Damage (unknown)	Demage (prop)	Injury (face, head)	Injury (arm)	Injury (head)	Injury (hand)	Demage (unknown)	Demage (winch)	Injury (elbow)
	HAZARD 6									
	HAZARD S									
HAZARDS	HAZARD 4									
IDENTIFIED HAZARDS	HAZARD 3	SAR operation	navigation in restricted waters							
	HAZARD 2	navigation in restricted waters	wave action	rigging maintenance	hydraulic cylinder				spudding	vessel motion
	HAZARD 1	wave action	submerged object-2x4	working in confined space	"pinch point" -ram hydraulic cylinder rod & door	vessel motion	falling object- rack lid	hoisting operation	buoy maintenance	wave action
PS	GROUP 3		Environment							
GENERIC HAZARD GROUPS	GROUP 2	Environment	Grounding	Impact/Shock		Impact/Shock			Impact/Shock	Environment
GENER	OUP 1	Grounding	Collision w/Object	Structural Failure	¥	Erwironment	Impact/Shock		Structural Failure	Impact/Shock
MISHAP	ď	1025	1027	1028		1031 E			1034	1035 lin

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (burn)	injury (leg)	Injury (hand)	Injury (head)	injury (hand)	Damage (davit)	injury (head)	Damage(unknown)	Damage (battery box)
	HAZARD 8									
	HAZARDS									
IDENTIFIED HAZARDS	HAZARD.€									
IDENTIFIE	HAZARD 3	white hot ash & carbon expelled	lifting cable					wave action	cleaned with	
	HAZARD 2	1	falling object-spud lifting cable	hatch improperly secured		mercury nitrate	small boat lowering/lifting operation	fall	improper maintenance	electrical short
	HAZARD 1	exhaust stack fire carbon and fuel buildup	mooring operations	כת	hatch	broken glass	wave action	vessel motion	flammable liquid	improper maintenance
Sd	GROUP 3	Toxicity				Contamination				
GENERIC HAZARD GROUPS	GROUP 2	Burns	Impact/Shock			Toxicity	Impact/Shock	Impact/Shock	Fire	
GENER	GROUP 1	Fire	e,	Impact/Shock	Impact/Shock	Impact/Shock	Environment	Environment	Structural Failure	Fire
MISHAP	NUMBER	1036	1037	1038	1039	1040	1042	1043	1044	1045

	EFFECT	Unknown	Injury (hand)	hjury (kg j)	Injury (chest)	Damage (tow reel handle)	injury (leg); damage (steering system)	Injury (hand)	None	Сетаде (prop)
	HAZARD 6									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4	lifeline							improper maintenance	
IDENTIFIE	HAZARD 3	vessel motion	fall	changing drill bits		weld failure		hoisting operation	vessel motion	
	HAZARD 2	material handling vessel motion	carrying object	improper maintenance	falling object - hatch	towing operation	vessel motion	buoy handling	navigation in restricted waters	
	HAZARD 1	wave action	ladder (descending)	pneumatic drill	ladder (descending)	tow line fouled	steering gear failure	line handling	submerged rock	submerged object
8	GROUP 3	Structural Failure					Overboard			
GENERIC HAZARD GROUPS	GROUP 2	Overboard		Impact/Shock			Structural Failure		Overboard	
GENER	GROUP 1	Impact/Shock	Impact/Shock	Mechanical	Impact/Shock	Structural Failure	/ Control	Impact/Shock		Collision w/Object
MISHAP	æ	1047	1048			1054	1056			1059

	EFFECT	Damage (prop)	Damage (unknown)	Damage (windshield); injury (head)	Injury (hand)	Damage (dock)	Injury (knee)	Injirry (hand)	Unknown	Damage (unknown)
	HAZARD 8	·								
	HAZARDS						line handling	-		
IDENTIFIED HAZARDS	HAZARD 4						vessel motion			
IDENTIFIED	HAZARD 3		emergency drill				gale force winds	hatch		
	HAZARD 2	SAR operations	small boat lowering/lifting operation	vessel motion	fail	engine control failure	wave action	vessel motion	unmanned vessel underway	navigation in restricted waters
	HAZARD 1	wave action	wave action	wave action	ships maneuvering	mooring operations	sail handling	wave action	high speed operation	lack of visibility- nav. lights confused w/background
PS	GROUP 3	Impact/Shock								
GENERIC HAZARD GROUPS	GROUP 2	Overboard	Environment	Impact/Shock	Impact/Shock	Loss of Power/ Control	Impact/Shock	Impact/Shock	Overboard	
GENER	GROUP 1	Environment	Capsize	Environment	Environment	Collision w/Object	Environment	Environment	Collision w/Object	Grounding
MISHAP	NUMBER	1060	1061	1062	1063	1064	1065	1066	1067	1068

	EFFECT	& eyes)	own)	known)	rocution)	gine)	(enna)			
	1	Injury (face & eyes)	injury (unknown)	Damage (unknown)	Injury (electrocution)	Damage (engine)	Damage (antenna)	Injury (head)	Injury (face)	Injury (head)
	HAZARD 8									
	HAZARD 5									
HAZARDS	HAZARD 4									
IDENTIFIED HAZARDS	HAZARD 3	refueling operation		vessel motion					wave action	improper operation
	HAZARD 2	fuel		engine failure	improper maintenance		SAR operations		protruding object- wave action hanger frames	OBA without cannister
	HAZARD 1	wave action	wave action	wave action	electrical shock	engine overheated	wave action	hatch safety latch	vessel motion	fire drill
Sc	GROUP 3	Environment		Overboard						
GENERIC HAZARD GROUPS	GROUP 2	Leakage	Environment	Loss of Power/ Control		Mechanical	Structural Failure	Impact/Shock	Impact/Shock	
GENER	GROUP 1	Toxicity	Overboard	Environment	Electrical	Temperature	Environment	Mechanical	Environment	Toxicity
MISHAP	NUMBER	1069	1070	1071 E	1072 E	1073	1074 E	1075 M	1076 E	1077

	EFFECT	Damage (20mm gun)	injury (overboard?)	Injury (hand)	Unknown	Unknown	Damage (unknown)	Injury (face)	Damage (radar array, antennas); injury (lacerations)	Damage (prop)
	HAZARD 6									
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD4			·				strike		
IDENTIFIED	HAZARD 3	20mm machine gun	line handling		surf operation	SAR operation		lifting block	surf operation	
	HAZARD 2	primer split from casing	towing operation line handling		vessel motion	wave action	surf operations	line handling	broken glass	restricted waters
	HAZARD 1	round jammed & bent	frozen line	falling object-hatch cover	wave action	engine failure	wave action	small boat lowering/lifting operation	wave action	submerged object navigation in restricted wat
Sı	GROUPS					Overboard				
GENERIC HAZARD GROUPS	GROUP 2	Equipment Failure	Temperature		Environment	Capsize	Environment	Environment	Impact/Shock	
GENER	GROUP 1	Armaments	Overboard	Impact/Shock	Capsize	Loss of Power/ Control Capsize	Capsize	Collision w/Object	Environment	Collision w/Object
MISHAP	NUMBER	1080	1081	1082	1083	1084	1085	1086	1087	1088

	EFFECT	Injury (etbow)	Injury (ankle)	Injury (head, back, shoulder)	Damage (generator)	Damage (vessel)	Injury (shoulder)	Demage (lagging, engine)	Unknown	Injury (respiratory)
	HAZARD 8									
	HAZARD S									
HAZARDS	HAZARD4					unmanned vessel				
IDENTIFIED HAZARDS	HAZARD 3					high speed to		emergency engine shutdown		
	HAZARD 2	inadequate hold on rail	fall		fire	vessel motion	improper maintenance	fre		
	HAZARD 1	ladder (descending)	wave action	fell from bunk	Generator Stator fire Overheat	improper maintenance (steering linkage)	working in confined space	oil contamination of lagging	small boat lowering/lifting operation	toxic substance-
Se	GROUP 3			-		Impact/Shock		Loss of Power/ Control		
GENERIC HAZARD GROUPS	GROUP 2		Impact/Shock		Fire			Fire		
GENER	GROUP 1	Impact/Shock	Environment	Impact/Shock	Burns	Loss of Power/ Control Overboard	Impact/Shock	Contamination	Capsize	Toxicity
MISHAP	œ	1089	1090 Ei	1092 ln	1093 Bi	1094 Lc	1095 m			1098

	EFFECT	Injury (face, shoulder)	Unknown	Unknown	Injury (head)	None	Unknown	Damage (boiler)	Unknown	Damage (unknown)
	HAZARD B									·
	HAZARD \$									
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIED	HAZARD 3			wiring overheated					vessel motion	
	HAZARD 2			motor seized	obstruction on deck (buoy)	slippery deck	hazardous substance- hydraulic oil		towing operation vessel motion	hoisting operation hydraulic system
	HAZARD 1	wave action	mooring operations	smoke	buoy maintenance	mooring operations	high pressure hydraulic hose separated	fuel system failure	wave action	hoisting operation
Sd	GROUP 3			Structural Failure			Leakage			
GENERIC HAZARD GROUPS	GROUP 2	Environment		Toxicity			Toxicity		Overboard	
GENER	GROUP 1	Overboard	Collision w/Vessel	Temperature	Mechanical	Overboard	Structural Failure	Equipment Failure	Environment	Mechanical
MISHAP	NUMBER	1099	1100	1101	1102	1103	1104	1105	1106	1107

	EFFECT	Dama ge (prop)	injury (krnee)	Injury (face)	Damage (prop)	Unknown	Injury (krnee)	Damage (shackle & anchor)	Damage (cam's struck by line)	Injury (back)
	HAZARD 6									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD4									
IDENTIFIED	HAZARD 3	buoy chain					profruding object- steel stanchion		ine handling	
	HAZARD 2	navigation in restricted waters	line handling	sharp edgedoor combing		line handling	vessel motion	chain runlet	mooring operation line handling	fall from top rack
	HAZARD 1	buoy maintenance	improper maintenance	ar-	navigation in restricted waters	mooring operations	wave action	anchoring operation	ice forced ship astem rapidly	vessel motion
Sa	GROUP 3						Ergonomic		Impact/Shock	
GENERIC HAZARD GROUPS	GROUP 2		Impact/Shock				Impact/Shock			Impact/Shock
GENER	GROUP 1	Collision w/Object	nre	Impact/Shock	Grounding	bject		Structural Failure	Grounding [E	Environment
MISHAP	NUMBER	1108					·			1116

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Irjury (arm)	Injury (hand)	Injury (hand)	Injury (back)	Damage (hull)	Damage (engine exhaust system)	Injury (head)	Damage (hull)	Injury (knee)
	HAZARD 6			:						
	HAZARD 5						,			
HAZARDS	HAZARD4						,			
IDENTIFIED HAZARDS	HAZARD 3		material handling			surf operations				
	HAZARD 2	T G	obstruction	material handling	fall	submerged object surf operations	hot object- fiberglass exhaust crossover tube	ladder not property secured	buoy maintenance	working overhead
	HAZARO 1		pinch hazard	slippery surface- material handling wet deck	protruding object fall	wave action	smoke	相	wave action	trip hazard
S.	GROUP 3						Fire		Collision w/Object wave action	
GENERIC HAZARD GROUPS	GROUP 2	Impact/Shock				Collision w/Object	Toxicity		Impact/Shock	
GENER	GROUP 1	Environment	Impact/Shock	Impact/Shock	Impact/Shock	Environment	Temperature	Impact/Shock	Environment	Impact/Shock
MISHAP	NUMBER	1117	1118	1119	1120	1121	1122	1123	1124	1125

	EFFECT	Damage (water, loss of power(control)	Damage (outboard lower units)	Injury (hand)	Unknown	Injury (elbow)	Damage (paint)	Injury (arm)	Damage (fouled prop)	Unknown
	HAZARD 6			:						
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIE	HAZARD 3			buoy handling						
	HAZARD 2	emergency engine shutdown	small boat lowering/lifting operation	line handling		sharp edge- knife-edge combing		winch operations	tow line	wave action
	HAZARD 1	hose fitting	hoisting strap failure	pinch hazard	engine control failure	ladder (descending)	dredging equipment adrift	improper operation	towing operations tow line	steering gear failure
86	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Loss of Power/ Control	Impact/Shock		Loss of Power/ Control			Structural Failure	Collision w/Object	Environment
GENE	GROUP 1	Leakage	Structural Failure	impact/Shock	Collision w/Vessel	Impact/Shock	Collision w/Object	Impact/Shock	Mechanical	Loss of Power/ Control
MISHAP	NUMBER	1126	1127	1128	1129	1130	1131	1132	1133 N	1134

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (arm)	Injury (back)	Injury (back)	Injury (leg)	Damage (stern & aft compartments)	Injury (arm)	Injury (hand)	Damage (huli)	Injury (shoulder)
	HAZARD 6									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4								pump discharge hose	
IDENTIFIE	HAZARD 3		vessel motion			line handling				high time - steep brow
	HAZARD 2		protruding object- vessel motion grad rail	carrying objects	round discharged holstering loaded weapon	towing operation line handling	small boat lowering/lifting operation	hatch knife edge	moored operation dewatering operation	slip hazard
	HAZARD 1	working in confined space	wave action	ladder (descending)	round discharged	engine control failure	improper operation- increased speed rather than stop	poor footing	vessel motion	slippery surface- slip hazard wet brow
PS	GROUP 3		Ergonomic							
GENERIC HAZARD GROUPS	GROUP 2		impact/Shock	r		Collision w/Object				Environment
GENERI	GROUP 1	Impact/Shock	Environment	Impact/Shock	Amaments	Loss of Power/ Control	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock
MISHAP	NUMBER	1135	1136	1137	1138	1139	1140	1141	1142	1143

	GENE	GENERIC HAZARD GROUPS	UPS			IDENTIFIEL	IDENTIFIED HAZARDS			
ō	GROUP 1	GROUP 2		HAZARD 1	HAZARD 2	HAZARD 3	HAZARD4	HAZARD 5	HAZARD 8	EFFECT
Leakage		Loss of Power/ Control	Collision w/Object	oil leak (turbocharger)	emergency engine shutdown	loss of maneuverability	navigation in restricted waters			Damage (turbocharger, engine room, hull)
Environment	ent	Impact/Shock		wave action	fall	ladder (descending)				Injury (ankle)
Impact/Shock	hock			īa] II	improperly stowed items	carrying object	ladder (ascending)			Injury (back)
<u></u>		Toxicity		electrical short	heavy smoke					Damage (unknown)
Armaments	şt			round discharged improper procedure	e-safety	of loaded	improper procedure-grasp weapon by trigger			None
Temperature	ature			hot object-pump cover						Injury (hand)
Environment	nent	Capsize		surf operations	wave action	SAR operation				Injury (unknown); Damage (boat total loss)
Grounding	Đ.			navigation in restricted waters						None
Overboard	pı	Impact/Shock		training exercise line handling		line in water				Damage (equipment overboard)

	世下記され	None	Damage (unknown)	Injury (unknown)	Injury (electrocution)	Unknown	Injury (head)	Damage (shaft)	Damage (engine room)	Injury (hand)
	HAZARD 6									· ·
	HAZARD 5		spud lifting operation							
IDENTIFIED HAZARDS	HAZARD 4		mooring operation spud lifting operation							
IDENTIFIED	HAZARD 3		winch wedge in cage preventing spud from lowering							
	HAZARD 2	mooring operation	gear casing broke winch flipped over winch wedge in cage preventing spud from spud from lowering	working in confined space	improper maintenance		pneumatic tool			chain maintenance
	HAZARD 1	ifeline stanchion mooring operation	gear casing broke	grinding operation working in confined s	electrical shock	navigation in restricted waters	pressurized pneumatic hose adrift	navigation in restricted waters	fire	hand caught in chain
8	GROUP 3								-	
GENERIC HAZARD GROUPS	GROUP 2	Overboard				Environment			Fire	
GENER	GROUP 1	Structural Failure	Structural Failure	Mechanical	Electrical	Grounding	Impact/Shock	Grounding	Explosion	Impact/Shock
MISHAP	NUMBER	1154	1155	1156	1157	1158	1159	1160	1161	1162

	EFFECT	Injury (Ieg)	None	Dama ge (paint, hole)	Dama ge (hull)	Damage (seams between portooms & hull)	Damage (unknown)	Dama ge (кее!)	Unknown	None
	HAZARD 6				:					
	HAZARD 5									
HAZARDS	HAZARD 4									
IDENTIFIED HAZARDS	HAZARD 3								high speed operations	snow on deck
	HAZARD 2	improper maintenance	line handling	wind	navigation in restricted waters	boarding vessel while underway			vessel motion	towing operation snow on deck
	HAZARD 1	counterweights fell	helicopter operations	mooring operations	ice operations	wave action	navigation in restricted waters	navigation in restricted waters	wave action	line handling
.5	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2			Erwironment		Environment			Environment	
GENER	GROUP 1	Impact/Shock	Overboard	Collision w/Object	Collision w/Object	Vessel	Grounding	Grounding.	Overboard	Overboand
MISHAP	œ	1163		1165				1169 0		0 1471

	EFFECT	Injury (back)	damage (unknown)	Injury (hand)	Damage (unknown)	Injury (unknown)	Demage (unknown)	Unknown	Injury (hand)	Damage (unknown)
	HAZARD 8									
	S GWYZYH									
IDENTIFIED HAZARDS	HAZARD4									
IDENTIFIE	HAZARD 3			maintenance on operating engine					(descending)	
	HAZARD 2	(descending)			rigging boom vang		steering gear failure	mooring operation	finger ring	anchor windlass clutch
	HAZARO 1	fall	buoy lifting operation	8	sail handling	working in confined space	ice operations	wind	fall	smoke
S.	GROUP 3						Loss of Power/ Control			
GENERIC HAZARD GROUPS	GROUP 2		Equipment Failure				Environment	Environment		Fire
GENERI	GROUP 1	Impact/Shock	Capsize	Impact/Shock	Impact/Shock	Impact/Shock	Grounding	ect	Impact/Shock	Equipment Failure
MISHAP	NUMBER	1172	1173	1174	1175	1176	1177	1178	1179	1180

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Dama ge (fouled prop)	Damagee (hull)	Unknown	Unknown	Unknown	Damage (engine room)	Injury (hand)	Injury (head); damage (hull)	Injury (thumb)
	HAZARD 8									
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD 4				carrying items					
IDENTIFIED	HAZARD 3	line in water		vessel motion	ladder (descending)		fire pump operation			
	HAZARD 2	line handling		wave action	improperly secured ladder	tug rescue operation	emergency fre pump engine shutdown operation		high speed operations	
	HAZARD 1	mooring operations	mooring operations	towing operations wave action	Įa]	wave action	fire	grinding operation	navigation in restricted waters	door closed
8	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2	Collision w/Object		Impact/Shock			Loss of Power/ Control	Impact/Shock	Impact/Shock	
GENER	GROUP 1	Loss of Power/ Control Collision w/Object	Collision w/Object	Environment	Impact/Shock	Capsize		Mechanical	less	Impact/Shock
MISHAP	NUMBER	1181	1182	1183		1185	1186		1188	1189

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (hand)	Injury (hand)	Injury (knee)	Damage (deck fitting)	Damage (heater)	Unknown	Injury (thumb)	Injury (hand)	Injury (leg)
	HAZARD 6									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD4									
IDENTIFIEC	HAZARD 3		improper maintenance	fall					ladder (ascending)	
	HAZARD 2		eò	fire drill	boarding vessel while underway		vessel motion	toxic material	protruding object- mooning operation ladder stanchion (ascending)	improper boarding
	HAZARD 1	edge-watertight hatch	pinch hazard			bridge heater	wave action	cut skin	protruding object- stanchion	mooring operations
PS	GROUPS									
GENERIC HAZARD GROUPS	GROUP 2				Environment		Overboand	Toxicity		
GENERI	GROUP 1	Impact/Shock	Impact/Shock		Collision w/Vessel	Fire	Environment		Impact/Shock	Impact/Shock
MISHAP	(1000)	1190	1191	1192	1193	1194	195	1 8	1197	1198

	EFFECT	Damage (shore tie connector on boat)	Injury (hand)	None	İnjury (ilp, tooth)	Injury (knee)	Injury (unknown)	Injury (knee, ankle)	Injury (ankde)	Injury (head)
	HAZARD 6									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIED	HAZARD 3			wave action						
	HAZARD 2		operating watertight door	line handling		vessel motion	swimming		fall	
	HAZARD 1	improper operation	edgemetal compartment	small boat lowering/lifting operation	operating watertight door	wave action	wave action	vessel motion	trip hazard	deck hatch safety latch
25	GROUP 3			Capsize						
GENERIC HAZARD GROUPS	GROUP 2			Environment		Ergonomic	Environment			
GENER	GROUP 1	Impact/Shock	Impact/Shock		Impact/Shock	Environment E	Overboard	Impact/Shock	Impact/Shock	Impact/Shock
MISHAP	æ	1199	1200				1204		1206	1207

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	injury (rib)	Damage (pontoon)	Injury (ankle)	Injury (foot)	Unknown	Injury (knee)	injury (hand)	Injury (hand)	Damage (prop, cutlass bearing) ·
	HAZARD 6	<u>4</u>	ו							
	HAZARD S									
IDENTIFIED HAZARDS	HAZARD4								-	
IDENTIFIED	HAZARD 3	material handling							unsecured deck	
	HAZARD 2	(descending)	boarding vessel while underway		ladder (ascending)		fall	working in confined space	vessel motion	navigation in restricted waters
	HAZARD 1	fall ,	sharp edge scupper cover open	boarding vessel while underway	material handling (ascending)	failure of floating mooring	slippery surface- wet deck	sharp moving object-fan blade	wave action	limestone rock pile underwater
Sd	GROUP 3					Collision w/Object				
GENERIC HAZARD GROUPS	GROUP 2					Grounding			Impact/Shock	
GENER	GROUP 1	Impact/Shock	Impact/Shock	impact/Shock	Impact/Shock	Structural Failure	Impact/Shock	Mechanical	Erwironment	Grounding
MISHAP	NUMBER	1208	1209	1210	1211	1212	1213	1214	1215	1216

	EFFECT	Injury (back)	Injury (head)	Injury (wrist)	İnjury (eye)	Injury (head)	Injury (hand)	Unknown	Injury (unknown)	Injury (elbow)
	HAZARD 8	<u>i</u>			ic	<u> </u>	10	5	itu	iju)
	HAZARD 5									
HAZARDS	HAZARD 4									
IDENTIFIED HAZARDS	HAZARD 3		use of crowbar		sealing can	carrying object				
	HAZARD 2		vessel motion	improper maintenance	paint splashed	edge-side of boat carrying object		exceeding design limits	working in confined space	fall
	HAZARD 1	improper lifting	wave action	welding/flame cutting operation	painting	hook-bett loop	material handling	wave action	hoisting operation working in confined space	wet ladder
,	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2		Impact/Shock		Environment			Environment		
GENER	GROUP 1	Ergonomic	Environment	Burns	Toxicity	Overboard	Impact/Shock	Overboard	Impact/Shock	Impact/Shock
MISHAP		1217 E	1218 E	1219	1220	1222 0	1223	1224 0	1225 lr	1226 In

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Damage (engine)	injury (eye)	Injury (foot)	Injury (head)	Damage (unknown)	Damage (unknown)	Unknown	Damage (prop, keg)	Injury (eyes)
	HAZARD 8									
	S GWZZYH									
IDENTIFIED HAZARDS	HAZARD4			·						
IDENTIFIED	HAZARD 3									UV radiation
	HAZARD 2		cleaning fluid	improper rigging	working in confined space		boarding vessel while underway	(descending)	navigation in restricted waters	welding slag
	HAZARD 1	underwater object	material handling cleaning fluid	hoisting operation improper rigging	overhead object	navigation in restricted waters	navigation in restricted waters	fall	submerged rocks navigation in restricted wat	welding/flame cutting operation
9.	GROUP 3				·					
GENERIC HAZARD GROUPS	GROUP 2			Impact/Shock						Impact/Shock
GENER	GROUP 1	Collision w/Object	Toxicity	Structural Failure	Impact/shock	Collision w/Vessel	Collision w/Vessel	Impact/Shock	Grounding	Radiation
MISHAP	NUMBER	1227	1228	1229	1230	1231	1232	1233	1234	1235

		Camage (unknown)	Unknown	Carrage (unknown)	Unknown	Injury (knee, wrist)	Injury (knee)	المآبرين (أممر)	(hand)	Damage (sponson)
	HAZARD 8									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIED	HAZARD 3									
	HAZARD 2			engine failure	ladder (descending)	ladder not in place	fall			navigation in restricted waters
	HAZARD 1	navigation in restricted waters	steering gear failure	wave action	fall	fall	slippery surface	sharp object on deck	operating watertight door	mooring operations
PS	GROUP 3		Collision w/Vessel	Grounding						
GENERIC HAZARD GROUPS	GROUP 2		Loss of Power/ Control	Flooding/Sinking						
GENER	GROUP 1	Grounding	Structural Failure	Environment	Impact/Shock	Impact/Shock	Impact/Shock	Impact/shock	Impact/Shock	Collision w/Object
MISHAP	NUMBER	1236	1237							1246 C

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	injury (knee)	Injury (head)	Injury (knee)	Damage (broken boat- side connector)	Injury (hand)	Injury (neck)	Injury (ankle)	Injury (head)	Injury (knee)
	HAZARD 6									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD4									
IDENTIFIE	HAZARD 3				improper procedure					boarding vessel while underway
	HAZARD 2	Jacobs ladder	working in confined space		SAR operations	closure mechanism				vessel motion
	HAZARO 1	boarding vessel while underway	brow detached itself	trip hazard	unmooring operation	Joiner door	wave action	General Quarters drill	ladder (descending)	wave action
Sc	GROUP3									Impact/Shock
GENERIC HAZARD GROUPS	GROUP 2		Structural Failure				Impact/Shock			Overboard
GENER	GROUP 1	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock	Impact/Shock	Environment	Impact/Shock	Impact/Shock	Environment
MISHAP	NUMBER	1247	1248	1249	1250	1251	1253	1254	1256	1259

		T	ire 章 むい (hand)	O	Carriage (outdrive, clutch		(hand)	Ura Ecrown	in ∰ € (back)	in a ray (hand)
	HAZARD 8									-
	HAZARD 5									
HAZARDS	HAZARD 4									
IDENTIFIED HAZARDS	HAZARD 3			miss- communication	mooring operation					
	HAZARD 2	wire pliers		seachest valves	engine control failure	(descending)	closed door on hand	fire pump suction hose		buoy handling
	HAZARO 1	working in confined space	operating watertight door	SAR operations	wave action	fall	edge-knife-edge closed door on hand	fire drill	material handling	pinch hazard
	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2				Equipment Failure Grounding					
GENER	GROUP 1	Impact/Shock	Impact/Shock	9.E		Impact/Shock	Impact/Shock	Collision w/Object	Ergonomic	Impact/Shock
BISHAP	NUMBER	1260	1261			-				1269

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Damage (unknown)	Injury (hand); damage (hull)	Unknown	Damage (unknown)	Damage (unknown)	Damage (shaft)	Damage (unknown)	Damage (engine mount)	Injury (head, back)
	HAZARD 8									
	HAZARD 5									
HAZARDS	HAZARD 4									
IDENTIFIED HAZARDS	HAZARD 3		broken glass	(ascending)			shift from high speed forward to high speed astern			·
	HAZARD 2	navigation in restricted waters	protruding object- broken glass certificate on wall	improperly secured hatch		navigation in restricted waters	high speed operations	engine stalled while dewatering	navigation in restricted waters	
	HAZARD 1	buoy maintenance	trip hazard-door jam	crushing	navigation in restricted waters		SAR operations	improper loading engine stalled of vessel while dewateri	wave action	trip hazard
S	GROUP 3									·
GENERIC HAZARD GROUPS	GROUP 2							Flooding/Sinking	Environment	
GENER	GROUP 1	Grounding	Impact/Shook	Impact/Shock	Collision w/Vessel	Collision w/Vessel	Structural Failure	Capsize	Grounding	Impact/Shock
MISHAP	NUMBER	1270	1271	1272	1273	1275	1276	1277	1278	1279

Coast Guard Vessel System Hazard Listing. (Continued)

										ê
	EFFECT	Injury (knee)	Unknown	Injury (foot)	Damage (prop)	Injury (head)	Injury (knee)	Injury (back)	Injury (leg.)	Damage (unknown)
	HAZARD 6									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4				vessel pulled off breakwall					
IDENTIFIED	HAZARD 3	ladder (ascending)								
	HAZARD 2	fall	ladder (descending)	cardboard box	towing operation tow line cut		fall	fuel hose		
	HAZARO 1	vessel motion	fall	material handling cardboard box	line in water	watertight door	ladder (descending)	material handling fuel hose	wave action	fuel starvation
S	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2								Impact/Shock	
GENERK	GROUP 1	Impact/Shock	Impact/Shock	Impact/Shock	Collision w/Object	Impact/Shock	Impact/Shock	Ergonomic	Environment In	Loss of Power/ Control
MISHAP		1280	1281	1282	1283	1284	1286	1288 E	1289 E	1290 ני

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (back)	Injury (arm, leg)	Injury (arm, face)	Injury (back)	Damage (unknown)	Damage (prop, shaft, stern tube)	Injury (knee)	Damage (unknown)	Injury (head)
	HAZARD 6									·
	HAZARD S							,		
IDENTIFIED HAZARDS	HAZARD 4								·	
IDENTIFIE	HAZARD 3	wet shoes		CO2 discharge	sudden jerk of safety harness					unmooring
	HAZARD 2	(descending)	improper maintenance	boarding vessel while underway	temporary platform				navigation error (tide calculation)	line handling
	HAZARD 1	fall	deck plate missing	CO2 cylinder valve	working over the side	navigation in restricted waters	navigation in restricted waters	poor footing	mooring operations	open deck hatch
Sc	GROUP 3			Temperature						
GENERIC HAZARD GROUPS	GROUP 2			Impact/Shock	Impact/Shock		Grounding		Collision w/Object	
GENER	GROUP 1	Impact/Shock	Impact/Shock	Structural Failure	Structural Failure	Grounding	Collision w/Object	Impact/Shock	Environment	Impact/Shock
MISHAP		1291	1292	1293	1294	1295	1296	1297	1298	1300

HAZARD 1 HAZARD 2 HAZARD 5 HAZARD 6 Hamproper maintenance confined space maintenance procedure confined space maintenance confined space maintenance procedure failure of steering dewatering high pressure operation water base operation water pump line in water use of hammer free drill water pump line in water pump suction hose a suction hose restricted waters while underway line handling side copen deck hatch fall	GEN	GENERIC HAZARD GROUPS	and the second			IDENTIFIEC	IDENTIFIED HAZARDS		1	tion and a
pace maintenance m	GROUP 2	-4	GROUP 3	HAZARD 1	HAZARD 2	HAZARD 3	HAZARD4	HAZARD 5	HAZARD 6	EFFECT
ng) Politice in water Resel Ince handling	Fire			improper maintenance procedure	working in confined space	electrical maintenance				Damage (electrical cable)
ng) p line in water see line handling	Loss of Power/ Control Collision w/Vessel	1=		failure of steering gear						Damage (hull)
ine in water seel ine handling				dewatering operation	high pressure water hose					Injury (head)
essel line handling					ladder (descending)					Injury (ankle)
ine handling	Mechanical			fire drill	water pump suction hose	line in water				Damage (valve)
line handling				use of hammer						Injury (knee)
line handling				navigation in restricted waters						Damage (deck fittings)
	Impact/Shock			working over the side	temporary scaffold	line handling				Injury (groin)
				open deck hatch	leal lead					Injury (knee)

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (hand)	Damage (unknown)	Unknown	Injury (hand)	None	Damage (unknown)	Injury (head)	Unknown	Damage (huli)
	HAZARD 6									
	HAZARD S								:	
IDENTIFIED HAZARDS	HAZARD 4					:			,	
IDENTIFIEC	HAZARD 3	hot soup		lifting cable	laundry operation				boarding vessel while underway	
	HAZARD 2	galley operation		winch operations lifting cable	improper procedure			dling		high speed operations
	HAZARD 1	vessel motion	wave action	small boat lowering/lifting operation	power cloths press	navigation in restricted waters	submerged object	crowbar	fall	Roating object - plank
Sd	GROUP 3		Overboard							
GENERIC HAZARD GROUPS	GROUP 2		Capsize						Environment	
GENERI	GROUP 1	Temperature		Equipment Failure	Temperature	Grounding	Collision w/Object	Impact/Shook	Overboard	Collision w/Object
MISHAP	NUMBER	1312	1313	1314	1315	1316	1318	1319	1320	1321

	EFFECT	Unknown	Injury (hand)	Damage (prop, shaff, keg)	Damage (spud)	Injury (back)	Injury (hand)	Injury (neck)	Injury (ankle)	Injury (hand)
	HAZARD 6									
	HAZARD 5									gas from mixing cleanser and bleach
IDENTIFIED HAZARDS	HAZARD 4		starter bendix							vessel motion
IDENTIFIE	HAZARD 3		wave action							door closer
	HAZARD 2		engine cover removed	submerged object navigation in restricted waters	spud dragged across bottom	temporary scaffold	door swung shut	boarding		wave action
	HAZARD 1	water transfer operations	pinch hazard	submerged object	spud lowered	working over the side	door edge	trip hazard	working in confined space	galley operation
82	GROUP 3									Impact/Shock
GENERIC HAZARD GROUPS	GROUP 2		Environment							Environment
GENE	GROUP 1	Flooding/Sinking	Impact/Shock	Collision w/Object	Grounding	Overboard	Impact/Shock	Impact/Shock	Ergonomic	Toxicity
MISHAP	æ	1322								1332

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Injury (head)	Unknown	Injury (hand)	Injury (foot)	Injury (fatal)	injury (eye)	Dama ge (prop)	Injury (head)	Damage (turbochargers)
	HAZARD®	·								
	HAZARDS									
IDENTIFIED HAZARDS	HAZARD 4									working in confined space
DENTIFIE	HAZARD 3				material handling	winch operation				loss of oil pressure
	HAZARD 2		improper boarding material handling		ships anchor	lifting operations winch operation	paint remover		improperly secured hatch	error prone design
	HAZARD 1	overhead, protruding object	improper boarding	joiner door	drydock operation ships anchor	buoy maintenance	paint removal	submerged object	ladder (ascending)	improper maintenance
9.	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2					Structural Failure				·
GENERK	GROUP 1	Impact/Shock	Overboard	Impact/Shock	Impact/Shock	Impact/Shock S	Toxicity	Collision w/Object	Impact/Shock	Loss of Power/ Control
MISHAP		1333	1334	1335	1336	1337	1338	1339	1340	1341

	EFFECT	Injury (hand)	Damage (unknown)	Damage (stove)	Injury (arm)	Damage (unknown)	Injury (elbow)	Unknown	Unknown	Damage (line); injury (unknown)
	HAZARO 6				<u> </u>		=			D =
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4			water						
IDENTIFIED	HAZARD 3		wave action	galley operation			wet shoes			buoy maintenance
	HAZARD 2	fall	SAR operations	vessel motion	material handling		(descending)		(descending)	fueling operation buoy
	HAZARD 1	ladder (ascending)	navigation in restricted waters	electric stove	slippery surface- wet deck	navigation in restricted waters	fall	doorway combing	fall	mooring lines
Š	GROUP 3									Impact/Shock
GENERIC HAZARD GROUPS	GROUP 2		Environment	Fire						Structural Failure
GENER	GROUP 1	Impact/Shock	Groundin g		Impact/Shock	Groundin g	Impact/Shock	Impact/Shock	Impact/Shock	Environment
MISHAP	ĸ									1350 Ei

Coast Guard Vessel System Hazard Listing. (Continued)

	EFFECT	Unknown	Unknown	Damage (unknown)	Injury (mouth)	Injury (eyes)	Unknown	Injury (back)	Damage (unknown)	Injury (hand)
	HAZARD 8									
	HAZARD 5									
IDENTIFIED HAZARDS	HAZARD 4									
IDENTIFIE	HAZARD 3							vessel motion		
	HAZARD 2		small boat lowering/lifting operation	engine control failure	fall	paint thinner	line handling	slippery surface- vessel motion wet deck	navigation in restricted waters	working in confined space
	HAZARD 1	wave action	wave action	seawall	donning protective clothing	paint	unmooring operations	fall	Bo _J	material handling working in confined st
8	GROUP 3		•							
GENERIC HAZARD GROUPS	GROUP 2	Impact/Shock	Environment	Loss of Power/ Control					Environment	
GENER	GROUP 1	Environment	Overboard	Collision w/Object	Impact/Shock	Toxicity	Impact/Shock	Impact/Shock	Collision w/Object	Impact/Shock
MISHAP	NUMBER	1351	1352	1353	1354	1355	1357	1358	1359	1360

	HAZARD 8 EFFECT	Injury (shoulder)	Injury (electrocution); damage (steering pump controller)	Unknown	Injury (back)	Damage (unknown)	Injury (hand)	Damage (power panel)	Injury (head)	Injury (head)
	HAZARD S HAZ									
IDENTIFIED HAZARDS	HAZARD 4								object on bulkhead	
IDENTIFIE	HAZARD 3		drilling operation	improper conning operation		towing operation			material handling object on bulkhead	
	HAZARD 2	fire drill	improper maintenance	surf operations	vessel motion	navigation in restricted waters	hatch improperly secured	positive lead made contact	ladder (descending)	water tight door
	HAZARD 1	material handling fire drill	electric shock	wave action	wave action	wave action	vessel motion	open electrical panel	fall	General Quarters water tight door
<u>8</u>	GROUP 3									
GENERIC HAZARD GROUPS	GROUP 2			Environment	Impact/Shock	Environment	Impact/Shock	Fire		
GENE	GROUP 1	Impact/Shock	Electrical	Capsize	Environment	Collision w/Vessel	Environment	Electrical	impact/Shock	Impact/Shock
MISHAP	NUMBER	1361	1362	1363	1364	1365	1366	1367	1368	1369

APPENDIX C

Coast Guard Vessel Hazard Definition:

Coast Guard Vessel System Hazard Hierarchy

This appendix contains a listing of vessel hazards identified in this study ranked by hazard level, hazard group, and vessel class. For the hazard level, the hazard group and the vessel class, a "probability" is cited that constitutes the number of occurrences per reported incidents in the database. The database used (the LERAM Project database) covers a four year time period from FY1989 through and including FY1992.

Hazards listed under the "A" and "B" hazard levels are deemed significant, along with the "C" and "D" level hazards having probabilities above 0.006. The listing supports other analysis that buoy tenders, patrol boats, and MLB/MSB are some of the most hazardous platforms the Coast Guard operates.

COAST GUARD VESSEL SYSTEM HAZARD HIERARCHY

LEVEL Prob. HAZARD GROUP Prob.	CLASS	
		Prob.
A 0.004 Capsize 0.001	MLB	0.001
Collision w/Vessel 0.001	SKB	0.001
Flooding/Sinking 0.001	WLB	0.001
Grounding 0.001	WLB	0.001
Impact/Shock 0.001	WLIC	0.001
Overboard 0.001	AUX	0.001
	MLB	0.001
Structural Failure 0.001	WLIC	0.001
B 0.009 Capsize 0.001	MSB	0.001
Collision w/Object 0.001	UTB	0.001
Collision w/Vessel 0.001	WPB	0.001
Environment 0.001	WPB	0.001
Fire 0.001	WMEC	0.001
Impact/Shock 0.002	MSB	0.001
	WLB	0.001
	WLM	0.001
Loss of Power/Control 0.001	MSB	0.001
	RHI	0.001
Overboard 0.002	RHI	0.001
Overboard 0.502	WPB	0.001
Structural Failure 0.001	WLM	0.001
Toxicity 0.001	WMEC	0.001
	***************************************	0.002
C 0.287 Armaments 0.002	WMEC	0.001
	WPB	0.001
Burns 0.002	WLR	0.001
	WMEC	0.001
	WPB	0.001
Capsize 0.003	MLB	0.001
	MSB	0.001
	RHIB	0.002
	SKB	0.001

HAZARD	. .	HAZARN CROUN		VESSEL	
LEVEL	Prob.	HAZARD GROUP	Prob.	CLASS	Prob.
		Collision w/Object	0.007	MLB	0.001
				UTB	0.001
				WLR	0.002
				WMEC	0.002
				WPB	0.001
				WSES	0.001
				WTGB	0.001
		Collision w/Vessel	0.003	AUX	0.001
				RHIB	0.001
				SRB	0.001
				WMEC	0.001
				WPB	0.001
		Contamination	0.002	UNK	0.001
				WLB	0.001
				WMEC	0.001
		Electrical	0.006	MLB	0.001
				WHEC	0.001
				WLB	0.001
				WLIC	0.001
				WLR	0.001
				WMEC	0.002
				WPB	0.001
		Environment	0.039	WMEC	0.001
				MLB	0.005
				MSB	0.001
				RHI	0.001
				RHIB	0.007
				RHIL	0.001
				RHIM	0.001
				SKB	0.001
				SRB	0.001
				UTB	0.003
				UTL	0.001

HAZARD LEVEL	Prob.	HAZARD GROUP	Prob.	VESSEL CLASS	Prol
LEVEL	Prou.	HAZARD GROUI	1100.		1100
				WAGB	0.00
				WHEC	0.00
				WIX	0.00
				WLB	0.00
				WLIC	0.00
				WLM	0.00
				WMEC	0.00
				WPB	0.00
				WTGB	0.00
		Equipment Failure	0.002	SRB	0.00
				WLB	0.00
				WMEC	0.00
		Ergonomic	0.016	ANB	0.00
		· ·		MLB	0.00
				RHIB	0.00
				TANB	0.00
				UNK	0.00
				UTB	0.00
				WIX	0.00
				WLB	0.00
				WLR	0.00
				WMEC	0.00
				WPB	0.0
		Fire	0.003	UNK	0.0
				WLB	0.0
				WMEC	0.00
				WSES	0.00
				WTGB	0.0
		Flooding/Sinking	0.001	SRB	0.0
				WLIC	0.0
		Grounding	0.007	MLB	0.00
		-		RHIM	0.00
				TANB	0.00

UTB 0.00 UTM 0.00 WAGB 0.00 WLB 0.00 WLR 0.00 WPB 0.00 WPGB 0.00 BUSL 0.00 BUSL 0.00 MLB 0.00 MSB 0.00 RHI 0.00 RHI 0.00 RHIL 0.00 RHIL 0.00 RHIL 0.00 RHIL 0.00 RHIL 0.00 RHIL 0.00 RHIL 0.00 WINK 0.00 UNK 0.00 UNK 0.00 UNK 0.00 UNK 0.00 WHEC 0.00 WLB 0.00	HAZARD LEVEL	Prob.	HAZARD GROUP	Duck	VESSEL CLASS	Th
UTM 0.00 WAGB 0.00 WLB 0.00 WLR 0.00 WPB 0.00 WPB 0.00 WTGB 0.00 BUSL 0.00 MLB 0.00 MSB 0.00 MSB 0.00 RHI 0.00 RHIL 0.00 RHIM 0.00 RHIM 0.00 SKB 0.00 RHIM 0.00 RHIM 0.00 SKB 0.00 WTGB 0.	LEVEL	Prob.	HAZARD GROUP	Prob.	CLASS	Prob
WAGB 0.00 WLB 0.00 WLR 0.00 WPB 0.00 WTGB 0.00 WTGB 0.00 BUSL 0.00 BUSL 0.00 MLB 0.00 RHIB 0.00					UTB	0.00
WLB 0.00 WTR 0.00 WPB 0.00 WTGB 0.00 WTGB 0.00 BU 0.00 BUSL 0.00 MLB 0.00 MSB 0.00 PWB 0.00 RHI 0.00 RHIL 0.00 RHIL 0.00 RHIL 0.00 RHIL 0.00 RHIL 0.00 RHIL 0.00 WTR 0.00					UTM	0.00
WLR					WAGB	0.00
MPB 0.00 WTGB 0.00 WTGB 0.00 WTGB 0.00 BU 0.00 BUSL 0.00 MLB 0.00 MSB 0.00 PWB 0.00 RHI 0.00 WINK 0.00 WINK 0.00 WINK 0.00 WHEC 0.00 WINK 0.00 W					WLB	0.00
Impact/Shock 0.143 ASB 0.00 BU 0.00 BUSL 0.00 MLB 0.00 MSB 0.00 PWB 0.00 RHI 0.00 RHIL					WLR	0.00
Impact/Shock 0.143 ASB 0.00 BUSL 0.00 MLB 0.00 MSB 0.00 PWB 0.00 RHI 0.00 RHIB 0.00 RHIL 0.00 RHIM 0.00 SKB 0.00 SKB 0.00 SKB 0.00 UNK 0.00 UNK 0.00 UTB 0.01 UTL 0.00 WAGB 0.00 WHEC 0.00 WLR 0.00 WLR 0.00 WLR 0.00 WLR 0.00 WLR 0.00 WLR 0.00 WLR 0.00 WLR 0.00 WLR 0.00 WLR 0.00 WLR 0.00 WLR 0.00 WLR 0.00 WLR 0.00 WLR 0.00 WLR 0.00 WMEC 0.00					WPB	0.00
BU 0.00 BUSL 0.00 MLB 0.00 MSB 0.00 MSB 0.00 PWB 0.00 RHI 0.00 RHIL 0.00 RHIM 0.00 SKB 0.00 SRB 0.00 TANB 0.00 UNK 0.00 UTB 0.01 UTL 0.00 WAGB 0.00 WHEC 0.00 WLB 0.02 WLB 0.02 WLD 0.00 WLD 0.0					WTGB	0.00
BUSL 0.00 MLB 0.00 MSB 0.00 PWB 0.00 RHI 0.00 RHIB 0.00 RHIL 0.00 SKB 0.00 SKB 0.00 SRB 0.00 UNK 0.00 UTB 0.01 UTL 0.00 WAGB 0.00 WHEC 0.00 WLM 0.00 WMEC 0.00			Impact/Shock	0.143	ASB	0.00
MLB 0.00 MSB 0.00 PWB 0.00 RHI 0.00 RHIB 0.00 RHIL 0.00 RHIM 0.00 SKB 0.00 SRB 0.00 TANB 0.00 UNK 0.00 UTB 0.01 UTL 0.00 WAGB 0.00 WHEC 0.00 WIX 0.00 WLB 0.02 WLB 0.02 WLB 0.02 WLB 0.03 WLB 0.03 WLB 0.03 WLB 0.03 WLB 0.03 WLB 0.03 WLB 0.03 WLB 0.03 WLB 0.03 WLB 0.03 WLB 0.03 WLB 0.03					BU	0.00
MSB 0.00 PWB 0.00 RHI 0.00 RHII 0.00 RHIIL 0.00 RHIIM 0.00 SKB 0.00 SRB 0.00 TANB 0.00 UNK 0.00 UTB 0.01 UTL 0.00 WAGB 0.00 WHEC 0.00 WIX 0.00 WLB 0.02 WLC 0.00 WLR 0.00 WLR 0.00 WMEC 0.00 WMEC 0.00					BUSL	0.00
PWB 0.00 RHI 0.00 RHIB 0.00 RHIL 0.00 RHIM 0.00 SKB 0.00 SRB 0.00 UNK 0.00 UNK 0.00 UTB 0.01 UTL 0.00 WAGB 0.00 WHEC 0.00 WIX 0.00 WIX 0.00 WIX 0.00 WIX 0.00 WIR 0.00 WLR 0.00 WLR 0.00 WLR 0.00 WLR 0.00 WMEC 0.04 WMEC 0.04					MLB	0.00
RHI 0.00 RHIB 0.00 RHIL 0.00 RHIM 0.00 SKB 0.00 SRB 0.00 UNK 0.00 UTB 0.01 UTL 0.00 WAGB 0.00 WHEC 0.00 WIX 0.00 WIX 0.00 WLB 0.02 WLD 0.00 WLD 0.0					MSB	0.00
RHIB 0.00 RHIIL 0.00 RHIM 0.00 SKB 0.00 SRB 0.00 TANB 0.00 UNK 0.00 UTB 0.01 UTL 0.00 WAGB 0.00 WHEC 0.00 WIX 0.00 WLB 0.02 WLLC 0.00 WLM 0.00 WLR 0.00 WMEC 0.04 WPB 0.01					PWB	0.00
RHIL 0.00 RHIM 0.00 SKB 0.00 SRB 0.00 TANB 0.00 UNK 0.00 UTB 0.01 UTL 0.00 WAGB 0.00 WHEC 0.00 WIX 0.00 WLB 0.02 WLC 0.00 WLM 0.00 WLR 0.00 WMEC 0.04 WMEC 0.04 WMEC 0.04					RHI	0.00
RHIM 0.00 SKB 0.00 SRB 0.00 TANB 0.00 UNK 0.00 UTB 0.01 UTL 0.00 WAGB 0.00 WHEC 0.00 WIX 0.00 WLB 0.02 WLIC 0.00 WLM 0.00 WLR 0.00 WMEC 0.04 WMEC 0.04 WMEC 0.04					RHIB	0.00
SKB 0.00 SRB 0.00 TANB 0.00 UNK 0.00 UTB 0.00 WAGB 0.00 WHEC 0.00 WIX 0.00 WLB 0.00 WLB 0.00 WLR 0.00 WMEC 0.04 WMEC 0.04 WMEC 0.04					RHIL	0.00
SRB 0.00 TANB 0.00 UNK 0.00 UTB 0.01 UTL 0.00 WAGB 0.00 WHEC 0.00 WIX 0.00 WLB 0.02 WLC 0.00 WLM 0.00 WLR 0.00 WMEC 0.04 WMEC 0.04 WMEC 0.04					RHIM	0.00
TANB 0.00 UNK 0.00 UTB 0.01 UTL 0.00 WAGB 0.00 WHEC 0.00 WIX 0.00 WLB 0.02 WLIC 0.00 WLM 0.00 WLR 0.00 WMEC 0.04 WMEC 0.04					SKB	0.00
UNK 0.00 UTB 0.01 UTL 0.00 WAGB 0.00 WHEC 0.00 WIX 0.00 WLB 0.02 WLIC 0.00 WLM 0.00 WLR 0.00 WMEC 0.04 WPB 0.01					SRB	0.00
UTB 0.01 UTL 0.00 WAGB 0.00 WHEC 0.00 WIX 0.00 WLB 0.02 WLIC 0.00 WLM 0.00 WLR 0.00 WMEC 0.04 WPB 0.01					TANB	0.00
UTL 0.00 WAGB 0.00 WHEC 0.00 WIX 0.00 WLB 0.00 WLIC 0.00 WLM 0.00 WLR 0.00 WMEC 0.04 WPB 0.01					UNK	0.00
WAGB 0.00 WHEC 0.00 WIX 0.00 WLB 0.00 WLIC 0.00 WLM 0.00 WLR 0.00 WMEC 0.04 WPB 0.01					UTB	0.01
WHEC 0.00 WIX 0.00 WLB 0.00 WLIC 0.00 WLM 0.00 WLR 0.00 WMEC 0.04 WPB 0.01					UTL	0.00
WIX 0.00 WLB 0.02 WLIC 0.00 WLM 0.00 WLR 0.00 WMEC 0.04 WPB 0.01					WAGB	0.00
WLB 0.02 WLIC 0.00 WLM 0.00 WLR 0.00 WMEC 0.04 WPB 0.01					WHEC	0.00
WLIC 0.00 WLM 0.00 WLR 0.00 WMEC 0.04 WPB 0.01					WIX	0.00
WLM 0.00 WLR 0.00 WMEC 0.04 WPB 0.01					WLB	0.02
WLR 0.00 WMEC 0.04 WPB 0.01					WLIC	0.00
WMEC 0.04 WPB 0.01					WLM	0.00
WPB 0.01					WLR	0.00
					WMEC	0.04
					WPB	0.01
					WTGB	0.00

HAZARD				VESSEL	
LEVEL	Prob.	HAZARD GROUP	Prob.	CLASS	Prob.
				WYTL	0.002
		Leakage	0.005	MLB	0.001
				RHIB	0.001
				SRB	0.001
				UTB	0.001
				WLB	0.001
				WLR	0.001
				WMEC	0.001
				WSES	0.001
		Loss of Power/Control	0.006	MLB	0.001
				RHIB	0.001
				RHIM	0.001
				UTB	0.001
				WHEC	0.001
				WPB	0.001
				WSES	0.001
				WTGB	0.001
		Mechanical	0.009	RHIB	0.001
				RHIM	0.001
	•			SKB	0.001
				UNK	0.001
				WLB	0.001
				WLIC	0.001
				WMEC	0.002
				WPB	0.001
				WAGB	0.001
				WMEC	0.001
				WPB	0.001
		Overboard	0.005	MLB	0.001
				MSB	0.001
				RHIB	0.001
				RHIL	0.001
				SRB	0.001

	HAZARD		HAZARR CROUR		VESSEL	
_	LEVEL	Prob.	HAZARD GROUP	Prob.	CLASS	Prob.
					UTB	0.001
					WMEC	0.001
					WYTL	0.001
			Radiation	0.003	ANB	0.001
					MLB	0.001
					WLM	0.001
					WMEC	0.001
					WSES	0.001
			Structural Failure	0.010	RHIB	0.002
					UNK	0.001
					UTB	0.002
					UTL	0.001
					WLB	0.002
					WLM	0.001
					WLR	0.001
					WMEC	0.002
					WPB	0.001
			Temperature	0.001	WAGB	0.001
					WLB	0.001
			Toxicity	0.012	MLB	0.001
					MSB	0.001
					SRB	0.001
					WHEC	0.001
					WLB	0.003
					WLM	0.001
					WLR	0.001
					WMEC	0.003
					WPB	0.002
	D	0.700	Armaments	0.013	RHIB	0.001
					RHIL	0.001
					TPSB	0.001
					UTB	0.002

HAZARD	W17155 0505		VESSEL	. .
LEVEL Prob.	HAZARD GROUP	Prob.	CLASS	Prob
			WLB	0.00
			WMEC	0.00
			WPB	0.00
			WSES	0.00
	Burns	0.007	UNK	0.00
			UTB	0.00
			WLB	0.00
			WLM	0.00
			WMEC	0.00
			WPB	0.00
			WTGB	0.00
			WYTL	0.00
	Capsize	0.008	MLB	0.00
			RHIL	0.00
			RHIM	0.00
			SKB	0.00
	,		SKM	0.00
			TANB	0.00
			UTL	0.00
			WP	0.00
			WPB	0.00
	Collision w/Object	0.039	ANB	0.00
			MLB	0.0
			MSB	0.0
			PWB	0.0
			RHIB	0.00
			SKB	0.00
			SRB	0.0
			TANB	0.00
			UNK	0.00
			UTB	0.0
			UTL	0.0
			WLIC	0.0

HAZARD LEVEL	Prob.	HAZARD GROUP	Prob.	VESSEL CLASS	n
<u> </u>	FIOU.	HAZARD GROUI	FF00.	CLASS	Prob
				WLM	0.002
				WMEC	0.002
				WP	0.00
				WPB	0.003
		Collision w/Vessel	0.022	ANB	0.00
				AUX	0.00
				HB	0.00
				MLB	0.003
				MSB	0.00
				PWB	0.00
				RHI	0.00
				RHIB	0.00
				SKB	0.00
				SRB	0.00
				UNK	0.00
				UTB	0.00
				UTL	0.00
				WHEC	0.00
				WIX	0.00
				WLM	0.00
				WPB	0.00
				WTGB	0.00
		Contamination	0.005	MLB	0.00
				UTB	0.00
				WLB	0.002
				WMEC	0.002
				WPB	0.00
		Electrical	0.009	MLB	0.00
				PWB	0.00
				SRB	0.00
				UNK	0.00
				UTB	0.002
				WIX	0.00

HAZARD	n. I	HAZARD GROUP	Prob.	VESSEL CLASS	Prob
LEVEL	Prob.	HAZARD GROUT	Prob.	Carabb	1100.
		-		WLB	0.002
				WMEC	0.001
				WPB	0.002
		Environment	0.082	SKI	0.001
				ANB	0.001
				BUSL	0.001
		•		НВ	0.001
				MLB	0.009
				MSB	0.002
				PWB	0.003
				RHI	0.002
				RHIB	0.011
				RHIL	0.002
				RHIM	0.001
				SKB	0.001
				SKM	0.002
				SRB	0.002
				TANB	0.002
				UNK	0.003
				UTB	0.010
				UTL	0.004
				WHEC	0.002
				WLB	0.004
				WLM	0.002
				WLR	0.001
				WMEC ·	0.009
				WPB	0.007
				WTGB	0.001
		Equipment Failure	0.015	MLB	0.001
				RHI	0.001
				RHIB	0.001
				SKB	0.001
				SKI	0.001

HAZARD				VESSEL	
LEVEL	Prob.	HAZARD GROUP	Prob.	CLASS	Prob.
				SRB	0.001
				TANB	0.001
				UNK	0.001
				UTB	0.003
				WHEC	0.001
				WLR	0.001
				WMEC	0.004
				WPB	0.002
				WSES	0.001
		Ergonomic	0.012	ANB	0.001
		-		MLB	0.001
				SKM	0.001
				SRB	0.001
				UNK	0.001
				UTB	0.002
				UTL	0.001
				WAGB	0.001
				WLB	0.001
				WLIC	0.001
				WLM	0.001
•				WLR	0.001
				WMEC	0.002
				WPB	0.001
		Explosion	0.003	UTB	0.002
				WPB	0.001
		Fire	0.029	MLB	0.001
				PWB	0.001
				UNK	0.001
				UTB	0.004
				UTL	0.001
				WHEC	0.001
				WIX	0.001
				WLB	0.003

HAZARD LEVEL	Prob.	HAZARD GROUP	Prob.	VESSEL CLASS	Prob.
LE V EL	Frob.	IIIIIII OROOT	1105.		
				WLM	0.001
				WLR	0.001
				WMEC	0.005
				WPB	0.005
				WSES	0.002
				WTGB	0.001
				WYTL	0.001
		Flooding/Sinking	0.004	ANB	0.001
				RHI	0.001
				RHIL	0.001
				SKM	0.001
				UNK	0.001
				UTL	0.001
				WP	0.001
		Grounding	0.034	ANB	0.002
				AUX	0.001
				BUSL	0.001
				LCM	0.001
				MLB	0.002
				RHI	0.001
				RHIB	0.001
				RHIL	0.001
				RHIM	0.001
				SRB	0.001
				TANB	0.001
				UNK	0.002
				UTB	0.012
				UTL	0.003
				WLB	0.001
				WLI	0.001
				WLM	0.002
	•			WLR	0.001
				WMEC	0.001

HAZARD				VESSEL	
LEVEL	Prob.	HAZARD GROUP	Prob.	CLASS	Prob.
				WPB	0.002
				WTGB	0.001
				UTB	0.001
		Impact/Shock	0.252	ANB	0.001
				AUX	0.001
				BUSL	0.002
				НВ	0.001
				MLB	0.012
				MSB	0.002
				PWB	0.003
				RHI	0.001
				RHIB	0.012
				RHIL	0.001
				RHIM	0.001
				SKB	0.001
				SKM	0.001
				SRB	0.001
				TANB	0.001
				UNK	0.008
				UTB	0.026
				UTL	0.004
				UTM	0.001
				WAGB	0.006
				WHEC	0.017
				WIX	0.002
				WLB	0.031
				WLI	0.002
				WLIC	0.004
				WLM	0.017
				WLR	0.015
				WMEC	0.061
				WPB	0.015
				WSES	0.001

HAZARD				VESSEL	
LEVEL	Prob.	HAZARD GROUP	Prob.	CLASS	Prob
				WTGB	0.00
				WYTL	0.00
		Leakage	0.006	RHIB	0.00
		U		UTB	0.00
				WAGB	0.00
				WLB	0.00
				WLM	0.00
				WMEC	0.00
				WPB	0.00
				WTGB	0.00
		Loss of Power/Control	0.024	ANB	0.00
				BUSL	0.00
				MLB	0.00
				RHI	0.00
				RHIB	0.00
				RHIL	0.00
				SKI	0.00
				SRB	0.00
				UTB	0.00
				UTL	0.00
				WLB	0.00
				WLM	0.00
				WMEC	0.00
				WPB	0.00
				WSES	0.00
		Mechanical	0.037	AUX	0.00
				MLB	0.00
				RHIB	0.00
				UNK	0.00
				UTB	0.00
				WIX	0.00
				WLB	0.00
				WLM	0.00

HAZARD LEVEL	Prob.	HAZARD GROUP	Prob.	VESSEL CLASS	Prob.
				WLR	0.002
				WMEC	0.007
				WPB	0.003
				WTGB	0.001
				WYTL	0.001
				MLB	0.001
				UTB	0.001
				UTL	0.001
				WLB	0.002
				WLM	0.002
				WLR	0.001
				WMEC	0.004
				WPB	0.001
		Overboard	0.029	MLB	0.004
				MSB	0.001
				RHI	0.001
				RHIB	0.007
				RHIL	0.001
				RHIM	0.001
				SKB	0.001
				SKM	0.001
				TANB	0.001
				UNK	0.001
				UTB	0.006
				UTL	0.001
				WHEC	0.001
				WLB	0.001
				WLM	0.001
				WMEC	0.002
				WPB	0.002
		Structural Failure	0.039	MLB	0.002
				RHIB	0.002
				RHIL	0.001

HAZARD LEVEL	Prob.	HAZARD GROUP	Prob.	VESSEL CLASS	Prob.
				SRB	0.001
				UNK	0.002
				UTB	0.005
				UTL	0.001
				UTM	0.001
				WHEC	0.001
				WIX	0.001
				WLB	0.004
				WLI	0.001
				WLIC	0.001
				WLM	0.002
				WLR	0.001
				WMEC	0.009
				WPB	0.004
				WSES	0.001
				WTGB	0.001
				WYTL	0.001
		Temperature	0.010	AUX	0.001
				PWB	0.001
				RHIB	0.001
				SRB	0.001
				UNK	0.001
				UTB	0.001
				WHEC	0.001
				WIX	0.001
				WLB	0.001
				WMEC	0.004
				WPB	0.001
		Toxicity	0.022	PWB	0.002
			•	RHIB	0.001
				SRB	0.001
				UTB	0.002
				UTM	0.001

HAZARD				VESSEL	
LEVEL	Prob.	HAZARD GROUP	Prob.	CLASS	Prob.
				WAGB	0.001
				WIX	0.001
				WLB	0.003
				WLM	0.002
				WMEC	0.008
				WPB	0.001
				WSES	0.001
				WTGB	0.002

APPENDIX D

Coast Guard Vessel Hazard Definition:

Coast Guard Vessel System Preliminary Hazard Analysis

This appendix contains the culmination of this study, the Preliminary Hazard Analysis (PHA) listing in tabular form. To ensure readability, maintain modularity, and organizational purposes, a separate PHA is provided for each hazard group listed in Appendix A. For each hazard group's PHA, a listing of the associated hazards are presented along with a description of the effect of the hazard as determined from the mishaps reported with that hazard, the hazard level as determined by the mishap severity level, an assessment of the hazard, and comments pertaining to the hazard, effect, or assessment as applicable.

The assessment is further divided into likelihood and magnitude. The likelihood is a count of the number of occurrences of the hazard per number of incidents reported in the LERAM Project database between FY1989 and FY1992. The magnitude is related to the total costs of the mishaps containing the hazard being characterized. The costs are reported as the maximum cost of a given mishap with the hazard in question, the minimum value of the mishaps with the hazard and an average of the mishap costs associated with the hazard.

For cross reference, the first six pages of this appendix contain a listing of the mishaps which can be characterized with multiple hazard groups. Hazard groups are listed in column one in the same order as listed in Appendix A. Mishaps characterized by the hazard group in the first column along with a second or third hazard group are listed, by number in the second column sub-organized by rows of the second or third characterizing hazard group. This cross reference provides a crude illustration of hazards with high correlation values.

Table 1. Preliminary Hazard Analyses Inter-relationships.

HAZARD GROUP	ASSOCIATED HAZARD GROUPS (with corresponding mishap numbers)
Armament	Overboard (570)
	Equipment failure (628,951,1080)
•	Impact/Shock (627,866,960)
Burns	Electrical (927,725)
	Environment (288)
	Fire (91,137,1036,1093)
	impact/Shock (591)
	Loss of Power/Control (255)
	Structural Failure (255)
	Toxicity (64,714)
Capsize	Environment (828,856,860,944,1061,1083,1085,1151,1313,1363)
	Equipment Failure (1173)
	Flooding (1277)
	Loss of Power/Control (69,206,1084)
	Overboard (217,843,961,1201)
Collision w/Object	Environment (435,949,968,1022,1027,1086,1112,1121,1124,1165,1178,1359)
	Equipment failure (398)
	Grounding (571, 1027, 1296)
:	Impact/Shock (610,724,765,968)
	Leakage (1145)
	Loss of Power/Control (101,405,1064,1139,1181,1353)
	Overboard (189,1067)
	Structural Failure (1212)
Collision w/Vessel	Environment (22,159,192,364,533,566,631,657,661,844,992,1167,1193,1365)
	Equipment Failure (734.766)
	Flooding (488)
	Grounding (56)
	Impact/Shock (65,991,1188)
	Loss of Power/Control (56,634,641,1129,1302)
	Structural Failure (626,667)
	Structural Failure (667,962,1237)
	Environment (1298)
Contamination	Fire (164,1096)
	Impact/Shock (241,382,1040)
	Loss of Power/Control (1096)
Electrical	Burn (725,927)
	Environment (85)
	Fire (1,47,85,726,784,897,977,1301,1344,1367)
	Leakage (199)
	Structural failure (197,380,474)

Table 1. Preliminary Hazard Analyses Inter-relationships. (Continued)

HAZARD GROUP	ASSOCIATED HAZARD GROUPS (with corresponding mishap numbers)
	Toxicity (726)
Environment	Burns (288)
	Capsize (828,856,860,944,1061,1083,1151,1313,1363)
	Collision w/Object (435,949,968,1022,1027,1086,1112,1121,1124,1165,1178,1298,1359)
	Collision w/Vessel (22,159,192,364,533,566,631,657,661,844,992,1167,1193,1365)
	Electric (85)
	Equipment failure (545,978,1022,1263)
	Ergonomic (82,139,900,933,1113,1136,1203)
	Flooding/Sinking (624,777,873,1238)
	Grounding (196,395,505,510,729,773,1025,1115,1158,1177,1238,1263,1278,1342)
	Impact/Shock (17,18,38,50,54,58,59,60,75,81,84,106,107,136,151,154,190,213,222,232,233,234,281,308,324,32 9,340,375,383,389,390,396,409,416,428,441,448,460,463,466,485,497,501,503,511,512,515,548,5 54,558,564,566,584,599,618,650,678,688,712,798),
	impact/Shock (confinued) (800,804,806,807,813,818,825,828,840,872,875,880,900,911,921,933,955,969,972,973,981,993,10 12,1014,1020,1031,1035,1042,1043,1060,1062,1063,1065,1066,1076,1087,1090,1113,1116,1117, 124,1136,1143,1146,1183,1215,1218,1253,1259,1289)
	Impact/Shock (continued) (1323, 1350, 1351, 1364, 1366)
	Loss of Power/Control (69,156,334,405,926,1071,1134)
	Mechanical (38)
	Overboard (63,143,209,277,364,762,777,924,942,994,1004,1060,1070,1071,1099,1106,1170,1195,1201,1204 1224,1259,1313,1320,1352)
	Structural Failure (59,396,508,751,813,883,940,971,1074,1350)
	Toxicity (596,988,1069,1220,1332)
Equipment failure	Armaments (628,951,1080)
	Capsize (1173)
	Collision w/Object (398)
	Collision w/Vessel (734,766)
	Environment (545,978,1022,1263)
	Fire (1,989,997,1080)
	Grounding (398)
	Impact/Shock (68,360,427,535,545,853)
	Leakage (166)
	Loss of Power/Control (156,595,637,781)
	Mechanical (248,309)
	Toxicity (9)
Ergonomic	Environment (82, 139, 900, 933, 1113, 1136, 1203)
	Impact/Shock (5,36,40,138,283,362,465,550,688,713,912,1012,1016)
Explosion	Fire (1161)
	Impact/Shock (130)

Table 1. Preliminary Hazard Analyses Inter-relationships.
(Continued)

HAZARD GROUP	ASSOCIATED HAZARD GROUPS (with corresponding mishap numbers)
	Structural failure (621)
	Toxicity (227,289)
Fire	Burns (91,137,1036,1093)
	Contamination (164,1096)
	Electrical (1,47,85,726,784,897,977,1301,1344,1367)
	Equipment failure (1,898,997,1180)
•	Explosion (1161)
	Leakage (491,607,1011)
	Loss of Power/Control (250,502,736,782,879,898,1186)
	Mechanical (21)
	Structural Failure (169,474,1044)
	Temperature (49,963,1122)
	Toxicity (9,49,70,104,343,491,1036,1148)
Flooding/Sinking	Capsize (1277)
o. S	Collision w/Vessel (488)
	Environment (777)
	Grounding (453)
	Environment (624,873,1238)
	Overboard (624)
Grounding	Collision w/Object (571,1027,1296)
-	Collision w/Vessel (56)
	Environment (196,395,505,510,729,773,1025,1115,1158,1177,1238,1263,1278,1342)
	Equipment failure (398)
	Flooding (453)
	Impact/Shock (282,395,420,456,1006,1115)
	Leakage (505)
	Loss of Power/Control (206,236,334,778,820,999,1177)
	Overboard (1058)
	Structural Failure (971,1212)
	Environment (1158,1350)
Impact/Shock	Armaments (627,866,960)
·	Burns (591)
	Collision w/Object (610,724,765,968)
	Collision w/Vessel (65,991,1188)
	Contamination (241,382,1040)
	Environment (17,18,38,50,54,58,59,60,75,81,84,106,107,136,151,154,190,213,222,232,233,234,281,308,324,339,340,375,383,389,390,396,409,416,428,441,448,460,463,466,485,497,501,503,511,512,515,548,54,558,564,566,584,599,618,650,678,688,712,798),

Table 1. Preliminary Hazard Analyses Inter-relationships. (Continued)

HAZARD GROUP	ASSOCIATED HAZARD GROUPS (with corresponding mishap numbers)
	Environment (continued) (800,804,806,807,813,818,825,828,840,872,875,880,900,911,921,933,955,969,972,973,981,993,10 12,1014,1020,1031,1035,1042,1043,1060,1062,1063,1065,1066,1076,1087,1090,1113,1116,1117,1124,1136,1143,1146,1183,1215,1218,1253,1259,1289)
	Environment (continued) (1323, 1350, 1351, 1364, 1366)
	Equipment failure (68,360,427,535,545,853)
	Ergonomic (5,36,40,138,283,362,465,550,688,713,912,1012,1016)
	Explosion (130)
	Grounding (282,395,420,456,1006,1115)
	Leakage (518,541,799)
	Loss of Power/Control (136,420,869,1094)
	Mechanical (20,25,26,33,61,62,95,99,100,105,109,110,116,146,147,177,193,219,231,261,298,316,319,342,351,368,373,378,382,406,425,454,458,471,521,543,567,627,,625,646,658,716,746,788,,956,1075,965,1049,1187,1306
	Overboard (210,279,349,356,426,670,735,1047,1153)
	Radiation (1235)
	Structural Failure (75,88,89,128,157,167,197,223,230,293,304,305,328,330,332,345,360,386,443,473,475,481,508,5 53,565,622,703,751,791,826,839,849,909,913,925,932,996,1028,1034,1037,1047,1109,1127,1132, 1229,1248,1293,1294,1310,1337)
	Temperature (495,743,789,815)
	Toxicity (13,37,74,230,244,258,356,421,443,506,528,541,614,665,669,705,890,1040,1196,1332)
Leakage	Collision w/Object (1145)
	Electrical (199)
	Equipment Failure (166)
	Fire (491,607,1011)
	Grounding (505)
,	Impact/Shock (518.541,799)
	Loss of Power/Control (352,918,1011,1126,1145)
	Structural Failure (169,1104)
	Structural Failure (1104)
	Toxicity (166,493,918,1069)
Loss of Power/Control	Burns (255)
	Capsize (69,206,1084)
	Collision w/Object (101,405,1064,1139,1181,1353)
	Collision w/Vessel (56.634.641,1129,1302)
	Contamination (1096)
	Environment (69,156,334,405,926,1071,1134)
	Equipment failure (156,595,637,781)
	Fire (250,502,736,782,879,898,1186)
	Fire (250,502,736,782,879,898,1186) Grounding (206,236,334,778,820,999,1177)

Table 1. Preliminary Hazard Analyses Inter-relationships.
(Continued)

HAZARD GROUP	ASSOCIATED HAZARD GROUPS (with corresponding mishap numbers)
	Leakage (352,918,1011,1126,1145)
	Overboard (514,556, 1056, 1084, 1094)
	Structural Failure (626,736, 1056, 1237)
Mechanical	Environment (38)
	Equipment failure (248,309)
	Fire (21)
	Impact/Shock (20,25,26,33,61,62,95,99,100,105,109,110,116,146,147,177,193,219,231,261,298,316,319,342,351,368,373,378,382,406,425,454,458,471,521,543,567,627,,625,646,658,716,746,788,,956,1075,965,1049,1187,1306
	Structural Failure (109,285,403,748)
	Temperature (666,1073)
Overboard	Armament (570)
	Capsize (217,843,961,1201)
	Collision w/Object (189,1067)
·	Environment (63,143,209,277,364,762,777,924,942,994,1004,1060,1070,1071,1099,1106,1170,1195,1201,1204,1224,1259,1313,1320,1352)
	Flooding/Sinking (624)
	Grounding (1058)
	Impact/Shock (210,279,349,356,426,670,735,1047,1153)
	Loss of Power/Control (514,556,1056,1084,1094)
	Structural Failure (210,1154)
	Temperature (1081)
Radiation	Impact/Shock (1235)
Structural Failure	Burns (255)
	Collision w/Object (1212)
	Collision w/Vessel (626,667,962,1237)
	Electrical (197,380,474)
	Environment (59,396,508,751,813,883,940,971,1074,1350)
	Explosion (621)
	Fire (169,474,1044)
	Grounding (971,1212)
	Impact/Shock (75.88,89,128,157,167,197,223,230,293,304,305,328,330,332,345,360,386,443,473,475,481,508,535,565,622,703,751,791,826,839,849,909,913,925,932,996,1028,1034,1037,1047,1109,1127,1132,1229,1248,1293,1294,1310,1337)
	Leakage (169,1104)
	Loss of Power/Control (696,736,1056,1237)
	Mechanical (285,403,748,1015)
	Overboard (210,1154)
	Temperature (242,345,1101,1293)

Table 1. Preliminary Hazard Analyses Inter-relationships. (Continued)

HAZARD GROUP	ASSOCIATED HAZARD GROUPS (with corresponding mishap numbers)
	Toxicity (242,925,1104)
Temperature	Fire (49,963)
•	Impact/Shock (495,743,789,815)
	Mechanical (666, 1073)
	Overboard (1081)
	Structural Failure (242,345,1101,1293)
	Toxicity (1101,1122)
Toxicity	Burns (64,714)
	Electrical (726)
	Environment (596,988,1069,1220,1332)
	Equipment failure (9)
	Explosion (227,289)
	Fire (9,49,70,104,343,491,1036,1148)
	Impact/Shock (13,37,74,230,244,258,356,421,443,506,528,541,614,665,669,705,890,1040,1196,1332)
	Leakage (166,493,918,1069)
	Structural Failure (242,925,1104)
	Temperature (1101,1122)

Table 2. Preliminary Hazard Analysis for Armaments and Military Explosives Hazard Group.

HAZARD	EFFECT	HAZARD	ГІКЕГІНООВ	ASSE EXPOSURE	ASSESSMENT RE Min	MAGNITUDE	Avg	COMMENTS
Malfunction of crew served weapon (i.e., 50 Cal. 20mm, 3 inch).	Damage and injury due to explosion of round while partially chambered or being extracted causing shrapnel in the vicinity of the weapon. Damage or injury due to firing into own vessel due to failure of weapons limit stops.	C/D	900:0		9	\$5,250	\$1,151	
Unintentional firing of pistol or rifle during clearing operation.	Damage or injury from the round.	۵	0.004		S _s	O\$	\$0	No damage or injury reported for these incidents probably due to use of safe area for clearing.
Unintentional firing of explosive device.	Damage or injury due to explosion, heat or flying debris.	Q	0.001		S _s	\$5,040	\$2,520	
Unintentional firing of personal weapon (reason unknown).	Damage or injury due to the round.	D	0.002		0 \$	\$250	\$83	
Unintentional fiting of pistol during loading or holstering.	Damage or injury due to the round.	C/D	0.004		0\$	\$2,715	\$477	9mm pistol is particularly prone to this hazard.
Unintentional firing while transferring small arm from one person to another.	Potential damage or injury due to round.	۵	0.001		Çş	0\$	9 \$	LERAMS has only one incident of this type.

Table 3. Preliminary Hazard Analysis for Burns Hazard Group.

				ASSE	ASSESSMENT			
HAZARD	EFFECT	HAZARD LEVEL	ПКЕЦНООВ	EXPOSURE		MAGNITUDE		COMMENTS
					Min	Max	Avg	
Failure of equipment seals or hoses to retain hot liquids (water, oil).	Failure of equipment seals or Injury due to skin exposure to hoses to retain hot liquids hot liquid. Damage to equipment due to lack of cooling or lubricating fluids.	Q	0.002		9	\$4,503	\$1,581	
Smoking on deck or in windy Injury due to hot ash being areas. blown into eye.	Injury due to hot ash being blown into eye.	٥	0.001		0\$	0\$	O\$	
Malfunction of OBA cannister Injury due to chemical burn. during use.	Injury due to chemical burn.	ပ	0.001		\$5,250	\$5,250	\$5,250	
Overheating of equipment due to malfunction.	Damage due to insulation and components due to heat.	۵	0.001		₹4 ,600	\$4,600	\$4,600	
Heat caused by fire.	Damage or injury resulting directly from heat or large flames. Superficial damage due to hot ashes.	Q/O	0.004		S	\$6,000	\$1,785	
Exposure to battery acid.	Injury due to chemical burn or damage due to corrosion.	۵	00:0		9,	\$240	\$120	
Electrical short circuit while doing maintenance.	Injury (flashburn) due to electrical conductivity of water or fuel.	C/D	0.001		S.	\$375	\$188	

Table 4. Preliminary Hazard Analysis for Capsize Hazard Group.

COMMENTS					
Avg	\$4,265	\$243	\$12,143	\$31,920	\$296
MAGNITUDE	\$2,000	\$450	\$40,375	\$125,000	\$2,398
L .	0\$	\$42	Q	S.	O\$
ASS					
ГІКЕГІНООВ	9000	0.002	900'0	0.003	0.005
HAZARD	C/D	۵	C/D	A/D	B/C/D
EFFECT	Damage to vessel or contents due to water or loss. Injury to personnel due to water entry or collision with part of vessel.	Swamping of vessel due to reduced freeboard followed by overturning. Damage or injury due to water immersion.	Broaching of the vessel with subsequent roll or pitchpole resulting in damage or injury due to the force of the waves, contact with the vessel or water immersion.	Damage or injury due to water immersion.	Damage or injury due to contact with lifting vessel, vessel being lifted, or water immersion.
HAZARD	Natural or man made waves while vessel was without directional control.	Improper loading of small vessel including exceeding vessel capacity, improper distribution of load, and failure to property secure load.	Loss of power or directional Broaching of the vessel with control while operating in the subsequent roll or pitchpole surf zone. resulting in damage or injury due to the force of the waver contact with the vessel or water immersion.	Vessel being towed while Damage or directionally unstable, usually immersion. due to partial sinking.	Lifting or lowering operations Damage or injury due to of small boat or buoy. contact with lifting vesse vessel being lifted, or wa immersion.

Table 5. Preliminary Hazard Analysis for Collision with Object Hazard Group.

EFFECT LEVEL LIKELIHOOD EXPOSURE MIN MAX AVG	\$247,508	Damage or injury due to C/D 0.011 \$0 \$15,001 \$3,249 contact with the pier, camel or seawall, or mooring lines and equipment.	Pier or other observable Damage or injury due to C/D 0.002 \$30 \$18,000 \$11,010 object.	Pler or other object while not Damage or injury due to C/D 0.008 \$0 \$4,425 \$1,657 under power or control.	Damage to propulsion gear D 0.006 \$0 \$1,047 \$522 due to fouling.	Damage or injury due to D 0.002 \$690 \$2,000 \$1,313 contact with the towed object or towing equipment.	Floating object observable by Damage or injury due to D 0.004 \$0 \$1,000 \$445 contact with the object. In small boats, this may include causing a person to be thrown overboard.	Overhead object such as a Damage to topside vessel D 0.002 \$0 \$2,100 \$833 bridge while under power and structure and equipment. control. Injury due to contact with the object or being hit by falling
HAZARD	Submerged object only Damaç detectable by special or stee instruments.	Mooring or unmooring Damaç operations. seawal equipm	Pier or other observable Damag object while under power and contac control.	Pier or other object while not Damag under power or control.	Submerged line. Damag	Towing operations. Contact or towing	t observable by Damag contact small b causing	Overhead object such as a Damag bridge while under power and structu control.

Table 6. Preliminary Hazard Analysis for Collision with Vessel Hazard Group.

				ASSI	ASSESSMENT			
HAZARD	EFFECT	HAZARD	LIKELIHOOD	EXPOSURE		MAGNITUDE		COMMENTS
					Min	Max	Avg	
Waves, wake, or current that hampers vessel control.	Waves, wake, or current that Heavy waves overcome boat's hampers vessel control. ability to maneuver and leads ships to drift into each other.	B/C	600.0		0\$	\$3,525	\$473	
Mooring, towing, or boarding operations bring vessels into a dangerous situation.	Mooring, towing, or boarding The close interaction during operations bring vessels into mooring, towing, and boarding a dangerous situation. collide.	A/B/D	0.013		0\$	\$250,000	\$24,576	
Engine or steering failure.	Loss of ship control leads ships to driff into each other.	C/D	600:0		O\$	\$60,000	\$6,803	
Heavy wind that hampers vessel control.	Heavy wind overcomes boat's ability to maneuver and leads ships to drift into each other.	٥	0.002		0\$	\$1,537	\$769	
Poor procedure or procedure Lack of training and use of execution. poor procedures places vessels on collision course	Lack of training and use of poor procedures places vessels on collision courses.	C/D	0.002		\$224	\$310,000	\$104,028	
Travel in restricted waterway. Close proximity to other vessels leads to collisio situations.	Close proximity to other vessels leads to collision situations.	Q	0.003		\$0	\$8,000	\$2,529	
Reduced visibility.	Vessel collides with unseen vessel.	a	0.001		\$250	\$250	\$250	Only one incident in LERAMS.
Nearby vessel out of control. Vessel rammed by nearby vessel leading to structura damage and injury.	Vessel rammed by nearby vessel leading to structural damage and injury.	Q	0.002		Q\$	\$5,000	\$2,500	

Table 7. Preliminary Hazard Analysis for Contamination Hazard Group.

	DE COMMENTS	Avg	\$983	\$301	\$415	\$840 Only one incident of this type in the data base.
INE	MAGNITUDE	n Max	9	\$601	\$1,875	\$840
ASSESSMENT	EXPOSURE	Min	Q.	9	Q	\$840
	LIKELIHOOD		0.002	0.002	0.005	0.001
	HAZARD LEVEL		Q/D	۵	C/D	Q
	EFFECT		Injury to eyes and other sensory organs; potential skin irritation or internal injury if inhaled or ingested. Potential for damage to equipment due to lubrication breakdown.	Acids from the battery or Injury to eyes if eyes are other hazardous substances unprotected or the substance used for maintenance. gets behind protective eye gear. Potential damage from chemical reactions between acids or other substances and equipment.	Injury to eyes from airborne dust, dirt, or rust. This can occur even with protective equipment. Potential for damage to equipment if dust or dirt interferes with proper working of equipment, or if rust corrodes through equipment or vessel structures.	Injury due to sharp edge of container and exposure to toxic material. Material in container contaminated.
	HAZARD		Gasoline or fuel spilled or sprayed.	Acids from the battery or other hazardous substances used for maintenance.	Dust from maintenance activities such as grinding, dirt on equipment or in the air, rust on objects or equipment.	Breeched container—glass holding mercury substance shattered.

Table 8. Preliminary Hazard Analysis for Electrical Hazard Group.

	COMMENTS							
		Ava	\$2,812	\$2,225	\$571	\$0	\$223	\$7,458
	MAGNITUDE	- AcM	\$20,000	\$10,375	\$1,400	0\$	\$750	\$13,790
ASSESSMENT		Z.	O\$	0\$	S	0\$	0\$	\$1,125
ASS	EXPOSITE							
	I IKEI IHOOD		0.007	0.003	0.004	0.002	0.004	0.002
	HAZARD		C/D	۵/۵	C/D	۵	C/D	O
	EFFECT		Electrocution injuries. Electrical system damage or equipment damage (e.g., wiring, pump).	Electrocution injuries. Potential for damage to equipment.	Electrocution injury. Potential for equipment damage.	Electrocution injury. Equipment damage.	Electrocution injury. Damage to equipment that was shorted (e.g., stove).	Fire from spark ignited fumes from flammable liquid adhesive. Potential for other types of equipment damage. Electrocution injury due to contact with current. Potential for injury from a secondary effect of an arc (e.g., fire).
	HAZARD		Electrical short.	Unintentional contact with electrical current while performing electrical system maintenance.	Unintentional contact with electrical current while performing other maintenance.	Unintentional contact not directly related to maintenance.	Conductive short due to water or moisture used on the vessel, or due to a wave washing over the deck into the supply vents.	Electrical arc while connecting or disconnecting electrically powered equipment.

Table 9. Preliminary Hazard Analysis for Environmental Conditions Hazard Group.

	COMMENTS		Several of these incidents occurred during surf penetrations drills.	These incidents seem to combine with currents to produce a collision with ground or obstacle.					
		Avg	57,770	\$6,100	\$2,000	O\$	\$750	\$1,583	\$19,583
	MAGNITUDE	Max	\$40,375	\$18,000	\$10,000	O\$	\$1,500	\$7,320	\$50,000
ASSESSMENT		Min	Q	0\$	S	9	S,	S.	\$750
ASS	EXPOSURE								
	LIKELIHOOD		0.010	0.002	0.004	0.001	0.001	900.0	0.002
	HAZARD LEVEL		O/D	Q/O	c/D	۵	C/D	C/D	C/D
	EFFECT		Damage to vessel equipment and structure during surf penetration drills or other activities. Vessel capsizing and people being thrown overboard.	Damage to vessel due to running aground. Collision with obstacles.	Grounding. Damage to vessel due to collision with obstacle. Damage to obstacles (e.g., pier).	Loosing grips of ladder, personnel overboard. Heat exhaustion.	Eye injury due to failure to wear protective eyeglasses. Injury due to tripping over objects.	Injury (e.g., head, legs, arms) due to fall. Dislocations, broken bones, and lacerations.	Vessel collision because one of the vessels stopped abruptly. Damage to vessel due to collision with obstacle or ground while removing ice from rudder.
	HAZARD		Encountering strong breakers.	Operating at low tide.	Encountering stronger currents than expected.	Exposure to heat/cold temperature.	Working in a dark environment.	Working/walking on a Injury (e.g., head, legs, a slippery surface due to ice or due to fall. Dislocations, snow.	Ice impairing vessel movement.

Table 9. Preliminary Hazard Analysis for Environmental Conditions Hazard Group. (Continued)

J. A. S. S. S. S. S. S. S. S. S. S. S. S. S.	COMMENTS		Several of these incidents cause the personnel to lose balance.			
		Avg	\$754	\$125	\$1,751	\$1,487
40000	MAGNITUDE	Max	\$5,040	\$375	005'8\$	000'6\$
ASSESSMENT		Min	0\$	Q,	0\$	3
ASS	EXPOSURE					
	LIKELIHOOD		0.007	0.002	9000	0.011
HAZARD	LEVEL		Q/O	αΩ	C/D	D
	EFFECT		Injury (e.g., legs, head, arms) due to personnel loosing balance and falling or hitting an object. Damage to vessel's haul or equipment. Collision between vessels. Engine quitting.	Eye injury due to smoke. Injury due to working in the dark. Damage due to collision with unseen obstacles or vessels.	Eye injury due to objects flying in eyes. Injury due to doors/hatches closing on body parts. Injury due to body parts being hit by objects being damaged and falling off.	Damage to haul due to vessels being pushed on other vessels, obstacles, or in shallow waters. Damage to obstacles.
	HAZARD		Wake generated close to another vessel.	Reduced visibility.	Objects or boat components being blown or moved by wind.	Wind modifying vessel's motion/direction.

Table 9. Preliminary Hazard Analysis for Environmental Conditions Hazard Group. (Continued)

				ASS	ASSESSMENT			
HAZARD	EFFECT	HAZARD LEVEL	LIKELIHOOD	EXPOSUR		MAGNITUDE		COMMENTS
Wave actions causing the	Injury to personnel loosing	B/C/D	0.088		Min \$0	Max \$42,975	Avg \$2,533	
vessel to roll.	balance, being hit by object that is unsecured or has dislodged itself, doors closing.							
	overboard from the small boat. Damage to equipment due to							
	objects falling or electrical short circuits.							
Wave actions causing vessel Vessels colliding with other	Vessels colliding with other	QΩ	0.020		Ş	\$25,000	\$2,583	
to capsize or break structural	to capsize or break structural vessels, ground, or obstacles. Structural damage due to wave							
	strength breaking vessel's							
	components, dislodging							
	or rolling excessively							
	. (12.12.22.22.22.22.22.22.22.22.22.22.22.2	·						
					_			

Table 10. Preliminary Hazard Analysis for Equipment Failure Hazard Group.

	COMMENTS			Only one incident of this type in the LERAMS database.			
		Avg	\$21,474	\$2,398	\$40	\$1,500	\$744
	MAGNITUDE	Max	\$64,000	\$2,398	\$120	\$2,500	\$2,325
ASSESSMENT		Min	Q.	\$2,398	0\$	005\$	0 \$
ASSE	EXPOSURE						
	LIKELIHOOD		0.003	0.001	0.002	0.002	9000
HAZARA	LEVEL		C/D	۵	۵	۵	C/D
	EFFECT		Burns and respiratory injury due to escaping hot or toxic liquids. Equipment malfunction or failure due to loss of critical fluid (coolant, hydraulic fluid).	Boats swamped or capsized. Abrupt movements stress boat components and force people to support themselves with fixtures that break.	Poorly secured or suspended Results in falls when person is suspended and results in falling objects when objects are suspended. Falling objects can injure crew and damage equipment.	Overstressed tools and equipment can be damaged and can cause injuries and damage to other equipment when they fail.	Equipment strength or Poor maintenance, corrosion, performance degraded due to and wear can cause tools or fatigue, corrosion, or wear. equipment to operate less effectively. These systems can fail, damaging the tools or equipment. They can also fail and damage other equipment and cause injuries.
	HAZARD		Failure of seals or hoses.	Waves, wakes, or currents inducing unusual boat movements.	Poorly secured or suspended objects.	Equipment used or stressed beyond operating limits.	Equipment strength or performance degraded due to fatigue, corrosion, or wear.

Table 10. Preliminary Hazard Analysis for *Equipment Failure* Hazard Group. (Continued)

	COMMENTS			
		Avg	\$1,073	\$5,396
	MAGNITUDE	Max	\$5,250	\$5,396
ASSESSMENT		Min	9	\$5,396
AS	EXPOSURE			
	LIKELIHOOD EXPOSURE		0.005	0.001
	HAZARD LEVEL		QO	v
			Poor manufacturing can cause tools or equipment to operate less effectively. These systems can fall, damaging the tools or equipment. They can also fall and damage other equipment and cause injuries.	Failure to carry adequate supplies, fuel in particular, can jeopardize a mission, crew, and boat. For example, lack of fuel can lead to engine failure and a grounding or collision.
	HAZARD		Poorly designed or manufactured equipment.	Inadequate resources (fuel). Failure to carry adequate supplies, fuel in particular jeopardize a mission, crev and boat. For example, it of fuel can lead to engine failure and a grounding or collision.

Table 11. Preliminary Hazard Analysis for Ergonomic Hazard Group.

COMMENTS						
Avg	\$2,445	\$4,535	\$1,848	059\$	\$1,380	066\$
MAGNITUDE	\$11,751	\$7,725	\$4,125	\$751	\$3,075	\$1,620
ASSESSMENT RE Min	\$120	\$840	S	\$ 480	8	\$240
ASS						
LIKELIHOOD	0.010	0.002	0.003	0.002	0.003	0.002
HAZARD LEVEL	C/D	Q	C/D	C/D	C/D	C/D
EFFECT	Injuries to back and arm areas: strains, pulled muscles, etc. Potential for injuries to other body parts used in lifting or carrying.	Injuries to back and wrist. Potential for injuries to other body parts that might be used in lifting buoys.	Primarily back injuries; groin injury.	Back injuries. Potential for injury to other body parts used in pulling.	Back and chest muscle injuries. Potential for injuries to other body parts used in handling materials.	Knee and back injuries when returning to a normal posture from the static posture. Potential for injury to other body parts used to perform static work.
HAZARD	Lifting and/or carrying heavy objects.	Manual handling of buoys.	Twisting or turning while lifting or carrying objects; cranking.	Pulling heavy objects: cable, Back injuries. Potential for sinker, fuel hose. injury to other body parts us in pulling.	Unspecified materials handling motion.	Maintaining static work positions in awkward places while performing maintenance.

Table 11. Preliminary Hazard Analysis for Ergonomic Hazard Group. (Continued)

			ASSI	ASSESSMENT			
HAZARD	HAZARD LEVEL	HAZARD LIKELIHOOD	EXPOSURE		MAGNITUDE		COMMENTS
				Min	Max	Avg	
Foot/feet in awkward position Ankle injuries. due to deck geometry (angles or objects attached to deck).	O	0.002		\$3,750	\$4,900	\$4,325	
Twisted foot for no apparent Foot/ankle injury. reason while carrying object	Q	0.0008		O\$	O\$	0 \$	Only one incident of this type.
across deck. Twisted knee when removing Knee injury.	٥	0.0008		\$2,520	\$2,520	\$2,520	\$2,520 Only one incident of this type.

Table 12. Preliminary Hazard Analysis for Explosion Hazard Group.

HAZARD	EFFECT	HAZARD	LIKELIHOOD EXPOSURE	ASSE	ASSESSMENT RE Nin I	MAGNITUDE	Avg	COMMENTS
Ignition of battery gases.	Damage or injury due to blast effects, heat, and spillage of battery acid.	C/D	0.002		£	\$4,901	\$2,450	
Failure of a pressure or vacuum vessel.	Damage or Injury due to blast effects and flying debris.	Q	0.002		\$140	\$335	\$222	
Ignition of fuel, dust, or vapors.	Damage or injury due to blast effects and heat.	Q	0.001		\$1,500	\$1,500	\$1,500	Only one incident in LERAMS database for this hazard.

Table 13. Preliminary Hazard Analysis for Fire Hazard Group.

				ASSE	ASSESSMENT			
HAZARD	EFFECT	HAZARD LEVEL	LIKELIHOOD	EXPOSURE		MAGNITUDE		COMMENTS
				1	Min	Max	Ava	
Turbocharger or engine exhaust overheating or catching in fire.	Equipment damage due to smoke or fire. Ignition of insulation. Risks of smoke inhalation.	۵	900:0		Ş	\$4 ,500	\$1,164	
Failure of seals and hoses in proximity to hot equipment.	Equipment damage due to smoke or fire caused by the oil or fuel getting in contact with hot surfaces. Loss of power due to loss of engine oil. Risks of smoke inhalation.	C/D	0.004		0\$	\$50,000	\$10,376	In some cases, the seal/hose failure happened during maintenance repairs. The average cost figure is inflated due to one incident. Without this incident the magnitude (max) and (avg) are respectively \$1304 and \$470.
Smoke generated by the anchor windlass clutch.	Damage due to smoke and risk of fire.	۵	0.001			\$1,500	\$1,500	
Electrical short circuit during maintenance activities.	Electrical short circuit during Damage to the electrical panel. maintenance activities.	Q	0.004		S _s	\$720	\$248	Two of these incidents involve connecting the electrical power to shore.
Electrical short circuit during operations.	Electrical short circuit during Damage to the electrical panel operations. (main propulsion switchboard) or other equipment (air conditioner, alternator, generator) due to fire. Injury to personnel due to fire or sparks.	۵	0.00		Q.	\$4,600	\$1,036 1,036	
Electrical short circuit due to contact of an ignition source with a liquid.	Damage to equipment due to electrical short circuit and fire.	α	0.002		8	\$150	29\$	
Testing equipment and leaving it unattended.	Damage to equipment due to overheating or electrical short circuit.	۵	0.001		\$59	\$230	\$145	

Table 13. Preliminary Hazard Analysis for Fire Hazard Group. (Continued)

	##GNITUDE COMMENTS ### Avg \$6,000 \$1,800	3	\$13,790 \$1,903 The average cost estimate is inflated by one incident. Without this incident, the magnitude (max) and (avg) are respectively \$3000 and \$728.	\$986 \$510	\$720 \$720	\$250,000 \$35,829 The average cost is inflated due to one incident. Without this incident the magnitude (max) and (avg) would be respectively \$800 and \$133.	\$766 \$766
Sommuna)			\$	0\$		\$\$ O\$	
	EL LIKELIHOOD 0.004		0.008	0.004		O'0005	0.001
	HAZ Bamage to equipment due to fire or smoke. Injury to personnel due to fire. Risks of smoke inhalation.	- e 5	Damage to equipment or C/D clothing due to fire. Burn injury due to equipment or clothing catching fire. Risks of smoke inhalation.	Damage to turbocharger, muffler, or other equipment due to smoke or fire.	Burn injury to personnel.	Damage to equipment due to B/C/D fire or smoke. Burn injury to personnel due to sparks getting in contact with clothing.	Damage to equipment due to Sparks and fire.
	222.022.022.022.020.000000	to de	Exposure of flammable Damage to equipment or material (e.g., oil, fuel, cooking grease) to an ignition due to equipment or clothing source (sparks or hot catching fire. Risks of smok surfaces).	ignition of oil soaked lagging/insulation due to engine overheating, increases in boat speed, or contact with hot surfaces.	Relighting of a flare after being exposed to water.	Failure to provide exhaust cooling. Sparks originating from exhaust.	Using a flammable material to clean an operating

Table 14. Preliminary Hazard Analysis for Flooding/Sinking Hazard Group.

				AS	ASSESSMENT			
HAZARD	EFFECT	HAZARD LEVEL	LIKELIHOOD	EXPOSURE		MAGNITUDE		COMMENTS
					Min	Max	Ava	
Wave action put excessive amount of water in the vessel.	Water damage to vessel components, loss of vessel, or injury to personnel due to water immersion.	۵	0.002		\$500	\$4,675	\$2,588	
Breach of hull integrity.	Water damage to vessel components, loss of vessel, or injury to personnel due to water immersion.	A/C	0.002		S,	\$37,001,500	\$18,500,750	\$37,001,500 \$18,500,750 This hazard includes the total loss of a Cutter which ran up on rocks and sank.
Failure or improper positioning of valve or fitting.	Failure or improper Water damage to vessel positioning of valve or fitting. components, loss of vessel, or injury to personnel due to water immersion.	C/D	0.002		0\$	\$50,000	\$25,000	

Table 15. Preliminary Hazard Analysis for Grounding Hazard Group.

COMMENTS				
Avg	\$4,940	\$20,800	\$12,407	\$1,332
MAGNITUDE	\$63,000	\$100,000	\$100,000	\$5,000
ASSESSMENT IE Nin I	O\$	O\$	9	9
ASS				
ГІКЕГІНООВ	0.001	0.004	0.010	0.005
HAZARD	O/O	Q/O	C/D	C/D
EFFECT	Damage to hull, propulsion gear and rudder due to contact with sand and rocks. Damage to propulsion machinery due to blockage of cooling water intake. Injury due to individuals being thrown into vessel or overboard by sudden stop.	Damage to hull, propulsion gear and rudder due to contact with sand and rocks. Damage to propulsion machinery due to blockage of cooling water intake.	Damage to hull, propulsion gear and rudder due to contact with sand and rocks. Damage to propulsion machinery due to blockage of cooling water intake. Injury due to individuals being thrown into vessel or overboard by sudden stop.	Damage to hull, propulsion gear and rudder due to contact with sand and rocks. Damage to propulsion machinery due to blockage of cooling water intake. Possible injury due to subsequent capsize in surf.
HAZARD	Navigation aids improperly positioned or inaccurate charts.	Maneuvering restricted due to mission or situation.	Loss of maneuverability due to loss of power or steering control or malfunction.	Wave or tidal action.

Table 15. Preliminary Hazard Analysis for Grounding Hazard Group. (Continued)

				ASS	ASSESSMENT			
HAZARD	EFFECT	HAZARD LEVEL	LIKELIHOOD	EXPOSURE		MAGNITUDE		COMMENTS
					Min	Max	Avg	
Maneuvering while mooring or unerring.	Damage to hull, propulsion gear and rudder due to contact with sand and rocks. Damage to propulsion machinery due to blockage of cooling water intake. Possible injury while attempting to snub with lines or from trying to fend off.	C/D	0.003		Q\$	000'09\$	\$15,031	
Navigation error.	Damage to hull, propulsion gear and rudder due to contact with sand and rocks. Damage to propulsion machinery due to blockage of cooling water intake. Injury due to intake. Injury due to intakes lor overboard by sudden stop.	AC/D	0.023		3	\$37,001,500	\$1,278,743	\$37,001,500 \$1,278,743 Magnitude estimate for this hazard are heavily influenced by the loss of a single cutter. Without this incident magnitude would be: min. \$0/max. \$50,000/avg. \$2930.
Tide fall while moored.	Damage to hull, propulsion or steering gear due to weight of vessel on rocks or outcroppings.	Q	0.001		2	55	25	Only one incident in LERAMS representing this hazard

Table 16. Preliminary Hazard Analysis for Impact and Shock Hazard Group.

COMMENTS					
Avg	\$2,193	\$2,412	\$2,800	\$2,428	\$2,935
MAGNITUDE	\$20,475	\$37,680	\$42,975	\$33,325	\$16,230
ASSESSMENT RE Min	0\$	0\$	O\$	0 \$	S
ASS					
гікегіноор	0.060	0.040	0.070	0.050	0.020
HAZARD	C/D	C/D	C/D	Q/O	ОУ
EFFECT	Injuries to head, hands, arms, legs, feet, ankles, back. Potential for injury to any body parts that receive impact or get caught in the fall.	Injuries to hands, head, and legs most common. Potential injury to any body parts that could get caught in closing hatches/doors/ drawers.	Trip over object on deck, slip Primarily injuries to ankle, foot, on deck or other object. Ieg, hand, arm, etc. Radio lost when crew member tripped. Potential for other injuries. Potential for damage to equipment if dropped when a person trips, or if a person fall on/into equipment.	Injuries to head, back, leg, ankle, etc. Damage to propeller, radar array, antenna, etc. Potential for other injuries. Potential for damage to other equipment.	Primarily injuries to legs, ankles, knees. Potential for injuries to other body parts. Potential for damage if a person fell on equipment.
HAZARD	Falls from ladders, other vessel structures, or objects (e.g., turtle, buoy, scaffolding, chair, engine).	Hatches, doors, or drawers injuries to hands, head, and closing; due to lack of securement, failed supports, injury to any body parts that crew members closing them, could get caught in closing swinging shut with vessel hatches/doors/ drawers. motion.	Trip over object on deck, slip on deck or other object.	Waves hitting vessel or washing over the vessel.	Boarding/deboarding falls, or Primarily injuries to legs, other jumping motions (e.g., ankles, knees. Potential jumping out of rack, off of injuries to other body part other objects). Potential for damage if a person fell on equipment

Table 16. Preliminary Hazard Analysis for *Impact and Shock* Hazard Group. (Continued)

Table 16. Preliminary Hazard Analysis for *Impact and Shock* Hazard Group. (Continued)

	-	
COMMENTS		
N N		
2		
ᅙ		
	_	~
Avg	\$2,189	\$3,198
٧	\$2	8
5	Q	က်
GNITU	996'96\$	\$10,875
MAGNITUDE	\$3	\$10
- 2		
5		
MEN	S S	ಜ್ಞ
SSI		
ASSESSMENT RE Min		
AS RE		
l DS		
6		
ŭ		
		
💆	_	_
¥	0.030	0.004
∥ ij	ō	ō
LIKELIHOOD EXPOSURE		
HAZARD	٥	و
₽	CO	8
Ξ-		
	Primarily injuries to hands; also leg, back, arm injuries. Potential for injuries to other body parts. Damage to shore tie cable. Potential for damage to other equipment.	夏
	Primarily injuries to hands; alseleg, back, arm injuries. Potential for injuries to other body parts. Damage to shore tie cable. Potential for damage to other equipment.	Injuries to ankle, head shoulder, hand, etc. Potential for other injuries.
	o to o	ے گ
5	Primarily injuries to har leg, back, arm injuries. Potential for injuries to body parts. Damage to tie cable. Potential for to other equipment.	Injuries to ankle, head shoulder, hand, etc. F for other injuries.
EFFECT	Primarily injuries to leg, back, arm injuriler. Potential for injuries body parts. Damag tie cable. Potential to other equipment.	ie d ie ie ie ie ie ie ie ie ie ie ie ie ie
ii ii	arrigini S. Cori	Injuries to ankle, shoulder, hand, e for other injuries.
	후 출 혈 후 후 후 • • • • • • • • • • • • • • • • •	s to der, eri
	d d d d d	불충형
	<u> ፫ ፬ ፫ 명 흡 </u>	트유호
	>	1
	<u> </u>	l .
	t or roll	<u>ğ</u>
HAZARD	o d b dec d dec dec dec dec de dec de de de de de de de de de de de de de	es es
	he yet.	훋
I	or the object	် လ
	Pushed , pulled, or rolled objects; vessel movement such that an object or body part is impacted between vessels or the vessel and another object.	Athletics or horseplay.
	bjer sart motil	Ě
	1 T O N D > 4	14

Table 17. Preliminary Hazard Analysis for Leakage Hazard Group.

				ASS	ASSESSMENT				
HAZARD	EFFECT	HAZARD LEVEL	CIKELIHOOD	EXPOSURE		MAGNITUDE		WOU	COMMENTS
					Min	Max	Avg		
Failure of seals or hoses.	Burns and respiratory injury due to escaping hot or toxic liquids. Equipment malfunction or failure due to loss of critical fluid (coolant, hydraulic fluid).	Q/O	0.013		%	\$50,000	\$6,351		
Valve, cap, or cover failed or Eye and face injury due to left open. exposure to hazardous substances. Loss of critic equipment fluids (oil, fuel).	Eye and face injury due to exposure to hazardous substances. Loss of critical equipment fluids (oil, fuel).	C/D	0.002		S _s	\$1,125	\$375		
Waves, wakes, or currents that flood areas of the boat.	Flooding of critical areas leading to steering or engine fallure. Eye and face injury due to exposure to hazardous substances agitated by wave action.	O/D	9000		Ş	\$100,000	\$25,955		

Table 18. Preliminary Hazard Analysis for Loss of Power/Control Hazard Group.

	COMMENTS			Only one incident recorded in LERAMS for this hazard.			
		Avg	\$12,260	\$20,000	\$26,783	\$2,000	\$333
	MAGNITUDE	Max	\$64,000	000'02\$	\$100,000	\$4,000	\$500
ASSESSMENT	1	Min	%	\$20,000	9	0\$	S.
ASSI	EXPOSURE			-			
	ПКЕПНООВ		0.016	0.001	0.003	0.002	0.002
	HAZARD LEVEL		Q/O	ပ	Qo	۵	۵
	EFFECT		Damage or injury primarily related to the initiating event requiring the shutdown.	Inadvertent shutdown using Damage or injury due to loss of safety device, i.e., kill switch. control of vessel, particularly in extreme conditions such as surf operations.	Damage to propeller or shaft due to binding of shaft. Damage due to loss of control in extreme conditions such as surf operations. Damage to propulsion gear including clutch and couplings. Potential injury due to personnel becoming tangled in line.	Damage to propeller or shaft due to binding of shaft. Damage due to loss of control in extreme conditions such as surf operations. Damage to propulsion gear including clutch and couplings.	Damage to vessel due to loss of control in extreme conditions such as surf operations. Potential injury due to water immersion and capsize.
	HAZARD		Intentional engine shutdown to minimize damage caused by another event.	Inadvertent shutdown using safety device, i.e., kill switch.	Fouled propeller due to vessels own lines in water.	Fouled propeller due to lines in water, e.g., fishing, and buoy lines.	Failure of outboard motor to start after stall or shutoff.

Table 18. Preliminary Hazard Analysis for Loss of Power/Control Hazard Group. (Continued)

				ASS	ASSESSMENT			
HAZARD	EFFECT	HAZARD	LIKELIHOOD	EXPOSURE		MAGNITUDE		COMMENTS
					Min	Max	Avg	
Fuel starvation.	Damage to vessel due to loss of control in extreme conditions such as surf operations. Potential injury due to water immersion and capsize.	۵	0.002		\$2,000	\$2,600	\$2,300	
Improper response of propulsion or steering to controls.	Damage or injury due to collision with vessels and other objects.	٥	0.009		9	\$5,400	\$1,167	
Propulsion machinery failure.	Propulsion machinery fallure. Damage or injury due to loss of control of vessel, particularly in extreme conditions such as surf operations.	C/D	600.0		0\$	\$25,000	£3,169	
Failure of steering gear.	Damage or injury due to collision with other vessels or objects. Damage or injury due to water immersion or capsize of small boats operating at high speed at the time of the failure.	B/D	0.004		9	\$115,000	\$25,349	
Failure of engine spaces to Frespond property to engine telegraph.	Potential damage or injury due to collision with vessels or other objects.	۵	0.001		S	S	9	Only one incident in LERAMS for this hazard.

Table 19. Preliminary Hazard Analysis for Mechanical Hazard Group.

COMMENTS					
Avg	\$1,960	\$105	\$1,812	\$224	\$112
MAGNITUDE	\$8,610	\$375	\$4,725	200	\$375
ASSESSMENT RE Min	0\$	S	S\$	0	0
ASS					
ПКЕЦНООВ	0.013	900.0	0.004	0.002	6000
HAZARD LEVEL	C/D	CO	C/D	Q	C/D
EFFECT	Unguarded machinery can lead to cuts, abrasions, and lacerations when crew members come in contact with it.	Exposed edges and pinchpoints can lead to lacerations, amputations, and crushing injuries if crew contact them.	Improperly used equipment can cause a wide variety of injuries from cuts with knives to sprained ankles due to falls.	Improperly used equipment can lead to property damage to the equipment or associated components.	Protruding or overhanging objects generally result in head injuries as people hit or scrape their heads over the protrusion (bolts, valves, hatches).
HAZARD	Unguarded moving and rotating equipment.	Exposed sharp edges or pinch points.	Improper use of equipment (crew injury).	Improper use of equipment (equipment damage).	Protruding or overhanging objects.

Table 19. Preliminary Hazard Analysis for *Mechanical* Hazard Group. (Continued)

HAZARD	EFFECT	HAZARD		ASS	ASSESSMENT	MAGNITUDE		COMMENTS
		LEVEL	LIKELIHOOD	EXPOSURE				S INDEED
Loss of control of tools and equipment.	Loosing control of equipment frequently leads to hand injuries, as when a knife slips and cuts the user. Additionally, loss of control can	CO	0.032		\$0	\$33,750	\$1,460	
Inademiate professing	legs, as when a grinder catches and is flung into someone's leg.	0						
clothing or equipment.	inadequate protective equipment (safety glasses, gloves, and fire retardant overalls) can lead to a variety of injuries including burns and particularly eye injuries.	٥	0.004		<u>9</u>	\$120	84	
Poorly secured of suspended objects.	objects. objects. or shift. Falling or rolling objects can fall objects. objects can crush hands or heads. Specifically, poorly functioning latches can release hatches to fall on heads or hands.	۵	9000		2	\$120	\$24	
Depuded	Poorly secured objects can also damage equipment by crushing equipment when they break loose. Improperly secured lines can drift through the water and foul the screw or propeller.	QΌ	0.008		0\$	\$22,000	\$2,514	
Airborne projectiles.	Equipment failure that generates fragments	C/D	0.002		\$240	\$375	\$308	

Table 20. Preliminary Hazard Analysis for Overboard Hazard Group.

	COMMENTS		Two incidents have an inflated value. Without these incidents, the value for magnitude (max) and (avg) are respectively \$4675 and \$916.				Only one incident on record resulting in two fatalities (one civilian, one CG)	Only one incident on record.	
		Avg	\$6,403	\$ 483	\$358	\$338	\$125,000	\$4 2	%
	MAGNITUDE	Max	\$125,000	\$2,500	\$2,340	\$1,350	\$125,000	\$42	0\$
ASSESSMENT		Min	0\$	0\$	0 \$	O\$	\$125,000	\$42	%
ASS	EXPOSURE								
	LIKELIHOOD		0.020	0.010	0.007	0.003	0.001	0.001	0.002
	HAZARD LEVEL		A/B/C/D	B/C/D	B/C/D	CO	∢	٥	Q
	EFFECT		Injury due to the fall or collision with parts of the vessel or through drowning. Damage due to force of the wave.	Injury due to fall or striking object prior to going overboard.	Injury due to fall or contact with object prior to falling overboard. Damage due to loss of equipment (e.g., weapon or tools) carried by the individual.	Injury caused by contact with vessel or other obstruction.	Injury or loss of life due to broaching or capsize.	Damage to boat due to water ingestion in engine.	Potential injury from fall or contact with object along side the vessel or through drowning.
	HAZARD		Man made or natural waves that either cause the vessel to move unexpectedly or wash across the deck.	Improper boarding including failure to use proper equipment or technique.	Line handling in connection with mooring, boarding or towing operations.	Climbing up or down ladder Injury caused by contact wi which is slippery or difficult to vessel or other obstruction. hold on to.	Participation in towing operations as salvage or repair crew on disabled and partially submerged vessel.	Overloaded or improperly loaded vessel.	Failure of lifeline or related safety device.

Table 20. Preliminary Hazard Analysis for Overboard Hazard Group. (Continued)

HAZARD
LEVEL
۵
B/D
0/0
B/C/D
۵/۵
a

Table 20. Preliminary Hazard Analysis for Overboard Hazard Group. (Continued)

Table 21. Preliminary Hazard Analysis for Radiation Hazard Group.

COMMENTS	
MAGNITUDE Ava	\$350 \$991 \$605
<u> </u>	8320
ASSESSMENT D EXPOSURE	
TIMELIHOOD E	900:0
HAZARD	ပ
EFFECT	nprotected exposure to Flash burn injuries to eyes; V radiation generated potential for skin burns. uring welding.
HAZARD	Unprotected exposure to Flash burn injuries to ey UV radiation generated potential for skin burns. during wekling.

Table 22. Preliminary Hazard Analysis for Structural Failure Hazard Group.

OD EXPOSURE Min Max	Failure of seals or hoses. Burns and respiratory injury C/D 0.013 \$0 \$6,000 \$1,430 due to escaping hot or toxic liquids. Equipment malfunction or failure due to loss of critical fluid (coolant, hydraulic fluid).		Poorly secured or suspended Results in falls when person is C/D 0.014 \$0 \$7,635 \$1,987 objects. falling objects when objects are suspended.	Equipment used or stressed Damage or injury due to falling C/D 0.005 \$0 \$2,998 \$768 beyond operating limits.	Equipment strength or Hoist lifting more than capacity B/C/D 0.029 \$0 \$501,630 \$15,175 performance degraded due to fatigue, corrosion, or wear.	Improper use of equipment. Lines break leading to falling C/D 0.013 \$0 \$10,000 \$1,210 objects.	Working on or near Injury due to contact with C/D 0.002 \$0 \$495 \$205 unguarded moving machinery.
---------------------	--	--	---	---	--	---	---

Table 23. Preliminary Hazard Analysis for Temperature Contact Hazard Group.

				ASS	ASSESSMENT			
		HAZARD						
KAZAKD	EFFECT	LEVEL	LIKELIHOOD	EXPOSURE		MAGNITUDE		COMMENTS
					Min	Max	Avg	•
Personnel contact with hot objects such as exhaust pipes, air compressor, pump cover when using the objects for balance; welded objects; iron.	Burns on the hands and the potential for burns to other body parts.	C/D	0.004		0	\$13,050	\$2,835	
Overheating of parts or equipment such as the engine, turbocharger, exhaust tube, pump, wall-mounted heater.	Equipment damage or potential for equipment damage as a result of overheating.	۵	900.0		g,	\$5,000	\$947	
Personnel exposed to CO2 from high pressure cylinder that was released unexpectedly.	Frost bite to exposed skin.	U	0.001		\$4,901	\$4,901	54 ,901	Only one incident representing this hazard in the data base.
_	Burns to hand and leg; potential for other burns.	۵	0.002		S	\$240	\$120	
Uncontained hot water and steam as a result of improper maintenance practices (hot jacket water), or inadvertent opening of a valve when clothing was caught on it.	Uncontained hot water and Burns to the back and hands steam as a result of improper with potential for burns to other maintenance practices (hot jacket water), or inadvertent opening of a valve when clothing was caught on it.	Q	0.002		\$240	\$480	982	
Hot welding slag falling on other object(s).	Potential for equipment damage, or personnel injury.	۵	0.001		S,	S.	S.	Only one incident representing this hazard.

Table 24. Preliminary Hazard Analysis for Toxicity Hazard Group.

	COMMENTS			Smoke is nearly always a hazard to crew members, so most mishaps with reports of smoke were reported here. Damage to the equipment is not directly caused by the smoke in these cases, but is related to the problem causing the smoke.		
		Avg	665 \$	\$2,409	089\$	\$1,885
	MAGNITUDE	Max	\$750	\$21,896	\$6,675	\$6,180
ASSESSMENT		Min	\$120	Q	9	0 \$
ASSE	EXPOSURE	1				
	LIKELIHOOD		0.003	0.010	0.010	0.006
	HAZARD LEVEL		C/D	۵	Q/D	C/D
	EFFECT		Respiratory/circulatory problems due to lack of oxygen; dizziness, nausea, and unconsciousness are some effects.	Potential injury to crew members from smoke inhalation; damage to equipment such as the engine, lagging, turbocharger, battery. Potential smoke damage to the vessel; however, smoke usually indicates other problems.	Eye injuries from solid particles, typically in the air, entering the eyes. Other injuries might result from exposure to these particles. Potential equipment damage if particles/fragments interfere with normal equipment operation.	Respiratory or neurological problems, eye irritation from fumes. Potential for damage due to chemical reactions with equipment or vessel components.
	HAZARD		Insufficient atmosphere due Respiratory/circulatory to malfunctioning or problems due to lack of improperty operated oxygen; dizziness, nausea, OBA's/respirators during fuel and unconsciousness are tank inspection, some effects.	Smoke generated from mechanical or electrical problems, or from fires external to the vessel.	Solid particles or fragments in the air from dust, rust, or dirt; typically from maintenance activities such as grinding, welding; one case of silicon ejected from tube unexpectedly.	Fumes from materials such as paint thinner or remover, descaler, paint, primer, gasoline or fuel, cleaning solutions.

Table 24. Preliminary Hazard Analysis for *Toxicity* Hazard Group. (Continued)

				ASS	ASSESSMENT						
		HAZARD									
HAZARD	EFFECT	LEVEL	LEVEL LIKELIHOOD EXPOSURE	EXPOSURE		MAGNITUDE		0	COMMENTS	ဖွာ	
					Min	Max	Avg				
Contact with	Eye injuries most common	C/D	0.020		S	\$2,715	\$339				Γ
sprayed/splashed toxic	(with or without eye protection);										
liquids Potential for damage skin irritation and blood	skin irritation and blood										
due to chemical reactions. poisoning due to liquids	poisoning due to liquids										
	contacting skin. Potential for										
	other injuries. Potential for		,								
	damage due to chemical					•					
	reactions.										

Table 25. Preliminary Hazard Analysis for Vibration and Noise Hazard Group.

COMMENTS	Only one incident in the LERAMS database where the direct hazard was vibrations or noise.
E Avg	
MAGNITUDE	S.
ASSESSMENT RE Min	G
AS EXPOSURE	
HAZARD AS LEVEL LIKELIHOOD EXPOSURE	0.001
HAZARD LEVEL	۵
EFFECT	Parts loosening and causing Loose part may prevent proper leak of a flammable material functioning of equipment. (fuel). Damage to equipment caused by smoke or fire due to fuel leak.
HAZARD	flammable material I

APPENDIX E

Coast Guard Vessel Hazard Definition:

Coast Guard Vessel System Hazard Matrix

This appendix contains a single matrix illustrating the hazards that impact the Coast Guard mission areas of Operations, Engineering, Management, and the environment. These mission areas are defined in the main body of the report in Table 2.

COAST GUARD VESSEL SYSTEM HAZARD MATRIX

	Operations Systems	Engineering Systems	Management Systems	Environment
Armaments and Military Explosives			PRIMARY	
Burns		secondary	PRIMARY	
Capsize	PRIMARY	PRIMARY	secondary	secondary
Collision with Object	secondary	PRIMARY	secondary	
Collision with Vessel	PRIMARY	secondary	secondary	
Contamination		secondary	secondary	
Electrical	PRIMARY	PRIMARY	PRIMARY	
Invironmental Conditions	PRIMARY	PRIMARY	PRIMARY	
Equipment Failure	PRIMARY	PRIMARY	secondary	secondary
Ergonomic			PRIMARY	
Explosion	PRIMARY	PRIMARY	PRIMARY	
îre .	PRIMARY	PRIMARY	PRIMARY	
Flooding/Sinking	PRIMARY	PRIMARY	PRIMARY	secondary
Grounding	PRIMARY	PRIMARY	secondary	secondary
mpact and Shock	secondary	secondary	PRIMARY	
eakage	secondary	PRIMARY		
Loss of Power or Control	PRIMARY	PRIMARY	secondary	
/lechanical	secondary	PRIMARY	PRIMARY	
Overboard	secondary		PRIMARY	
Radiation			PRIMARY	
Structural Failure	PRIMARY	PRIMARY	secondary	
emperature Contact		PRIMARY	PRIMARY	
Coxicity			PRIMARY	
ibration and Noise	PRIMARY	PRIMARY	secondary	